
Bibliography

Adhav, K. S., "Statefinder diagnostic for modified Chaplygin gas in Bianchi type-V universe", Eur. Phys. J. Plus, 126: 52 (2011).

Adhav, K. S., "Statefinder diagnostic for variable modified Chaplygin gas in Bianchi type-V universe", Astrophys Space Sci., 335:611–617 (2011).

Adhav, K. S. et al., "Bianchi type III cosmological model with linear equation of state", Bulg. J. Phys. 41, 187 (2014).

Adhav, K. S. et al., "Bianchi type III cosmological model with quadratic equation of state", The African Review of Physics, 10, 0009 (2015).

Afshordi, N., Chung, D.J. and Geshnizjani, H., "Casual Field Theory with an Infinite Speed of Sound", Physical Review D, 75, Article ID: 083513 (2007).

Allen, S.W. et al., "Constraints on Dark Energy from Chandra Observations of the Largest Relaxed Galaxy Clusters", Monthly Notices of the Royal Astronomical Society, 353, 457-467 (2004).

Amani, A. R. and Pourhassan, B., "Viscous Generalized Chaplygin Gas with Arbitrary α " Int J Theor Phys, 52:1309–1313 (2013).

Amani, A. R., et al., “Interaction of closed string tachyon with generalized cosmic Chaplygin gas”, International Journal of Geometric Methods in Modern Physics, Vol. 11, Issue 8, 1450065, (2014).

Amendola, L. et al. “WMAP and the generalized Chaplygin gas”, Mon. Not. R. Astron. Soc. 000, 2 (2003).

Amendola, L., “Coupled quintessence”, Phys. Rev. D 62, 043511 (2001).

Armendariz-Picon, C., Mukhanov, V. and Steinhardt, P. J., “Essentials of k-essence”, Phys. Rev. D 63, 103510 (2001).

Avelino, P. P. et al., “The Λ CDM limit of the generalized Chaplygin gas scenario”, JCAP, 09, 002 (2003).

Aviles, A. et al., “Extending the generalized Chaplygin gas model by using geometrothermodynamics”, Physical Review D 86, 063508 (2012).

Bali, R et al., "Bianchi type III cosmological models for barotropic perfect fluid distribution with variable G and Λ ", Int. J. Theo. Phys. 49, 1431 (2010).

Banerjee, N. and Pavon, D., “Cosmic acceleration without quintessence”, Phys. Rev. D 63, 043504 (2001).

Battye, R. A. , Bucher, M. and Spergel, D., “Domain wall dominated universe”, astro-ph/990847 (1999).

Benaoum, H. B. et al., “Modified Chaplygin Gas Cosmology,” Advances in High Energy Physics, Vol 2012, Article ID 357802, 12 pages (2012).

Benaoum, H. B. et al., “Modified Chaplygin Gas Cosmology,” Advances in High

Energy Physics, Vol 2012, Article ID 357802, 12 pages (2012).

Benaoum, H. B.; "Accelerated Universe From Modified Chaplygin Gas and Tachyonic Fluid," Arxive preprint : hep-th/0205140 (2002).

Bennett, C. L., et al., "First-Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Preliminary Maps and Basic Results", The Astrophysical Journal Supplement Series, Volume 148, Issue 1, pp. 1-27, (2003).

Bento, M. C., Bertolami, O. and Sen, A. A., "Generalized Chaplygin Gas, Accelerated Expansion and Dark- Energy-Matter Unification". Physical Review D, Vol. 66, Article ID: 043507 (2002).

Bertolami, O. and Martins, P. J. "Nonminimal coupling and quintessence" Phys. Rev. D 61, 064007 (2000).

Bondi H. and Gold, T., "The steady-state theory of the expanding universe" Mon. Not. Roy. Ast. Soc. 108: 252-70 (1948).

Bordemann, M. and Hoppe, J.. "The Dynamics of Relativistic Membranes, Reduction to 2-Dimensional Fluid Dynamics", Physics Letters B, 317, 315-320 (1993).

Borges, H. A. et al. "Non-adiabatic Chaplygin gas", Physics Letters B 727, 37–42 (2013).

Bouhmadi-López, M., "On the generalized Chaplygin gas: Worse than a big rip or quieter than a sudden singularity?", International Journal of Modern Physics D, Vol. 17, No. 12, pp. 2269–2290 (2008).

Bouhmadi-López, M., "FRW quantum cosmology with a generalized Chaplygin gas", Physical Review D 71, 063521 (2005).

Bouhmadi-López, M. et al., “Cosmological imprints of a generalized Chaplygin gas model for the early universe”, Physical Review D 84, 023505 (2011).

Bucher, M. and Spergel, D., “Is the dark matter a solid ?” Phys. Rev. D 60, 043505 (1999).

Caldwell, R. R.; Dave, R.; Steinhardt, P. J., "Cosmological Imprint of an Energy Component with General Equation-of-State". Phys. Rev. Lett. 80 (8): 1582–1585 (1998).

Caldwell, R.R. et al. A Phantom Menace? Cosmological Consequences of Dark Energy Component with Super Negative Equation of State. Physics Letters B, 545, 23-29 (2002)

Chakborty, W. et al., “Generalized cosmic Chaplygin gas model with or without interaction”, Gravitation and Cosmology, Vol. 13, pp. 294-297, (2007).

Chakraborty, S and Debnath, U., “Effect of modified Chaplygin gas in anisotropic universe”, Astrophys Space Sci, 321: 53–56 (2009).

Chakraborty, W and Debnath, U., “New Variable Modified Chaplygin Gas Model Interacting with a Scalar Field”, Gravitation and Cosmology, Vol. 16, No. 3, pp. 223–227 (2010).

Chakraborty, W. and Debnath, U., “Is modified Chaplygin gas along with barotropic fluid responsible for acceleration of the universe ?”, Mod. Phys. Lett. A 22, 1805 (2007).

Chattopadhyay, S. and Debnath, U., “Density Evolution in the New Modified Chaplygin Gas Model”, Gravitation and Cosmology, Vol. 14, No. 4, pp. 341–346 (2008).

Chaubey, R., “Role of Modified Chaplygin Gas in Bianchi Type-I Universe”. International Journal of Theoretical Physics, Vol. 48, 952-960 (2009).

Cimento, L. P., Jakubi, A. S. and Pavon, D., “Enlarged quintessence cosmology” Phys. Rev. D 62, 063508 (2000).

Das, A., Gupta, S., Saini, T. D. and Kar, S. “Cosmology with decaying tachyon matter”, Phys. Rev D 72 043528 (2005).

Debnath, U. and Maity, S., “Correspondence of F-essence with Chaplygin gas cosmology” Eur. Phys. J. Plus, 129: 14 (2014).

Debnath, U. et al., “Role of modified Chaplygin gas in accelerated universe”, Class. Quantum Grav. 21, pp. 5609–5617 (2004).

Debnath, U., “Variable modified Chaplygin gas and accelerating universe”, Astrophys Space Sci, 312: 295–299 (2007).

Di Pietro, E. and Demaret, J. “Scale factor duality in string bianchi cosmologies”, Volume 08, Issue 03, (1999).

Diaz, G. and Pedro, F., “You Need Not Be Afraid of Phantom Energy”. Physical Review D, Vol. 68, Article ID: 021303(R) (2003).

Dodelson, S. , Kaplinght, M. and Stewart, E., “Tracking oscillating energy”, astro-ph/0002360. (2000).

Ebadi, H. and Moradpur, H., “Thermodynamical Description of Modified Generalized Chaplygin Gas Model of Dark Energy”, Int J Theor Phys, DOI 10.1007/s10773-015-2799-4 (2015).

Einstein, A., "Über Gravitationswellen." Königlich Preußische Akademie der Wissenschaften (Berlin), Sitzungsberichte, pp. 154–167 (1918).

Ellis, G. F. R., and MacCallum, M. A. H., "A class of homogeneous cosmological models." Communications in Mathematical Physics 12.2 : 108-141 (1969).

Faraoni, V., "Inflation and quintessence with nonminimal coupling", Phys. Rev. D 62, 023504 (2000).

Ferreira, P. G. and Joyce, M., "Cosmology with a primordial scaling field" Phys. Rev. D 58, 023503 (1998).

Garnavich, P. M. et al, "Constraints on cosmological models from Hubble Space Telescope of observations of high z-supernovae", Astrophysical Journal, 493, L53, 1998.

Garnavich, P. M. et al, "Supernova Limits on the Cosmic Equation of State", The Astrophysical Journal, Vol. 509, No. 1, pp. 74 (1998).

Ghose, S. et al. "Holographic dark energy with generalized Chaplygin gas in higher dimensions", International Journal of Modern Physics D Vol. 23, No. 2, 1450015 (2014).

Gibbons, G. W., "Cosmological evolution of the rolling tachyon", Physics Letters B Volume 537, Issues 1–2, Pages 1-4 (2002).

Gorini, V., Kamenshchik, A. and Moschella, U., "Can the Chaplygin Gas Be a Plausible Model for Dark Energy?" Physical Review D, 67, Article ID: 063509 (2003).

Gorini, V., Kamenshchik, A., Moschella, U. and Pasquier, V., "The Chaplygin gas as a model for dark energy", Gr-qc/0403062 (2004).

Guo, Z. and Zhang, Y. "Cosmology with a variable Chaplygin gas", Physics Letters B 645, pp. 326–329 (2007).

Guth, A. H., "Inflationary universe: A possible solution to the horizon and flatness problems" Phys. Rev. D 23, 347 (1981).

Heckman, O., and Schücking, E., in "Relativistic Cosmology in Gravitation (an introduction to current research)" edited by L. Witten 5525-5557 (1962).

Herrera, R. et al. "Intermediate-generalized Chaplygin gas inflationary universe model" Eur. Phys. J. C, 73:2295 (2013).

Hoyle, F. and Narlikar, J. V., "A New Theory of Gravitation" Proceedings of the Royal Society A. Vol. 282, pp. 191–207 (1964).

Hoyle, F. and Narlikar, J. V., "Mach's principle and the creation of matter" Proceedings of the Royal Society A, Vol. 273, Issue 1352 (1963).

Hwang, J. C. and Noh. H, "Quintessential perturbations during scaling regime", Phys. Rev. D 64, 103509 (2001).

Jaffe, T. R., et al. "Evidence of vorticity and shear at large angular scales in the WMAP data: a violation of cosmological isotropy?." The Astrophysical Journal Letters 629.1 (2005).

Jamil, M. and Debnath, U., "Interacting modified Chaplygin gas in loop quantum cosmology", Astrophys Space Sci , 333: 3–8 (2011).

Jamil, M. and Rashid, M. A., "Interacting modified variable Chaplygin gas in a non-flat universe", Eur. Phys. J. C, 58: 111–114 (2008).

Jamil, M., “Interacting new generalized Chaplygin gas”, Int J Theor Phys, 49: 62–71 (2010).

Jamil, M., “Modified Chaplygin gas and solvable F-essence cosmologies”, Astrophys Space Sci (2011) 336:315–325 (2011).

Jawad, A. and Iqbal, A., “Viscous Chaplygin gas models as spherical top-hat collapsing fluids”, International Journal of Modern Physics D, Vol. 25, No. 7, 1650074 (2016).

JianBo, L. et al. “Comparing the VGCG model as the unification of dark sectors with observations”, Science China, Vol. 57 No. 4: 796–800 (2014).

Kahya, E. O. and Pourhassan, B., “The universe dominated by the extended Chaplygin gas”, Modern Physics Letters A, Vol. 30, No. 13, 1550070 (2015).

Kahya, E. O. et al., “Higher order corrections of the extended Chaplygin gas cosmology with varying G and Λ ”, Eur. Phys. J. C, 75:43 (2015).

Kamenshchik, A., Moschella, U., Pasquier, V., “An Alternative To Quintessence” Physics Letters, Section B, Vol. 511, no. 2-4, Pp. 265-268 (2001).

Karimiyan, K. and Naji, J., “Interacting Viscous Modified Chaplygin Gas Cosmology in Presence of Cosmological Constant”, Int J Theor Phys, DOI 10.1007/s10773-014-2038-4 (2014).

Katore, S. D. and Shaikh, A. Y., “Statefinder Diagnostic for Modified Chaplygin Gas in Plane Symmetric Universe” The African Review of Physics, 7:0004 (2012).

Khurshudyan, K., “Interaction between modified Chaplygin gas and ghost dark energy in the presence of extra dimensions”, Eur. Phys. J. Plus, 129: 119 (2014).

Khurshudyan, M., “Interacting extended Chaplygin gas cosmology in Lyra manifold”, *Astrophys Space Sci.*, 360:44 (2015).

Kim, H., et al., “Equation of state for an interacting holographic dark energy model”, Volume 632, Issues 5-6, pp 605-609, (2006).

Komatsu, E., et al. (2009) Five-Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Cosmological Interpretation. *The Astrophysical Journal Supplement Series*, 180, 330-376.

Kotambkar, S., “Anisotropic Bianchi Type I Cosmological Models with Generalized Chaplygin Gas and Dynamical Gravitational and Cosmological Constants” *Commun. Theor. Phys.* 67, 222–230 (2017).

Kotambkar, S., “Modified generalized Chaplygin gas model in Bianchi type-V space-time geometry with dynamical G and Λ ” *Journal of Physics: Conference Series* 662, 012029 (2015).

Li, W. and Xu, L., “Viscous generalized Chaplygin gas as a unified dark fluid”, *Eur. Phys. J. C*, 73:2471 (2013).

Lu, J. et al. “Reduced modified Chaplygin gas cosmology”, *JHEP* (02), 071 (2015).

Lu, J. et al., “Observational constraint on generalized Chaplygin gas model”, *Eur. Phys. J. C*, 63: 349–354 (2009).

MacCallum, M. A. H., “Anisotropic and inhomogeneous relativistic cosmologies”, *General relativity*, p. 533 – 580 (1979).

Mach, E., *The Science of Mechanics*, LaSalle, IL: Open Court Publishing, pp. 284

(1883).

Malekjani, M., “Generalized Chaplygin gas model: cosmological consequences and statefinder diagnosis”, *Astrophys Space Sci*, 334:193–201 (2011).

Mazumder, N., “FRW Cosmological Model with Modified Chaplygin Gas and Dynamical System”, *Int J Theor Phys.*, 51:2754–2758 (2012).

Milne, E. A., “A Newtonian Expanding Universe”, *Quart. J. Math.* 5, 64 (1934).

Milne, E. A., “Relativity, Gravitation and World Structure”, Oxford Univ. Press, Oxford (1935).

Misner, C. W., “The isotropy of the universe”, *Astrophysical Journal*, Vol. 151, pp. 431 (1968).

Naji, J. and Saadat, H., “Viscous New Varying Modified Cosmic Chaplygin Gas with Cosmological Constant in Non-flat Universe” *Int J Theor Phys DOI 10.1007/s10773-013-1953-0* (2013).

Naji, J. et al., “Variable viscous generalized cosmic Chaplygin gas cosmology in presence of the cosmological constant and space curvature”, *International Journal of Modern Physics D*, Vol. 23, No. 8, 1450072 (2014).

Naji, J., “Extended Chaplygin gas equation of state with bulk and shear Viscosities”, *Astrophys Space Sci.* 350:333–338 (2014).

Noorbakshsh, S. M. and Ghominejad, M. “Interaction between tachyon dark energy and modified Chaplygin gas”, *Astrophys Space Sci.*, (2013).

Ostriker, J. P. and Steinhardt, P. J. “The observational case for a low-density universe

with a non-zero cosmological constant”, Nature, 377, 600 (1995).

Ott. T., “Gauge invariant perturbation analysis for quintessence with an exponential potential”, Phys. Rev. D 64, 023518 (2001).

Padmanabhan. T., plenary talk at Albert Einstein’s Century International Conference, France, 2005, published in AIP Conf. Proc. 861, 179, ‘Paris 2005, Albert Einstein’s century’, 179, astro-ph/0603114 (2006).

Panigrahi, D. and Chatterjee, S., “FRW type of cosmology with a Chaplygin gas”, International Journal of Modern Physics D, Vol. 21, No. 10, 1250079 (2012).

Pedram, P., “Schrödinger–Wheeler–DeWitt Equation in Chaplygin Gas FRW Cosmological Model” Int J Theor Phys, 46: 3201–3208 (2007).

Peebles, P. J. E. and Ratra, B., “Cosmology with a time-variable cosmological constant”, Astrophys. J. Lett. 325, L17.(1988).

Peebles, P. J. E., “Tests of cosmological models constrained by inflation”, Astrophysical Journal, Part 1 (ISSN 0004-637X), Vol. 284, pp. 439-444 (1984).

Perlmutter, S. J. et al., “Discovery of a supernova explosion at half the age of the Universe”, Nature (London) 391, 51-54 (1998).

Perlmutter, S. J. et al., “Measurements of Ω and Λ from 42 High-Redshift Supernovae”, The Astrophysical Journal, Vol. 517, No. 2, pp. 565 (1999).

Perlmutter, S., Turner, M. S. and White, M. “Constraining Dark Energy with Type Ia Supernovae and Large-Scale Structure”, Phys. Rev. Lett. 83, 670 (1999).

Perlmutter, S.J., et al. “Discovery of a Supernova Explosion at Half the Age of the

Universe”, Nature, 391, 51-54. (1998).

Pourhassan, B. and Kahya, E. O., “Extended Chaplygin gas model” Results in Physics 4, 101–102 (2014).

Pourhassan, B., “Extended Chaplygin gas in Horava–Lifshitz gravity” Physics of the Dark Universe 13, 132–138 (2016).

Pourhassan, B., “Unified universe history through phantom extended Chaplygin gas”, Canadian Journal of Physics, 94(7): 659-670 (2016).

Pourhassan, B.; "Viscous Modified Cosmic Chaplygin Gas Cosmology," International Journal of Modern Physics D, Vol. 22, Issue 9, Article ID 1350061 (2013).

Pradhan, A. et al., "Anisotropic Bianchi type III string cosmological models in normal gauge for Lyra's manifold with electromagnetic field" Bkg. J. Phys., 39, 248 (2012).

Pun, C. S. J., “Viscous dissipative Chaplygin gas dominated homogenous and isotropic cosmological”, Phys. Rev. D 77, 063528 (2008).

Ram, S. et al. “Generalized Chaplygin Gas Dominated Anisotropic Bianchi Type-I Cosmological Models”, International Journal of Theoretical Physics, Vol. 48, 50-60 (2009).

Ramos, J. I., “On Viscous Generalized Chaplygin Gases in Non–flat Universes”, Int J Theor Phys, DOI 10.1007/s10773-015-2631-1 (2015).

Ratra, B. and Peebles, P. J. E., “Cosmological consequences of a rolling homogeneous scalar field”, Phys. Rev. D 37, 3406 (1988).

Reddy, D. R. K. et al., "Bianchi type III cosmological model in f(R,T) theory of gravity", *Astrophys. Space Sci.*, 342, 249 (2012).

Riess, A. G. et al., (Supernova Search Team Collaboration), "Observational Evidence from Supernovae for an Accelerating Universe and a Cosmological Constant", *Astrophys. J.*, Volume 116, pp. 1009-1038 (1998).

Riess, A. G. et al., (Supernova Search Team Collaboration), "Observational Evidence from Supernovae for an Accelerating Universe and a Cosmological Constant", *Astrophys. J.*, Volume 116, pp. 1009-1038. (1998).

Riess, A.G., et al., "Supernova Search Team Collaboration : Observational Evidence from Supernovae for an Accelerating Universe and a Cosmological Constant", *The Astrophysical Journal Supplement Series*, 116, 1009-1038.(1998).

Roy, X. and Buchert, T., "Chaplygin gas and effective description of inhomogeneous universe models in general relativity", *Class. Quantum Grav.* 27, 175013 (18pp) (2010).

Rudra, P. "Role of Generalized Cosmic Chaplygin Gas in Accelerating Universe: A Field Theoretical Prescription". *Modern Physics Letters A*, 28, Article ID: 1350102 (2013).

Rudra, P. et al., "Role of Generalized Cosmic Chaplygin Gas in Accelerating Universe: A Field Theoretical Prescription". *Modern Physics Letters A*, Vol. 28, Issue 22, (2013).

Rudra, P., "Dynamics of interacting generalized cosmic Chaplygin gas in brane-world scenario", *Astrophys Space Sci.*, 342:579–599 (2012).

Saadat, H. and Pourhassan, B., "Viscous Varying Generalized Chaplygin Gas with Cosmological Constant and Space Curvature" *Int J Theor Phys* DOI 10.1007/s10773-

013-1676-2 (2013).

Saadat, H., “Interacting Modified Cosmic Chaplygin Gas with Variable Cosmological Constant and Viscosity”, Int J Theor Phys DOI 10.1007/s10773-014-2167-9 (2014).

Saadat, H., “Time-Dependent Density of Viscous Modified Chaplygin Gas with Arbitrary α ”, Int J Theor Phys., 52:3902–3907 (2013).

Saadat, H., “Viscous Generalized Chaplygin Gas in Non-flat Universe”, Int J Theor Phys, 52:1696–1700 (2013).

Sadatian, S. D., “Rip Singularity Scenario and Bouncing Universe in a Chaplygin Gas Dark Energy Model”, Int J Theor Phys. 53:675–684 (2014).

Sadeghi, J. and Farahani, H., “Interaction between viscous varying modified cosmic Chaplygin gas and Tachyonic fluid”, Astrophys Space Sci., 347:209–219 (2013).

Sadeghi, J. et al., “Phenomenological Varying Modified Chaplygin Gas with Variable G and Λ : Toy Models for Our Universe”, Int J Theor Phys, DOI 10.1007/s10773-015-2635-x (2015).

Sadeghi, J., “Interacting holographic extended Chaplygin gas and phantom cosmology in the light of BICEP2”, Eur. Phys. J. Plus, 130: 84 (2015).

Sahni, V. and Starobinsky, A., “The case for a positive cosmological Λ - term”, Int. J. Mod. Phys. D 09, 373 (2000).

Sahni, V. and Wang, L. “New cosmological model of quintessence and dark matter”, Phys. Rev. D 62, 103517 (2000).

Sahni, V. et al., “Statefinder—A new geometrical diagnostic of dark energy”, Journal

of Experimental and Theoretical Physics Letter, Volume 77, Issue 5, pp 201–206 (2003).

Salti, M., “Thermodynamics of Chaplygin Gas Interacting with Cold Dark Matter”, Int J Theor Phys, 52:4583–4591 (2013).

Santhi, M. V. et al., “LRS Bianchi type-V Universe with Variable Modified Chaplygin Gas in a Scalar-Tensor Theory of Gravitation”, Can.J.Phys. 94, No.6, 578-582 (2016).

Sen, A. “Tachyon Matter”, JHEP 07, 065 (2002).

Sen, A., “Field Theory of Tachyon Matter”, Modern Physics Letters A, Vol. 17, Issue 27 (2002).

Setare, M. R. et al., “Interacting generalized Chaplygin model in non-flat universe”, The European Physical Journal C, Vol. 52, Issue 3, Pp. 689-692 (2007).

Setare, M. R., “Holographic Chaplygin gas model”, Physics Letters B 648, 329–332 (2007).

Setare, M.R. (2009) Holographic Chaplygin DGP Cosmologies. International Journal of Modern Physics D, 18, 419-427 (2009).

Setare, M.R., Sadeghi, J. and Amani, A.R. “Interacting Tachyon Dark Energy in Non-Flat Universe” Physics Letters B, 673, 241-246 (2009).

Sharifa, M. and Saleem, R., “Study of inflationary generalized cosmic Chaplygin gas for standard and tachyon scalar fields”, Eur. Phys. J. C, 74:2943 (2014).

Singh, G. P., “Bianchi type-I bulk viscous cosmology with Chaplygin gas in Lyra Geometry”, Chinese Journal of Physics 54, 895–905 (2016).

Singh, J. K. and Rani, S., "Modified Chaplygin gas cosmology with statefinder diagnostic in lyra geometry", Applied Mathematics and Computation 259, 187–197 (2015).

Singh, K. P. and Roy Baruah, R., "Generalized Cosmic Chaplygin Gas in Bianchi Type I Anisotropic Universe And Law of Variation of Hubble's Parameter", The African Review of Physics, Volume 11, pp 39-43 (2016).

Singh, K. P. and Roy Baruah, R., "Perfect Fluid Bianchi Type-I Universe & Generalized Cosmic Chaplygin Gas with Large Scale Factor", Prespacetime Journal, Volume 7, pp 2105-2110(2016).

Singh, K. P. and Roy Baruah, R., "Universe Filled With Generalized Cosmic Chaplygin Gas and Barotropic Fluid", International Journal of Astronomy and Astrophysics, Volume 6, pp 105-110 (2016).

Singh, T. and Singh, G. P. "Bianchi type V and VI cosmological models in Lyra geometry", Astrophys. Space Sci., 182, 189-200 (1991a).

Singh, T. and Singh, G. P. "Bianchi type III and Kantowski-Sachs cosmological models in Lyra geometry", Int. J. Theor. Phys. 31, 1433 (1991b).

Spergel, D. N. et al., "First Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations : Determination of Cosmological Parameters", The Astrophysical Journal Supplement Series 148: 175-194. (2003).

Spergel, D.N. et al., "First Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Determination of Cosmological Parameters" The Astrophysical Journal Supplement Series, 148, 175-194 (2003).

Szydłowski, M. and Czaja, W., "Stability of FRW cosmology with a generalized

Chaplygin gas”, Physical Review D 69, 023506 (2004).

Taub, A. H. “Empty space-times admitting a three parameter group of motions.” Annals of Mathematics: 472-490 (1951).

Tegmark, M. et al., “Cosmological parameters from SDSS and WMAP”, Physical Review D 69, 103501 (2004).

Tegmark, M., et al. “Cosmological Parameters from SDSS and WMAP”, Physical Review D, 69, Article ID: 103501 (2004).

Verma, M. M., et al., “A tachyonic scalar field with mutually interacting components”, International Journal of Theoretical Physics, Volume 51, Issue 8, pp. 2370-2379, (2012).

Verma, M. M., et al., “Evolution of shifted cosmological parameter and shifted dust matter in a two-phase tachyonic field universe”, Astrophysics and Space Science, Volume 344, Issue 2, pp. 505-512, (2013).

Verma, M. M., et al., “Dark energy as a manifestation of the non constant cosmological constant”, Astrophysics and Space Science, Volume 330, Issue 1, pp. 101-105, (2010).

Wald, R. M. “Asymptotic behavior of homogeneous cosmological models in the presence of a positive cosmological constant.” Physical Review D 28.8 : 2118 (1983).

Wang, F., et al. “Constraints on generalized Chaplygin gas model including gamma-ray bursts”, Research in Astron. Astrophys. Vol. 9 No. 5, 547 – 557 (2009).

Wang, L. et al. “Cosmic concordance and Quintessence”, The Astrophysical Journal, Vol. 530, No. 1 (2000).

Weinberg, S., “The cosmological constant problem”, *Reviews of Modern Physics*, 61, 1 (1989).

Wetterich, C. (1988) Cosmology and the Fate of Dilatation Symmetry. *Nuclear Physics B*, 302, 668-696 (1988)

Wu, P. and Yu, H., “Interacting generalized Chaplygin gas”, *Class. Quantum Grav.* 24 , pp. 4661–4668 (2007).

Xing, L., et al., “A variable modified Chaplygin gas model with interaction”, *International Journal of Modern Physics D*, Vol. 18, No. 12, pp. 1851–1862 (2009).

YaBo, WU., et al., “Modified Chaplygin gas as an interacting holographic dark energy model”, *Science China*, Vol. 53 No. 4: 598–606 (2010).

Yadav, V. K. and Yadav, L. "Bianchi type-III bulk viscous and barotropic perfect fluid cosmological models in Lyra's geometry", *Int. J. Theo. Phys.* 50, 1382 (2011).

Yadav, A. K., “Dissipative Future Universe Without Big Rip”, *Int J Theor Phys*, 50: 1664–1670 (2011).

Yang, R., “Large-scale structure in superfluid Chaplygin gas cosmology”, *Physical Review D* 89, 063014 (2014).

Zhai, Xiang-Hua, et al., “Viscous generalized Chaplygin gas”, *International Journal of Modern Physics D* Vol. 15, No. 8, pp. 1151–1161 (2006).

Zhang, Xin et al., “New generalized Chaplygin gas as a scheme for unification of dark energy and dark matter”, *JCAP* 01, 003 (2006).