

Bibliography

Abazajian, K. et al. (2004), The Second Data Release of the Sloan Digital Sky Survey *Astron. J.* **128**, 502

Adelman-McCarthy, J. K. et al. (2008), The Sixth Data Release of the Sloan Digital Sky Survey *Astrophys. J. Suppl. Ser.* **175**, 297

Adhav, K. S. et al. (2009), Plane Symmetric Vacuum Bianchi Type-III Cosmological Model in Brans-Dicke Theory *Int. J. Theor. Phys.* **48**, 178-182

Adhav, K.S., Bansod, A.S., and Ajmire, H. G. (2013), Early decelerating and late time accelerating anisotropic cosmological models with dynamical EoS parameter *Astrophys Space Sci* **345**: 405

Adhav, K. S. et al. (2015), Higher Dimensional Spherically Symmetric Cosmological Model with Quadratic Equation of State *EIJST* **4**, 5

Adhav, K. S. et al. (2015), Plane Symmetric Cosmological Model with Quadratic Equation of State *Bulg. J. Phys.* **42**, 20-28

Ade, P. A. R. et al. (2014), Planck 2013 results. XVI. Cosmological parameters *Astron. Astrophys.* **571**, A16

Ahmadi-Azar, E. and Riazi, N. (1995), A class of cosmological solutions of Brans-Dicke theory with cosmological constant, *Astrophys. Space Sci.* **226**, 1-5

- Akarsu O., Kumar S., Myrzakulov R., Sami, M., Xu, L. (2014), Cosmology with hybrid expansion law: scalar field construction of cosmic history and observational constraints *JCAP* **01**, 022
- Allen, S. W. et al. (2004), Constraints on dark energy from Chandra observations of the largest relaxed galaxy clusters *Mon. Not. R. Astron. Soc.* **353**, 457
- Alavirad, H. and Sheykhi, A. (2014), Cosmological constraints on ghost dark energy in the Brans-Dicke theory by using MCMC approach *Physics Letters B* **734(27)**, 148-156
- Al-Rawaft, A. and Taha, M. (1996), Cosmology of general relativity without energy-momentum conservation *Gen. Relativ. Gravit.* **28**, 935
- Al-Rawaft, A. (1998), A cosmological model with a generalized cosmological constant *Mod. Phys. Lett. A* **13**, 429
- Arbab, I. A. (1997), Cosmological models with variable cosmological and gravitational constants and bulk viscous models *Gen. Relativ. Grav.* **29**, 61-74
- Arbab, I. A. (2003), Cosmological consequences of a built-in cosmological constant model *J. Cosmol. Astropart. Phys.* **05**, 008
- Arbab, I. A. (2003), Cosmic acceleration with a positive cosmological constant *Class. Quantum Gravit.* **20**, 93
- Arik, M. et al. (2011), A cosmological exact solution of generalized Brans-Dicke theory with complex scalar field and its phenomenological implications, *CEJP***9(6)**, 1465-1471
- Asadzadeh, S., Safari, Z., Karami, K., and Abdolmaleki, A. (2014), Cosmological Constraints on Polytopic Gas Model *Int. J. Theor. Phys.* **53**, 1248-1262
- Astier, P. et al. (2006), The Supernova Legacy Survey: measurement of Ω_M , Ω_Λ and w from the first year data set, *Astron. Astrophys.* **447**, 31

- Aviles, L., Mella, P., and Orellana, F. (2016), Hybrid Expansion Law with Interacting Cosmic Fluids *J. Phys.: Conf. Ser.* **720**, 012010
- Azar, E. A. and Riazi, N. (1995), A class of cosmological solutions of Brans-Dicke theory with cosmological constant *Astrophys. Space Sci.* **226**, 1-5
- Banerjee, N., and Beesham, A. (1997), Isotropic Cosmological Model in Generalized Scalar Tensor Theory with Bulk Viscosity *Int. J. of Math. Phys. D* **6**, 119-124
- Banerjee, N. and Pavon, D. (2001), A quintessence scalar field in Brans-Dicke theory *Classical and Quantum Gravity* **18**, 4
- Banerjee, N., and Sen, S. (1997), Does Brans-Dicke theory always yield general relativity in the infinite ω limit? *Phys. Rev. D* **56**, 1334
- Barrow, J. D. et al. (1993), Amplification of gravitational waves in scalar - tensor theories of gravity *Phys. Rev. D* **48**, 3630
- Barrow, J. D., and Maeda, K. (1990), Extended inflationary universes *Nucl. Phys. B* **341**, 1, 294-308
- Barrow, J.D. and Nunes, N.J. (2007), Dynamics of logamediate inflation *Phys. Rev. D* **76**, 043501
- Barrow, J.D. and Liddle, A. R. (1993), Perturbation Spectra from Intermediate Inflation *Phys. Rev. D* **47**, 5219
- Banerjee, N. and Pavon, D. (2001), Cosmic acceleration without quintessence *Phys. Rev. D*, **63**, 043504
- Batista, A. B. (1980) Nonhomogeneous distributions in the Brans-Dicke cosmology *Phys. Rev. D* **21**, 2119
- Baykal, A., Ciftci, D. K., and Delice, O. (2010), Cylindrically Symmetric Vacuum Solutions in Higher Dimensional Brans-Dicke Theory *arXiv:0910.1342v3*

- Bahrehbakhsh, A. F. et al. (2011), FRW cosmology from five dimensional vacuum BransDicke theory *Gen. Relativ. Gravit.* **43(3)**, 847-869
- Beesham, A. (1993), Cosmological models with a variable cosmological term and bulk viscous models *Phys. Rev. D* **48**, 3539
- Beesham, A. (1996), Robertson-Walker Cosmological Models With Bulk Viscosity In Brans-Dicke Theory *Quaestiones Mathematicae* **19**, 1-2
- Bertolami, O. (1986), Time-dependent cosmological term. *Nuovo Cimento* **93**. B. N1., 36-42
- Berman, M. S., Som, M. M., and Gomide, F. M. (1989), Brans-Dicke static universe *Gen. Relativ. Gravit.* **21**, 3, 287-292
- Berman, M. S. (1990), Static universe in a modified B-D cosmological *Int. J. Theo. Phys.* **29**, 6, 567-570
- Berman, M. S., and Som, M. M. (1990), *General Relativity and Gravitation* **22**, 625
- Berman, M. S., and Som, M. M. (1990), B-D models with time dependent cosmological terms *Int. J. Theor. Phys.* **29** No. 12, 1411-1414
- Berman, M. S. (1991), Cosmological models with variable gravitational and cosmological constant *Gen. Relativ. Gravit.* **23**, No. 4, 465-469
- Bermnan, M. S. (1991), Cosamological models with a variable cosmological term *Phys Rev. D.* **43**, 1075-1078
- Bennett, C. L. et al. (2003), First Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Preliminary Maps and Basic Results *Astrophys. J. Suppl. Ser.* **148**, 1
- Bento, M. C., Bertolami, O., and Sa, P. M. (1991), Inflation from strings *Phys. Lett. B* **262**, 11

- Bento, M. C., Bertolami, O., and Sa, P. M. (1992), Inflation from strings ii: reheating and baryogenesis *Mod. Phys. Lett. A* **7**, 911
- Bernardis, P. de et al. (2000), A flat Universe from high-resolution maps of the cosmic microwave background radiation *Nature* **404**, 955
- Bertolami, O., and Martins, P. J. (2000), Nonminimal coupling and quintessence *Phys. Rev. D* **61**, 064007
- Bertotti, B., Iess, L., and Tortora, P. (2003), A test of general relativity using radio links with the Cassini spacecraft *Nature* **425**, 374
- Bhadra, A., and Sarkar, K. (2005), On static spherically symmetric solutions of the vacuum Brans-Dicke theory *Gen. Relativ. Gravit.* **37**, 2189-2199
- Brans, C. (1962), Mach's principle and a relativistic theory of gravitation-II *Phys. Rev.* **125**, 2194-2201
- Brans, C and Dicke, R. H. (1961), Mach's principle and a relativistic theory of gravitation *Phys. Rev.* **124**, 925-935.
- Brans, C. (1997), Gravity and the Tenacious Scalar Field arXiv:gr-qc/9705069
- Bohra, M. L. and Mehra A. L. (1978), Charge in cosmological models *Gen. Relativ. Gravit.* **9(4)**, 289-297
- Bykov A. M. et al. (2012), Magnetic fields in cosmic particle acceleration sources *Space Sci. Rev.* **166**, 71-95 .
- Bertolami, O., and Martins, P. J. (2000), Nonminimal coupling and quintessence *Phys. Rev. D* **61**, 064007
- Bisabr, Y. et al. (2012) Cosmic evolution in a modified Brans-Dicke theory *Astrophys. Space Sci.* **339(1)**, 87-92

- Caldwell, R. R. (2002), A phantom menace? Cosmological consequences of a dark energy component with super-negative equation of state *Phys. Lett. B* **545**, 1-2, 23-29
- Caldwell, R. R., Kamionkowski, M., and Weinberg, N. N. (2003), Phantom Energy and Cosmic Doomsday *Phys. Rev. Lett.* **91**, 071301
- Caldwell, R. R. et al. (2003), Early quintessence in light of WMAP *Astrophys. J.* **591**, L75-L78
- Caldwell, R. R., and Linder, E. V. (2005), Limits of Quintessence *Phys. Rev. Lett.* **95**, 141301
- Calcagni, G. et al. (2012), *Quantum Gravity and Quantum Cosmology*, Springer
- Carvalho, J. C. and Lima, J. A. S. (1992), Cosmological consequences of a time dependent lamda term *Phys. Rev. D.* **Vol. 46**, 6, 2404-2407
- Capozziello, S. et al. (2006), Observational constraints on dark energy with generalized equations of state *Phys. Rev. D* **73**, 043512
- Chavanis, P. H. (2013), A cosmological model based on a quadratic equation of state unifying vacuum energy, radiation, and dark energy *Journal of Gravity* 82451; [dx.doi.org/10.1155/2013/682451](https://doi.org/10.1155/2013/682451)
- Chand, A., Mishra, R. K., and Pradhan, A. (2016), FRW cosmological models in Brans-Dicke theory of gravity with variable q and dynamical Λ -term *Astrophys. Space Sci.* **361**:81
- Chakraborty, S. et al. (2011), Brans-Dicke theory in anisotropic models with a viscous fluid *Gravitation and Cosmology* **17(3)**, 280-283
- Chauvet, P. (1983), General Vacuum universe solutions in B-D cosmology *Astro. Phys. Space. Sc.* **90**, 51-58

- Chaubey, R. (2012), Bianchi type-V bulk viscous cosmological models with particle creation in Brans-Dicke theory *Astrophys. Space Sci.* **342(2)**, 499-509
- Chakraborty, S. et al. (2003), A Quintessence Problem in Brans-Dicke Theory with Varying Speed of Light *Int. J. Mod. Phys. D* **12**, 325-335
- Chen, W., and Wu, Y. (1990), Implications of a cosmological constant varying as R^{-2} *Phys. Rev. D.* **41**, No. 2, 695-698
- Chawla, C., Mishra, R. K., and Pradhan, A. (2013), Anisotropic Bianchi-I Cosmological Model in String Cosmology with Variable Deceleration Parameter *Romanian Journal of Physics* **58**, 1000-1013.
- Cervero, J.M. and Estevez, P. G. (1983) General solutions for a cosmological Robertson-walker metric in the Brans-Dicke theory *Gen. Relativ. Gravit.* **15(4)**, 351356
- Chauvet, P., and Obberregon, O. (1979), Linearly expanding universe in J.B. D theory *Astrophys. Space Science* **66**, 515-517
- Cline, J. M., Jeon, S., and Moore, G. D. (2004), The phantom menaced: Constraints on low-energy effective ghosts *Phys. Rev. D* **70**, 043543
- Dicke, R. H. (1962), Mach's proinciple and Invariance under transformation of units *Phys. Rev.* **125**, 2163-2167
- Dicke, R. H. (1964), The many faces of Mach in gravitation and relativity, ed Chiu. H. Y. and Hoffmann, W. F.) W. A Benjamin Inc, New York.
- Dicke, R. H. (1964), Field theories of gravitation in the theoretical significance of ex-poertimental relativity, Blacie and son Lt. , London and Glassgow, pp.47-58.
- Dicke, R. H. (1964), Significance of solar system for the time varying gravitation in gravitation and relativity(ed. Chiu, H. Y. and Hoffmann, W. F.) W. A. Benjaminb Inc., New York. pp.142-173.

- Dicke, R. H. (1972), Mach's principle in Magic without magic, Jordan Archibald wheeler(ed. J. R. Klander), W. H. Freeman Company, San Francisco.
- Dirac, P. A. M. (1938), A New Basis for cosmology *Proc. Roy. Soc. London. A.* **165**, 199
- Einstein, A. (1915), Die Feldgleichungen der Gravitation . *Sitzeber. Preess. Akad. iss. Berlin*, 844-847
- Einstein, A. (1918), Sitz, Pruss. Akad Wiss. p 154 A. Einstein, Nherungsweise Integration der Feldgleichungen der Gravitation, Sitz. Preuss. Akad. Wiss. (1916), p. 688; ibidem, ber Gravitationswellen (1918), p. 154..
- El-Nabulsi, A. R. (2008), Effective 3-brane BransDicke cosmology *Mod. Phys. Letter A* **23**, 401
- El-Nabulsi, R. A. (2008), Accelerated magnetic Gauss-Bonnet cosmology *Fiz. B* **17**, No. 4, 455
- El-Nabulsi, R. A. (2011), Accelerated expansion from a modified-quadratic gravity *Astrophys. Space Sci.* **332**, 2, 491
- El-Nabulsi, R. A. (2010), A dark energy and phantom energy dilaton-Brans-Dicke multiverse with positive cosmological constant *Astrophys. Space Sci.* **327**, 2, 155
- El-Nabulsi, R. A. (2010), Five-dimensional Brans-Dicke $M^4 \times R \times S^1$ cosmology with chameleon scalar field *Astrophys. Space Sci.* **327**, 111
- El-Nabulsi, R. A. (2010), Effective Cosmology a la Brans-Dicke with a Non-Minimally Coupling Massive Inflaton Field Interacting with Minimally Coupling Massless Field *Braz. J. Physics* **40**, 273
- El-Nabulsi, R. A. (2010), Accelerated expansion of an anisotropic BransDicke cosmology from nonlinear derivative interaction and GaussBonnet invariant *Gen. Relativ. Gravit.* **42(8)**, 1875-1887

- El-Nabulsi, R. A. (2011), Dark energy in five-dimensional Brans-Dicke cosmology with dimensional reduction *Res. Astron. Astrophys.* **11**, 8, 888
- El-Nabulsi, R. A. (2011), Dark energy from logarithmically modified gravity and deformed Coleman-Weinberg potential *Res. Astron. Astrophys.* **11(7)**, 759
- El-Nabulsi, R. A. (2011), Accelerated Dilatonic-Brans-Dicke cyclic and non-singular universe from string theory *Res. Astron. Astrophys.* **11(11)**, 1249
- El-Nabulsi, R. A. (2009), Maxwell brane cosmology with higher-order string curvature corrections, a nonminimally coupled scalar field, dark matterdark energy interaction and a varying speed of light *IJMPD* **18**, No. 2, 289
- El-Nabulsi, R. A. (2009), Modified Braneworld cosmologies in the presence of stringy corrections coupled to a canonical scalar field *IJMPD***18**, No. 5, 691
- El-Nabulsi, R. A. (2013), Exact solution of a tachyon oscillating cosmology with a supergravity tracking potential *Eur. Phys. J. Plus* **128**, 55
- El-Nabulsi, R. A. (2013), Some late-time cosmological aspects of a GaussBonnet gravity with nonminimal coupling la BransDicke: solutions and perspectives *Canadian J. Phys.* **91(4)**, 300
- El-Nabulsi, R. A. (2013), Crossing the phantom divide line from a generalized time-dependent Hubble parameter and its dynamical evolution a la Riccati *Canadian J. Phys.* **91(8)**, 623
- El-Nabulsi, R. A. (2015), Fractional action oscillating phantom cosmology with conformal coupling *Eur. Phys. J. Plus* **130**, 102
- El-Nabulsi, R. A. (2016), A Cosmology Governed by a Fractional Differential Equation and the Generalized Kilbas-Saigo-Mittag-Leffler Function *Int. J. Theor. Phys.* **55**, 625
- El-Nabulsi, R. A. (2016), Implications of the Ornstein-Uhlenbeck-like fractional differential equation in cosmology *Rev. Mex. Fis.* **62**, 240-250

- Errahmani, A., and Ouali, T. (2006), High energy description of dark energy in an approximate 3-brane Brans-Dicke cosmology *Phys. Lett. B* **641**, 357-361
- Etoh, T. et al. (1997), Age of the universe constrained from the primordial nucleosynthesis in the Brans-Dicke theory with a varying cosmological term *Astron. and Astrophys.* **325**, 893
- Fabris, J. C. et al. (2016), New views on classical and quantum Brans-Dicke theory arXiv:1603.01314v1 [gr-qc]
- Farajollahi, H. et al. (2012), Stability analysis of holographic dark energy in Brans-Dicke cosmology *Astrophys. Space Sci.* **341(2)**, 695-700
- Faraoni, V. (2004), *Cosmology in Scalar-Tensor Gravity* (Kluwer Academic Publishers, Dordrecht)
- Feroze, T., and Siddiqui, A. A. (2014), Some exact solutions of the Einstein-Maxwell equations with a quadratic equation of state *JKPS* **65(6)**, 944-947
- Friedmann, A. (1922), Uber die Krmnung des Raumes (On Space Curvature) *Zeitschrift fur Physik* **10**, 377-387
- Garnavich, P. M. et al. (1998), Supernova Limits on the Cosmic Equation of State *Astrophys. J.* **509**, 74
- Ghate, H. R., Sontakke, A. S., and Patil, Y. D. (2015), Bianchi Type-IX Anisotropic Dark Energy Cosmological Models with Time Dependent Deceleration Parameter *IJAA* **5**, 302-323.
- Holman, R., Kolb, E. W., and Wang, Y. (1990), Gravitational couplings of the inflaton in extended inflation *Phys. Rev. Lett.* **65**, 17
- Holman, R., Kolb, E. W., Vadas, S. L., and Wang, Y. (1991), Plausible double inflation *Phys. Lett. B* **269**, 3-4, 252-256

- Huang, Z., Sun, Q., Fang, W. and Lu, H. (2008), Potentials of Coupled Quintessence Based on a Dilaton *Mod. Phys. Lett. A* **22**, 3073-3082, hep-th/0612176
- Hubble, E. P. (1929), A Relation between Distance and Radial Velocity among Extra-Galactic Nebulae *Proc. Nat. Acad. Sci.* **15**, 3, 168-173
- Ibochouba, L., and Ali, M. A. (1996), Dynamics of particle creation in relativistic viscous fluid Universe in Brans Dicke theory *Astrophys. Space Sci.* **241(2)**:227-235
- Jamil, M. et al. (2011), FRW Cosmology with Variable G and Λ *Int. J. Theor. Phys.* **50(5)**, 1602-1613
- Jimenez, J. B. et al. (2009), Perturbations in electromagnetic dark energy *JCAP* **03**, 016
- Johri, V.B., and Desikan, K. (1994), Cosmological models with constant deceleration parameter in Brans-Dicke theory *Gen. Relativ. Grav.* **26(12)**, 1217
- Johri V. B., Goswami, G. K. and Srivastava, R. C. (1983), Solutions of Einstein Field Equations with Zero-Mass Scalar Field and Conformal Scalar Field from Vacuum Solutions of Einstein Field Equations *Prog. Theor. Phys.* **69**, 1
- Jordan, P. (1959), Zum gegenwärtigen stand für Diraschen kosmologischen Hypothesen, *Zeitschrift für Physik* **157**, pp. 112-121.
- Jordan, P. (1955), *Schwerkraft und weltall*, Vieweg (Braunschweig).
- Khadekar, G., Pradhan, A., and Molaei, M. (2006), Higher dimensional dust cosmological implications of a decay law for the λ term: expressions for some observable quantities *Int. J. mod. Phys. D* **15**, 95
- Kiran, M., and Reddy, D. R. K., Rao, V. U. M. (2015), Minimally interacting holographic Dark energy model in Brans-Dicke theory *Astrophys. Space Sci.*, **356(2)**, 407-411

- Kleidis, K., and Spyrou, N. K. (2015), Polytropic dark matter flows illuminate dark energy and accelerated expansion *Astronomy & Astrophysics* **576**, A23.
- Kolitch, S. J., and Eardley, D. M. (1995), Behavior of Friedmann-Robertson-Walker Cosmological Models in Scalar-Tensor Gravity *Ann. Phys.* **241**, 128
- Komatsu, E. et al. (2009), Five-Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Cosmological Interpretation *Astrophys. J. Suppl.* **180**, 330
- Kotambkar, S., Singh, G. P., and Kelkar, R. (2015), Bulk Viscous Anisotropic Cosmological Models with Dynamical Cosmological Parameters G and Λ *Natural Science* **7**, 179-189
- Kucukakca, Y. et al. (2012), LRS Bianchi type I universes exhibiting Noether symmetry in the scalartensor Brans-Dicke theory *Gen. Relativ. Gravit.* **44(8)**, 1893-1917
- La, D., Steinhardt, P. J., and Bertschinger, E. W. (1989), Prescription for successful extended inflation *Phys. Lett. B* **231**, 3, 231-236
- La, D., and Steinhardt, P. J. (1989), Extended Inflationary Cosmology *Phys. Rev. Lett.* **62**, 376
- Lorentz-Petzold, D. (1983), Comment on the general vacuum solutions in B-D theory *Astro. Phys. Space. Sc.* **96**, 451-453
- Lorentz-Petzold, D. (1983), Exact Brans-Dicke Friedmann-Robertson-Walker Bianchi Kantowski-Sachs vacuum solutions *Astro. Phys. Space. Sc.* **98**, 101
- Lorentz-Petzold, D. (1984), Exact Brans-Dicke-Bianchi type-VII(h) solutions *Astro. Phys. Space. Sc.* **96**, 249-254.
- Lukacs, B. (1976), Robertson-Walker solutions for various types of energy-momentum tensor *Gen. Relativ. Grav.* **7**, 653-667

Luke, S. K. and Szamosi, G. (1972), Scalar-Tensor Cosmology and the Classical Tests *A&A*, **20**, 397

Maurya, D. Ch., Zia, R., and Pradhan, A. (2016), Anisotropic string cosmological model in bransdicke theory of gravitation with time-dependent deceleration parameter *JETP* **4(10)**, 716-721

Mak, M. K., Harko, T., and Belinchon, J. A. (2002), Causal bulk viscous dissipative isotropic cosmologies with variable gravitational and cosmological constants *Int. J. Mod. Phys. D* **11**, 08, 1265-1283

Mathiazhagan, C., and Johri, V. B. (1984), An inflationary universe in Brans-Dicke theory *Class. Quantum. Grav.* **1**, L29

Malekjani, M., Khodam-Mohammadi, A., and Taji, M. (2011), Cosmological Implications of Interacting Polyotropic Gas Dark Energy Model in Non-flat Universe *Int. J. Theor. Phys.* **50**, 3112-3124.

Malekjani, M, Khodam-Mohammadi, A. (2012), Statefinder Diagnostic and ww Analysis for Interacting Polyotropic Gas Dark Energy Model *Int. J. Theor. Phys.* **51**, 3141-3151.

Malekjani, M. (2013), Polyotropic Gas Scalar Field Models of Dark Energy *Int. J. Theor. Phys.* **52**, 8, 2674-2685

Mishra, B. and Tripathy, S. K. (2015), Anisotropic dark energy model with a hybrid scale factor *Mod. Phys. Lett. A* **30**, 1550175

Mishra, R.K. and Chand, A. (2016) Cosmological models in alternative theory of gravity with bilinear deceleration parameter *Astrophys. Space Sci.* **361**: 259

Morganstern, R. E. (1971), Exact Solutions to Brans-Dicke Cosmologies in Flat Friedmann Universes *Phys. Rev. D* **4**, 946

- Moradpour, H., and Sabet, M. M. (2016), Thermodynamic descriptions of polytropic gas and its viscous type as dark energy candidates *Can. J. Phys.*, **94**, 334-341
- Mukhopadhyay, U., Ray, S., and Choudhury, S. B. (2008), Dark Energy with Polytropic equation of state *Mod. Phys. Lett. A* **23**, 3187
- Nayak, B. K. (1975), Static Charged Dust Distribution in the Brans-Dicke Theory *Australian Journal of Physics* **28**, 585-590
- Nayak, B. K., and Tiwari, R. N. (1978), Spherically symmetric charged dust distribution in the Brans-Dicke Theory, II *Phys. Rev. D* **18**, 2752-2755
- Nesseris, S., and Perivolaropoulos, L. (2007), Crossing the Phantom Divide: Theoretical Implications and Observational Status *JCAP* 01018, doi:10.1088/1475-7516/2007/01/018
- Ngubelanga, S. A. et al. (2015), Compact stars with linear equation of state in isotropic coordinates *Astrophys. Space Sci.* **357**, 74
- Nojiri, S., and Odintsov, S. D. (2005), Inhomogeneous equation of state of the universe: Phantom era, future singularity, and crossing the phantom barrier *Phys. Rev. D* **72**, 023003
- Overduin, J. and Cooperstock, F. (1998), Evolution of the scale factor with a variable cosmological term *Phys. Rev. D* **58**, 043506
- Padmanabhan, T. (2003), Cosmological Constant-the Weight of the Vacuum *Phys. Rept.* **380**:235-320
- Pasqua, A., and Chattopadhyay, A. (2013), New Agegraphic Dark Energy model in chameleon Brans-Dicke cosmology for different forms of the scale factor *Astrophys. Space Sci.* **348(1)**, 283291
- Pandolfi, S. (2014), Dark Energy coupling with electromagnetism as seen from future low-medium redshift probes *J. Phys.: Conf. Ser.* **566**, 012005

- Perlmutter, S. et al. (1999), Measurements of Omega and Lambda from 42 High-Redshift Supernovae *Astrophys. J.* **517**, 565
- Pimentel, L. O. (1985), Exact cosmological solutions in the scalar-tensor theory with cosmological constant *Astrophys. Space Sci.*, **112**, 175-183
- Pradhan, A. and Yada, P. (2009), Accelerated Lyra's Cosmology Driven by Electromagnetic Field in Inhomogeneous Universe *IJMMS* Article ID 471938, 20 pages
- Pradhan, A., Shahi, J. P., and Singh, C. B. (2006), Cosmological Models of Universe with Variable Deceleration Parameter in Lyras Manifold. *Brazilian Journal of Physics* **36**, 1227-1231
- Pradhan, A. et al. (2012), A New Class of Bianchi Type-I Cosmological Models in Scalar-Tensor Theory of Gravitation and Late Time Acceleration *Int. J. Theor. Phys.* **51(12)**, 3769-3786
- Rai, P. et al. (2016), A Plane Symmetric Universe Filled with Viscous Fluid in a Modified Brans-Dicke Cosmology *Reviews in Theoretical Science* **4(1)**, 67-71(5)
- Ram, S. and Singh, C. (1997), Early Cosmological Models with Bulk Viscosity in Brans-Dicke Theory *Astrophys. Space Sci.* **254(1)**, 143150
- Reddy, D. R. K. et al. (2012), Field of a charged particle in a scalar-tensor theory of gravitation *Astrophys. Space Sci.* **342(1)**, 245-247
- Rao, J. R., Tiwari, R. N. and Bhamra, K. S. (1974), Cylindrical Symmetric Brans-Dicke Fields II *Annals of Physics* **87**, 480-497
- Rao, P. P., and Tiwari, R. N. (1979), Stationary Brans-Dicke vacuum solutions from static cylindrically symmetric zero-mass fields *Acta Physica Academiae Scientiarum Hungaricae* **47(4)**, 281-291
- Rao, V.U.M., Vinutha, T. and Sireesha, K. V. S. (2009), Axially symmetric string cosmological models in Brans-Dicke theory of gravitation *Astrophys. Space Sci.* **323**: 401

- Reddy, D. R. K. et al. (2013), Kaluza-Klein Universe with Cosmic Strings and Bulk Viscosity in a Scalar-Tensor Theory of Gravitation *Int. J. Theor. Phys.* **52(4)**, 1214-1220
- Reddy, D. R. K. et al. (2014), Bianchi type-V bulk viscous string cosmological model in Saez-Ballester scalar-tensor theory of gravitation *Astrophys. Space Sci.* **349(1)**, 473-477
- Ram, S. and Singh, D. K. (1983), Bianchi type I vacuum, field in Brans-Dicke theory *Astrophys. Space Sci.* **95**, 219-222
- Rao, V. U. M. et al. (2013), Axially Symmetric Space-Time with Strange Quark Matter Attached to String Cloud in BransDicke Theory of Gravitation *Int. J. Theor. Phys.* **52(4)**, 1052-1060
- Rai, P. et al. (2012), An Anisotropic Homogeneous Cosmological Model in a Modified Brans-Dicke Cosmology *Int. J. Theor. Phys.* **51(10)**, 3311-3317
- Rasouli, S. M. M., and Moniz, P. V. (2016), Exact cosmological solutions in modified BransDicke theory *Classical and Quantum Gravity* **33**, No. 3
- Rathore, G. S., and Mandawat, K. (2009), Five dimensional Bianchi type-I string cosmological model in Brans-Dicke theory *Astrophys. Space Sci.*, **321**, 37
- Rai, P., Rai, L. N., and Singh, V. K. (2013), Cylindrically Symmetric and Plane Symmetric Vacuum Cosmological Models in BransDicke Theory *Proc. Natl. Acad. Sci., India, Sect. A Phys. Sci.* **83**, 55-58
- Rahman, M. A., and Ansari, M. (2014), Interacting Holographic Polytrropic gas model of dark energy with hybrid expansion law in Bianchi type-VI 0 space-time *Astrophys. Space Sci.*, **354**:2132
- Rahman, M., and Ansari, M. (2014), Interacting generalized ghost polytrropic gas model of dark energy with a specific Hubble parameter in LRS Bianchi type-II universe *Astrophys. Space Sci.* **354**

- Reasenber, R. D. et al. (1979), Viking relativity experiment - Verification of signal retardation by solar gravity *Astrophys. Journal, Part 2 - Letters to the Editor* **234**, L219-L221
- Reddy, D. R. K., and Rao, V. U. M. (1981), Field of a charged particle in Brans-Dicke theory of gravitation *J. Phys. A: Math. Gen.*, **14**, 1973-1976
- Reddy, D. R. K., Bharati, D., and Vijaya Lakshmi, G. V. (2014), Kantowski-Sachs bulk viscous string cosmological model in Brans-Dicke theory of gravitation *Astrophys. Space Sci.* **351(1)**, 307-311
- Reddy, D. R. K. et al. (2015), Bianchi type-I cosmological model with quadratic equation of state *Astrophys. Space Sci.* **357**, 20
- Riazi, N., and Askari, R. (1993), Spherically symmetric, static solutions of the Brans-Dicke field equations in vacuum *Mon. Not. R. Astron. Soc.* **261**, 229-232
- Riess, A. G. et al. (1998), Observational Evidence from Supernovae for an Accelerating Universe and a Cosmological Constant, *Astron. J.* **116**, 1009
- Sharif, M. et al. (2012), Cosmic acceleration and Brans-Dicke theory *JETP* **115(4)**, 599-613
- Singh, C. P. et al. (2012), FRW models with particle creation in Brans-Dicke theory *Astrophys. Space Sci.* **338(2)**, 411-419
- Sandage, A. (1961), The Ability of the 200-Inch Telescope to Discriminate Between Selected World Models *Astrophysical Journal* **133**,355.
- Sahni, V., and Starobinsky, A. A. (2000), The case for a positive cosmological Λ -term *Int. J. Mod. Phys. D* **9 (4)**, 373-443
- Sahoo, B. K., and Singh, L. P. (2002), Time dependence of BransDicke parameter ω for an expanding universe *Mod. Phys. Lett. A* **17**, 2409

- Sen, S., and Seshadri, T. R. (2003), Selfinteracting Brans-Dicke cosmology and quintessence *Int. J. Mod. Phys. D* **12**, 03, 445-460
- Sahoo, B. K., and Singh, L. P. (2003), Cosmic Evolution in Generalised Brans-Dicke Theory *Mod. Phys. Lett. A* **18**, 2725
- Saha, B., Amirhashchi, H., and Pradhan, A. (2012), Two-Fluid Scenario for Dark Energy Models in an FRW Universe-Revisited *Astrophys. Space Sci.* **342**, 257-267
- Saadat, H. (2014), Warm-Polytropic Cosmology with and Without Bulk Viscosity *Int. J. Theor. Phys.* **53**, 4188-4196
- Sarkar, S. (2016), Interacting Holographic Dark Energy, Future Singularity and Polytropic Gas Model of Dark Energy in Closed FRW Universe *Int. J. Theor. Phys.* **55**, 481-494
- Seljak, U. et al. (2005), Cosmological parameter analysis including SDSS Ly-alpha forest and galaxy bias: constraints on the primordial spectrum of fluctuations, neutrino mass, and dark energy *Phys. Rev. D* **71**, 103515
- Setare, M. R., Kamali V. (2013), Tachyon-polytropic inflation on the brane *CEJP* **11**, 545-552
- Setare, M.R., Adami, H. (2015), Polytropic black hole *Phys. Rev. D* **91**
- Sen, S. and Sen, A. A. (2001), Late time acceleration in Brans-Dicke cosmology *Phys. Rev. D* **63**, 124006
- Sharma, R., and Ratanpal, B. S. (2013), Relativistic stellar model admitting a quadratic equation of state *Int. J. Mod. Phys. D* **22**, 13
- Sharif, M. and Waheed, S. (2012), Anisotropic universe models in Brans-Dicke theory *The European Physical Journal C* **72**:1876

- Shogin, D., and Hervik, S. (2014), The late-time behaviour of tilted Bianchi type VIII universes in presence of diffusion *Class. Quantum Grav.* **31**, 135006
- Sharif, M. and Sadiq, S. (2015), Conformally flat polytropes for anisotropic cylindrical geometry *Can. J. Phys.* **93**, 1583-1587
- Singh, T., and Rai, L. N. (1983), Scalar-tensor theories of gravitation: Foundations and prospects *Gen. Rel. Grav.* **15**, 875902
- Singh, T., and Singh, T. (1984), Perfect fluid models of Bianchi type-I in modified Brans-Dicke cosmology *J. Math. Phys.* **25**, 2800
- Singh, T., and Singh, T. (1984), Axisymmetric stationary vacuum fields in the general scalar tensor theory *Astrophys. Space Sci.* **100**, 309-317
- Singh, R. T., and Usham, J. K. (1989), Spherically-symmetric charged perfect fluid distribution in Brans-Dicke theory *Astrophys. Space Sci.* **155**, 225-232
- Singh, G. P., and Beesham, A. (1999), Bulk Viscosity and Particle Creation in Brans - Dicke Theory *Austral. J. Phys.* **52**, 1039-49
- Singh, T. and Chaubey, R. (2016), Ashutosh Singh Bouncing cosmologies in Brans-Dicke theory *Canadian Journal of Physics* **94(7)**: 623-627
- Singha, A.K., and Debnath, U. (2009), Accelerating Universe with a Special Form of Decelerating Parameter *Int. J. Theor. Phys.* **48**: 351
- Singha, A. K. et al. (2011), Accelerating Universe in Brans-Dicke Theory in Presence of Chaplygin Gas *Int. J. Theor. Phys.* **50(5)**, 1536-1542
- Spergel, D. N. et al. (2003), First Year Wilkinson Microwave Anisotropy Probe (WMAP) Observations: Determination of Cosmological Parameters *Astrophys. J. Suppl. Ser.* **148**, 175

- Steinhardt, P. J., and Accetta, F. S. (1990), Hyperextended inflation *Phys. Rev. Lett.* **64**, 2740
- Singh, N. I. and Singh, N. B. (1998), B-D Field Interaction with the Gravitation Field in the Robertson-Walker Universe Filled With Perfect Fluid *Astrophys. Space Sci.* **260**: 327
- Singh, R. K. T. and Devi, R. A. (1989), Cosmological solution in Brans-Dicke theory involving particle creation *Astrophys. Space Sci.* **155**, No. 2, 233-240
- Tabensky, R., and Taub, A. H. (1973), Plane symmetric self-gravitating fluids with pressure equal to energy density *Commun. Math. Phys.* **29**, 61-77
- Takisa, P. M., Maharaj, S. D., and Ray, S. (2014), Stellar objects in the quadratic regime *Astrophys. Space Sci.* **354**, 463
- Tegmark, M. et al. (2004), Cosmological parameters from SDSS and WMAP *Phys. Rev. D* **69**, 103501
- Thirukkanesh, S., and Ragel, F. C. (2014), Anisotropic spheres with Van der Waals-type equation of state *Pramana J. Phys.* **83(1)**, 83-93
- Tiwari, R. K. (2014), Bianchi Type-I Universe with Bulk Viscosity in General Relativity *The African Review of Physics* **9**, 0053
- Tiwari, R. N., and Nayak, B. K. (1976), Class of Brans-Dicke Maxwell fields *Phys. Rev., D* **14**, 2503-2505
- Tiwari, R. N., and Nayak, B. K. (1976), Plane symmetric vacuum solutions in the Brans-Dicke theory of gravitation *J. Phys. A: Math. Gen.* **9(3)**, 369
- Tsujikawa, S., and Sami, M. (2004), A unified approach to scaling solutions in a general cosmological background *Phys. Lett. B* **603(3-4)**, 113-123

- Tripathi, S. K., Nigam, S. K., Kumar, S., and Sharma, P. K. (2012), Bianchi type-V universe with variable deceleration parameter in general relativity *IJPMS* **2(2)**, 53-57
- Tripathy, S. K., and Mahanta, K. L. (2015), Cosmic acceleration and anisotropic models with magnetic field *Eur. Phys. J. Plus* **130**, No.2, 30
- Uehara, K., and Kim, C. W. (1982), Brans-Dicke cosmology with the cosmological constant *Phys. Rev. D* **26**, 2575
- Vidyasagar, T. et al. (2014), Bianchi type-III bulk viscous cosmic string model in a scalar-tensor theory of gravitation *Astrophys. Space Sci.* **349(1)**, 467-471
- Weinberg, S. (1972), *Gravitation and Cosmology*, John Wiley and Sons, Inc., New York- London-Sydney-Toronto
- Weinberg, E. J. (1989), Some problems with extended inflation *Phys. Rev. D* **40**, 3950
- Weinberg, S. (1989), The cosmological constant problem *Rev. Mod. Phys.* **61**, 1
- Yadav, A. K. (2011), Some LRS Bianchi-I String Cosmological Models with Variable Deceleration Parameter, 80-98. arXiv:1009.3867v3 [gr-qc]