CONTENTS

| | | Page Nos |
|-----------------------|---|----------|
| Declaration | | i |
| Certificate | | ii |
| Acknowledgement | | iii-v |
| Contents | | v-xi |
| List of Abbreviations | | xii-xiv |
| List of Tables | | xv-xvi |
| List of Figures | | xviii |
| List of Plates | | xix |
| Chapter 1 | INTRODUCTION | 1-15 |
| 1.1 | Aquatic fish food crops | |
| 1.2 | Fish-aquatic food crops diversity | |
| 1.3 | Ox-bow lakes and Kalpani Beel | |
| 1.4 | Manas river | |
| 1.5 | Fish diversity of Kalpani Beel | |
| 1.6 | Aquatic plant diversity of Kalpani Beel | |
| 1.7 | Importance of wetlands and climate change | |
| 1.8 | Wetland classification | |
| 1.8.1 | Ramsar classification system | |
| 1.8.2 | State system of classification, Assam | |
| 1.9 | Research components on wetlands | |
| 1.9.1 | Limnology | |
| 1.9.2 | Fish diversity | |
| 1.9.3 | Aquatic vascular plants diversity | |
| 1.9.4 | Mineral present in aquatic plants | |
| 1.9.5 | Photosynthetic pigments | |

| | 1.9.6 | | Biotechnological approach in formulation of | |
|-----------|-------|---------|---|-------|
| | | | artificial fish food | |
| 1.10 | | | Objectives | |
| Chapter 2 | | | REVIEW OF LITERATURE | 16-46 |
| 2.1 | | | Limnology | |
| 2.2 | | | Fish diversity | |
| | 2.2.1 | | Fish diversity of North-East India | |
| 2.3 | | | Macrophyte diversity | |
| 2.4 | | | Aquatic plant and elements | |
| 2.5 | | | Fish feed formulation using aquatic plant | |
| 2.6 | | | Photosynthetic pigments | |
| | 2.6.1 | | Chlorophyll pigments | |
| | 2.6.2 | | Carotenoid pigments | |
| | 2.6.3 | | Spectral characteristics of plant pigments | |
| 2.7 | | | Aquatic food crops and nutritional values | |
| Chapte | er 3 | | MATERIALS AND METHODS | 47-66 |
| 3.1 | | | Study site (Kalpani Beel) | |
| 3.2 | | | Assessment of seasonal variation in water | |
| | | | quality | |
| | 3.2.1 | | Collection of water samples | |
| | 3.2.2 | | Physical and chemical parameters of Water | |
| | | | samples | |
| | | 3.2.2.1 | Air temperature (A.T.) | |
| | | 3.2.2.2 | Water temperature (W.T.) | |
| | | 3.2.2.3 | p^{H} | |
| | | 3.2.2.4 | Free CO ₂ | |
| | | 3.2.2.5 | Total alkalinity (T.A.) | |
| | | 3.2.2.6 | Total hardness (T.H.) | |
| | | 3.2.2.7 | Phosphate (PO ₄ ⁻) | |
| | | 3.2.2.8 | Chloride (Cl ⁻) | |
| | | 3.2.2.9 | Nitrate (NO ₃ ⁻) | |

| | | 3.2.2.10 | Nitrite (NO ₂) |
|-----|-------|----------|--|
| | | 3.2.2.11 | Ammonia (NH ₃) |
| | | 3.2.2.12 | Iron (Fe) |
| 3.3 | | | Statistical analysis |
| 3.4 | | | Fish diversity study |
| | 3.4.1 | | Collection and preservation of fish samples |
| | 3.4.2 | | Fish Identification |
| 3.5 | | | Macrophyte diversity study |
| | 3.5.1 | | Collection, preservation and identification of |
| | | | samples |
| | 3.5.2 | | Classification |
| 3.6 | | | Mineral content analysis of aquatic plant |
| | 3.6.1 | | Sample collection and Identification |
| | 3.6.2 | | Sample preparation |
| | 3.6.3 | | Sample digestion |
| | 3.6.4 | | Sample analysis |
| | | 3.6.4.1 | Determination of Ca and Mg |
| | | 3.6.4.2 | Determination of Na and K |
| | | 3.6.4.3 | Determination of Fe, Cu, Zn, Co, Cr, Mn and |
| | | | Mo |
| | | 3.6.4.4 | Statistical analysis |
| 3.7 | | | Photosynthetic pigments of <i>Hydrilla</i> |
| | | | verticillata plant |
| | 3.7.1 | | Collection and identification plant sample |
| | 3.7.2 | | Method |
| | 3.7.3 | | Procedure |
| 3.8 | | | Effect of <i>Hydrilla verticillata</i> formulated fish |
| | | | feed on growth and muscle composition in |
| | | | Labeo rohita fingerlings |
| | 3.8.1 | | Experimental set up |
| | 3.8.2 | | Feed preparation and formulation |
| | 3.8.3 | | Nutritional analysis of the formulated feed |

| | | | mixtures | |
|--------|-------|---------|---|-------|
| | | 3.8.3.1 | Determination of moisture | |
| | | 3.8.3.2 | Determination of total solids | |
| | | 3.8.3.3 | Determination of crude protein | |
| | | 3.8.3.4 | Determination of total fat | |
| | | 3.8.3.5 | Determination of crude fibers | |
| | | 3.8.3.6 | Determination of ash | |
| | | 3.8.3.7 | Determination of available carbohydrates | |
| | | 3.8.3.8 | Determination of nutritive value | |
| | 3.8.4 | | Feeding Regimes | |
| | 3.8.5 | | Growth Parameters | |
| | | 3.8.5.1 | Weight gain (WG) | |
| | | 3.8.5.2 | Percentage weight gain (PWG) | |
| | | 3.8.5.3 | Length gain (LG) | |
| | | 3.8.5.4 | Specific growth rate (SGR) | |
| | | 3.8.5.5 | Average condition factor (ACF) | |
| | | 3.8.5.6 | Percentage of survival rate (PSR) | |
| | 3.8.6 | | Cost analysis of the formulated feeds | |
| | 3.8.7 | | Proximate composition of fish muscle | |
| Chapte | er 4 | | RESULTS | 67-90 |
| 4.1 | | | Seasonal variations in water quality of | |
| | | | Kalpani Beel | |
| 4.2 | | | Fish Biodiversity | |
| 4.3 | | | Aquatic Macrophytes | |
| 4.4 | | | Mineral content of Aquatic plants in Kalpani | |
| | | | Beel | |
| 4.5 | | | Photosynthetic pigments of <i>Hydrilla</i> | |
| | | | verticillata | |
| 4.6 | | | Effect of Hydrilla verticillata formulated fish | |
| | | | feed on growth and muscle composition in | |
| | | | Labeo rohita fingerlings | |
| | 4.6.1 | | Cost analysis of formulated feeds | |
| | 462 | | Proximate composition analysis of fish | |

muscle of Labeo rohita fed experiment diets Chapter 5 DISCUSSION 91-120 5.1 Seasonal variation in water quality of Kalpani Beel 5.1.1 Correlation Analysis 5.2 Fish Biodiversity 5.3 Aquatic Macrophytes 5.4 Mineral content of six selected macrophytes 5.4.1 **Correlation Coefficient Test** 5.5 Photosynthetic pigments of Hydrilla *verticillata* plant Chlorophyll pigments 5.5.1 5.5.2 Carotenoid pigments 5.6 Effect of Hydrilla verticillata formulated fish feed on growth and muscle composition in Labeo rohita fingerlings 5.6.1 Cost analysis of formulated feeds 5.6.2 Muscle composition in Labeo rohita 5.6.3 Invention through Biotechnological approaches 5.7 Significance of the study 5.8 Benefit to the society 5.9 Prospect of the study Chapter 6 SUMMARY AND CONCLUSION 121-126 REFERENCES 127-176

ANNEXURE