

Bibliography

Ade, P. A. et al. (2014). Planck 2013 results. I. Overview of products and scientific results. *Astron. Astrophys.*, **571**, A1.

Adhav, K. S. (2011). LRS Bianchi type-I universe with anisotropic dark energy in Lyra geometry. *Int. J. Astron. Astrophys.*, **1**, 204-209.

Ahmed, R., & Abbas, G. (2020). Non-adiabatic gravitational collapse in $f(R, T)$ gravity with Karmarkar condition for anisotropic fluid. *Mod. Phys. Lett. A*, **35**, 2050103.

Akarsu, Ö., & Dereli, T. (2012). Cosmological models with linearly varying deceleration parameter. *Int. J. Theor. Phys.*, **51** (2), 612-621.

Aktaş, C. (2019). Various dark energy models for variables G and Λ in $f(R, T)$ modified theory. *Mod. Phys. Lett. A*, **34** (13), 1950098.

Alam, U. et al. (2003). Exploring the expanding universe and dark energy using the Statefinder diagnostic. *Mon. Not. R. Astron. Soc.*, **344** (4), 1057-1074.

Alvarenga, F. G. et al. (2012). Testing some $f(R, T)$ gravity models from energy conditions. arXiv preprint arXiv:1205.4678. 10.4236/jmp.2013.41019.

Amendola, L., Charmousis, C., & Davis, S. C. (2007). Solar system constraints on Gauss–Bonnet mediated dark energy. *J. Cosmol. Astropart. Phys.*, **2007** (10), 004.

Ananda, K. N., & Bruni, M. (2006). Cosmological dynamics and dark energy with a nonlinear equation of state: A quadratic model. *Phys. Rev. D*, **74** (2), 023523.

- Arora, S., Bhattacharjee, S., & Sahoo, P. K. (2021). Late-time viscous cosmology in $f(R, T)$ gravity. *New Astron.*, **82**, 101452.
- Aubourg, É., et al. (2015). Cosmological implications of baryon acoustic oscillation measurements. *Phys. Rev. D*, **92** (12), 123516.
- Avelino, A., Cruz, N., & Nucamendi, U. (2012). Testing the EoS of dark matter with cosmological observations. *arXiv preprint arXiv:1211.4633*.
- Bali, R., & Singh, D. K. (2005). Bianchi type-V bulk viscous fluid string dust cosmological model in general relativity. *Astrophys. Space Sci.*, **300** (4), 387-394.
- Bali, R., Singh, P., & Singh, J. P. (2012). Bianchi type V viscous fluid cosmological models in presence of decaying vacuum energy. *Astrophys. Space Sci.*, **341** (2), 701-706.
- Bamba, K. et al. (2017). Energy conditions in modified $f(G)$ gravity. *Gen. Relat. Gravit.*, **49**, 1-17.
- Bamba, K., Jawad, A., Rafique, S., & Moradpour, H. (2018). Thermodynamics in Rastall gravity with entropy corrections. *Eur. Phys. J. C*, **78** (12), 1-12.
- Barrow, J. D. (1986). The deflationary universe: an instability of the de Sitter universe. *Phys. Lett. B*, **180**, 335-339.
- Barrow, J. D. (1997). Cosmological limits on slightly skew stresses. *Phys. Rev. D*, **55** (12), 7451.
- Barrow, J. D., & Nunes, N. J. (2007). Dynamics of “logamediate” inflation. *Phys. Rev. D*, **76** (4), 043501.
- Bennett, C. L. et al. (2003). The Microwave Anisotropy Probe* Mission. *Astrophys. J.*, **583** (1), 1.

- Basumatay, D., & Dewri, M. (2021). Bianchi Type- VI_0 Cosmological Model with Special Form of Scale Factor in Sen-Dunn Theory of Gravitation. *J. Sci. Res.*, **13** (1), 137-143.
- Battye, R. A., & Moss, A. (2014). Evidence for massive neutrinos from cosmic microwave background and lensing observations. *Phys. Rev. Lett.*, **112**, (5), 051303.
- Beesham, A. (1986). Comment on stiff matter solutions in cosmological models based on Lyra's manifold. *Astrophys. Space Sci.*, **122** (1), 177-179.
- Beesham, A. (1988). FLRW cosmological models in Lyra's manifold with time dependent displacement field. *Aus. J. Phys.*, **41** (6), 833-842.
- Bengochea, G. R., & Ferraro, R. (2009). Dark torsion as the cosmic speed-up. *Phys. Rev. D*, **79** (12), 124019.
- Bennett, C. L. et al. (2003). First-Year Wilkinson Microwave Anisotropy Probe (WMAP)* Observations: Preliminary Maps and Basic Results. *Astrophys. J. Suppl. S.*, **148**1, 1-27.
- Berman, M. S. (1983). A special law of variation for Hubble's parameter. *II Nuovo Cimento B*, (1971-1996), **74** (2), 182-186.
- Berman, M. S., & de Mello Gomide, F. (1988). Cosmological models with constant deceleration parameter. *Gen. Relat. Gravit.*, **20** (2), 191-198.
- Bertolami, O. et al. (2007). Extra force in $f(R)$ modified theories of gravity. *Phys. Rev. D*, **75** (10), 104016.
- Bhamra, K. S. (1974). A cosmological model of class one in Lyra's manifold. *Aus. J. Phys.*, **27** (4), 541-548.
- Bishi, B. K., & Mahanta, K. L. (2015). Bianchi Type-V Bulk Viscous Cosmic String in Gravity with Time Varying Deceleration Parameter. *Adv. High Energy Phys.*, **2015**.

Brahma, B. P., & Dewri, M. (2021). Bianchi type-V modified $f(R, T)$ gravity model in Lyra geometry with varying deceleration parameter. *J. Math. Comput. Sci.*, **11** (1), 1018-1028.

Brahma, B. P., & Dewri, M. (2021). Bianchi type-V modified $f(R, T)$ gravity model in Lyra geometry with varying deceleration parameter. *J. Math. Comput. Sci.*, **11**, 1018-1028.

Caldwell, R. R., & Doran, M. (2004). Cosmic microwave background and supernova constraints on quintessence: concordance regions and target models. *Phys. Rev. D*, **69** (10), 103517.

Brans, C., & Dicke, R. H. (1961). Mach's principle and a relativistic theory of gravitation. *Phys. Rev.*, **124** (3), 925.

Capozziello, S., & De Laurentis, M. (2011). Extended theories of gravity. *Phys. Rep.*, **509** (4-5), 167-321.

Capozziello, S., & Vignolo, S. (2011). The cauchy problem for metric-affine $f(R)$ -gravity in presence of a Klein–Gordon scalar field. *Int. J. Geom. Meth. Mod. Phys.*, **8** (01), 167-176.

Capozziello, S., Cardone, V. F., & Salzano, V. (2008). Cosmography of $f(R)$ gravity. *Phys. Rev. D*, **78** (6), 063504.

Capozziello, S., Stabile, A., & Troisi, A. (2007). Spherically symmetric solutions in $f(R)$ gravity via the Noether symmetry approach. *Classical Quant. Grav.*, **24** (8), 2153.

Chandrasekhar, S. (1931). The maximum mass of ideal white dwarfs. *Astrophys. J.*, **74**, 81.

- Chattopadhyay, S. (2018). A reconstruction scheme for $f(T)$ gravity and its consequences in the perturbation level. *Int. J. Geom. Meth. Mod. Phys.*, **15** (02), 1850025.
- Chavanis, P. H. (2015). A cosmological model describing the early inflation, the intermediate decelerating expansion, and the late accelerating expansion of the universe by a quadratic equation of state. *Universe*, **1** (3), 357-411.
- Chiba, T., Smith, T. L., & Erickcek, A. L. (2007). Solar System constraints to general $f(R)$ gravity. *Phys. Rev. D*, **75** (12), 124014.
- Chundawat, P. K., & Mehta, P. (2021). Bianchi Type III String Cosmological Model In $f(R,T)$ Gravity theory with Bulk Viscous fluid. *Turk. J. Co. Math. Educ. (TURCOMAT)*, **12** (6), 3267-3274.
- Collins, C. B. (1977). Global structure of the "Kantowski–Sachs" cosmological models. *J. Math. Phys.*, **18** (11), 2116-2124.
- Collins, C. B., Glass, E. N., & Wilkinson, D. A. (1980). Exact spatially homogeneous cosmologies. *Gen. Relat. Gravit.*, **12**, 805-823.
- Dagwal, V. J., & Pawar, D. D. (2021). Cosmological models with EoS parameters in $f(T)$ theory of gravity. *Indian J. Phys.*, **95** (1), 177-186.
- Das, K., & Sarma, G. (2014). Dark Energy Model in Bianchi Type-V String Space-time in Lyra Geometry. *Prespacetime J.*, **5** (6).
- De Felice, A., & Tsujikawa, S. (2010). $f(R)$ theories. *Living Rev. Relativ.*, **13** (1), 1-161.
- Desikan, K. (2020). Cosmological Models in Lyra Geometry with Time-varying Displacement Field. *Afri. Rev. Phys.*, **15**.
- Dewri, M. (2020). A Magnetized Dark Energy Type R/W Model with Polytrropic Equation of State in Brans-Dicke Theory. *J. Sci. Res.*, **12** (3), 251-257.

- Eisenstein, D. J. et al. (2005). Detection of the baryon acoustic peak in the large-scale correlation function of SDSS luminous red galaxies. *Astrophys. J.*, **633** (2), 560.
- Ferraro, R., & Fiorini, F. (2007). Modified teleparallel gravity: inflation without an inflaton. *Phys. Rev. D*, **75** (8), 084031.
- Friedmann, A. (1922). 125. on the curvature of space. *Z. Phys.*, **10**, 377-386.
- Garnavich, P. M. et al. (1998a). Constraints on cosmological models from Hubble Space Telescope observations of high- z supernovae. *Astrophys. J. Lett.*, **493**, L53-L57.
- Garnavich, P. M. et al. (1998b). Supernova limits on the cosmic equation of state. *Astrophys. J.*, **509**, 74-79.
- Godani, N. (2019). Locally rotationally symmetric Bianchi type-II cosmological model in $f(R, T)$ gravity. *Ind. J. Phys.*, **93** (7), 951-958.
- Gusu, D. M., & Santhi, M. V. (2021). Analysis of Bianchi Type V Holographic Dark Energy Models in General Relativity and Lyra's Geometry. *Adv. High Energy Phys.*, **2021**.
- Halford, W. D. (1970). Cosmological theory based on Lyra's geometry. *Aus. J. Phys.*, **23** (5), 863-870.
- Halford, W. D. (1972). Scalar-tensor theory of gravitation in a Lyra manifold. *J. Math. Phys.*, **13** (11), 1699-1703.
- Harko, T. et al. (2011). $f(R, T)$ gravity. *Phys. Rev. D*, **84** (2), 024020.
- Hatkar, S. P., Wadale, C. D., & Katore, S. D. (2019). Bianchi Type III Cosmological Model with Bulk Viscosity and Heat Flux in Modified $f(R, T)$ Theory of Gravitation. *Bulg. J. Phys.*, **46**, 107-116.

- Hawkins, E. et al. (2003). The 2dF Galaxy Redshift Survey: correlation functions, peculiar velocities and the matter density of the Universe. *Mon. Not. R. Astron. Soc.*, **346** (1), 78-96.
- Hegazy, E. A. (2020). Bulk viscous Bianchi type I cosmological model in Lyra geometry and in the general theory of relativity. *Astrophys. Space Sci.*, **365**, 1-8.
- Hinshaw, G. et al. (2007). Three-year wilkinson microwave anisotropy probe (wmap*) observations: Temperature analysis. *Astrophys. J. Suppl. S.*, **170** (2), 288.
- Hu, W., & Dodelson, S. (2002). Cosmic microwave background anisotropies. *Ann. Rev. Astron. Astrophys.*, **40** (1), 171-216.
- Huang, Z. Y. et al. (2006). Holographic explanation of wide-angle power correlation suppression in the cosmic microwave background radiation. *J. Cosmol. Astropart. Phys.*, **2006** (05), 013.
- Johri, V. B., & Desikan, K. (1994). Cosmological models with constant deceleration parameter in Brans-Dicke theory. *Gen. Relat. Gravit.*, **26** (12), 1217-1232.
- Johri, V. B., & Sudharsan, R. (1988). Friedmann universes with bulk viscosity. *Phys. Lett. A*, **132** (6-7), 316-320.
- Kalyanshetti, S. B., & Waghmode, B. B. (1982). A static cosmological model in Einstein-Cartan theory. *Gen. Relat. Gravit.*, **14** (10), 823-830.
- Karade, T. M., & Borikar, S. M. (1978). Thermodynamic equilibrium of a gravitating sphere in Lyra's geometry. *Gen. Relat. Gravit.*, **9** (5), 431-436.
- Kiran, M., & Reddy, D. R. K. (2013). Non-existence of Bianchi type-III bulk viscous string cosmological model in $f(R, T)$ gravity. *Astrophys. Space Sci.*, **346**, 521-524.
- Kumar Y., A. (2014). Bianchi-V string cosmology with power law expansion in $f(R, T)$ gravity. *Eur. Phys. J. Plus*, **129** (9), 1-6.

- Kumar, R., & Srivastava, S. K. (2013). Bianchi type-V cosmological model with purely magnetic solution. *Astrophys. Space Sci.*, **346** (2), 567-572.
- Kumar, S., & Singh, C. P. (2008). An exact Bianchi type-I cosmological model in Lyra's manifold. *Int. J. Mod. Phys. A*, **23** (06), 813-822.
- Kumari, P., Singh, M. K., & Ram, S. (2013). Anisotropic bianchi type-III bulk viscous fluid universe in Lyra geometry. *Adv. Math. Phys.*, **2013**.
- Linder, E. V. (2010). Einstein's Other Gravity and the Acceleration of the Universe. *Phys. Rev. D*, **81** (12), 127301.
- Lyra, G. (1951), Uber eine Modifikation der Riemannschen Geometric, *Math. Z.*, **54**, 52-64.
- Mahanta, K. L., Biswal, A. K., & Sahoo, P. K. (2014). Bianchi type-III dark energy models with constant deceleration parameter in self-creation cosmology. *Can. J. Phys.*, **92** (4), 295-301.
- Mahanta, K. L. (2014). Bulk viscous cosmological models in $f(R, T)$ theory of gravity. *Astrophys. Space Sci.*, **353**, 683-689.
- Maharaj, S., & Naidoo, R. (1993). Solutions to the field equations and the deceleration parameter. *Astrophys. Space Sci.*, **208** (2), 261-276.
- Makarenko, A. N., & Myagky, A. N. (2017). The asymptotic behavior of bouncing cosmological models in $F(G)$ gravity theory. *Int. J. Geom. Meth. Mod. Phys.*, **14** (10), 1750148.
- Mamon, A. A & Das, S. (2017). A parametric reconstruction of the deceleration parameter. *Eur. Phys. J. C*, **77** (7), 1-9.
- Maurya, D. C. (2020). Modified $f(R, T)$ cosmology with observational constraints in Lyra's geometry. *Int. J. Geom. Meth. Mod. Phys.*, **17** (01), 2050001.

- Maurya, D. C., & Zia, R. (2019). Brans-Dicke scalar field cosmological model in Lyra's geometry. *Phys. Rev. D*, **100** (2), 023503.
- Melvin, M. A. (1975). Homogeneous axial cosmologies with electromagnetic fields and dust. *Ann. NY Acad. Sci.*;(United States), **262**.
- Mishra, B., Ray, P. P., & Pacif, S. K. J. (2017). Dark energy cosmological models with general forms of scale factor. *Eur. Phys. J. Plus*, **132** (10), 1-11.
- Misner, C. W. (1968). The isotropy of the universe. *Astrophys. J.*, **151**, 431.
- Mohanty, G., & Pradhan, B. D. (1992). Cosmological mesonic viscous fluid model. *Int. J. Theor. Phys.*, **31** (1), 151-160.
- Mohanty, G., Sahu, S. K., & Sahoo, P. K. (2003). Massive scalar field in the Bianchi Type I space time. *Astrophys. space sci.*, **288** (4), 421-427.
- Moraes, P. H. R. S., & Sahoo, P. K. (2017). The simplest non-minimal matter–geometry coupling in the $f(R, T)$ cosmology. *Eur. Phys. J. C*, **77**, 1-8.
- Murphy, G. L. (1973). Big-bang model without singularities. *Phys. Rev. D*, **8** (12), 4231.
- Naidu, R. L., Aditya, Y., & Reddy, D. R. K. (2019). Bianchi type-V dark energy cosmological model in general relativity in the presence of massive scalar field. *Heliyon*, **5** (5), e01645.
- Naidu, R. L., et al. (2020). Axially symmetric Bianchi type-I cosmological model of the universe in the presence of perfect fluid and an attractive massive scalar field in Lyra manifold. *Astrophys. Space Sci.*, **365** (5), 1-5.
- Naidu, R. L., Satyanarayana, B., & Reddy, D. R. K. (2012). Bianchi type-V dark energy model in a scalar-tensor theory of gravitation. *Int. J. Theor. Phys.*, **51** (7), 1997-2002.

- Nath, A., & Sahu, S. K. (2019). LRS Bianchi type V perfect fluid cosmological model in $f(R, T)$ theory. *Can. J. Phys.*, **97** (4), 443-449.
- Nojiri, S. I., & Odintsov, S. D. (2008). Future evolution and finite-time singularities in $F(R)$ gravity unifying inflation and cosmic acceleration. *Phys. Rev. D*, **78** (4), 046006.
- Nojiri, S. I., & Odintsov, S. D. (2004). Gravity assisted dark energy dominance and cosmic acceleration. *Phys. Lett. B*, **599** (3-4), 137-142.
- Nojiri, S. I., & Odintsov, S. D. (2005). Modified Gauss–Bonnet theory as gravitational alternative for dark energy. *Phys. Lett. B*, **631** (1-2), 1-6.
- Nojiri, S. I., & Odintsov, S. D. (2006). Unifying phantom inflation with late-time acceleration: Scalar phantom–non-phantom transition model and generalized holographic dark energy. *Gen. Relat. Gravit.*, **38** (8), 1285-1304.
- Nojiri, S. I., & Odintsov, S. D. (2007). eConf C0602061, 06 (2006). *Int. J. Geom. Meth. Mod. Phys.*, **4** (115), 16.
- Nojiri, S. I., & Odintsov, S. D. (2007). Introduction to modified gravity and gravitational alternative for dark energy. *Int. J. Geom. Meth. Mod. Phys.*, **4** (01), 115-145.
- Nojiri, S. I., Odintsov, S. D., & Sami, M. (2006). Dark energy cosmology from higher-order, string-inspired gravity, and its reconstruction. *Phys. Rev. D*, **74** (4), 046004.
- Padmanabhan, T., & Chitre, S. M. (1987). Viscous universes. *Phys. Lett. A*, **120**, 1-4.
- Paliathanasis, A., Barrow, J. D., & Leach, P. G. L. (2016). Cosmological solutions of $f(T)$ gravity. *Phys. Rev. D*, **94** (2), 023525.
- Peebles, P. J. E., & Ratra, B. (2003). The cosmological constant and dark energy. *Rev. Mod. Phys.*, **75** (2), 559.

- Penzias, A. A., & Wilson, R. W. (1965). A measurement of excess antenna temperature at 4080 Mc/s. *Astrophys. J.*, **142**, 419-421.
- Perlmutter, S. et al. (1998a). Discovery of a supernova explosion at half the age of the Universe. *Nature*, **391** (6662), 51-54.
- Perlmutter, S. et al. (1999). Measurements of Ω and Λ from 42 high-redshift supernovae. *Astrophys. J.*, **517** (2), 565.
- Perlmutter, S. et al. (1997). Measurements* of the Cosmological Parameters Ω and Λ from the First Seven Supernovae at $z \geq 0.35$. *The astrophysical journal*, **483**, 565-581.
- Perlmutter, S., Turner, M. S., & White, M. (1999). Constraining dark energy with type Ia supernovae and large-scale structure. *Phys. Rev. Lett.*, **83** (4), 670.
- Pradhan, A., & Ram, P. (2009). A plane-symmetric magnetized inhomogeneous cosmological models of perfect fluid distribution with variable magnetic permeability in Lyra geometry. *Int. J. Theor. Phys.*, **48** (11), 3188-3201.
- Pradhan, A., & Vishwakarma, A. K. (2004). A new class of LRS Bianchi type-I cosmological models in Lyra geometry. *J. Geom. Phys.*, **49** (3-4), 332-342.
- Pradhan, A., Amirhashchi, H., & Jaiswal, R. (2011). A new class of LRS Bianchi type-II dark energy models with variable EoS parameter. *Astrophys. Space Sci.*, **334** (2), 249-260.
- Pradhan, A., Amirhashchi, H., & Saha, B. (2011). An interacting and non-interacting two-fluid scenario for dark energy in FRW universe with constant deceleration parameter. *Astrophys. Space Sci.*, **333** (1), 343-350.
- Pradhan, A., Shahi, J. P., & Singh, C. B. (2006). Cosmological models of universe with variable deceleration parameter in Lyra's manifold. *Braz. J. Phys.*, **36**, 1227-1231.

- Pradhan, A., Yadav, V. K., & Chakrabarty, I. (2001). Bulk viscous FRW cosmology in Lyra geometry. *Int. J. Mod. Phys. D*, **10** (03), 339-349.
- Rahaman, F. et al. (2005). Cosmological models with negative constant deceleration parameter in Lyra geometry. *Astrophys. Space Sci.*, **299** (3), 211-218.
- Rahaman, F., & Bera, J. K. (2001). Higher dimensional cosmological model in Lyra geometry. *Int. J. Mod. Phys. D*, **10** (05), 729-733.
- Raju, K. D., et al. (2020). Kantowski–Sachs universe with dark energy fluid and massive scalar field. *Can. J. Phys.*, **98** (11), 993-998.
- Ram, S., Verma, M. K., & Zeyauddin, M. (2009). Homogeneous Anisotropic Cosmological Models with Viscous Fluid and Heat Flow in Lyra's Geometry. *Mod. Phys. Lett. A*, **24** (23), 1847-1856.
- Ram, S., & Singh, P. (1992). Anisotropic cosmological models of Bianchi types III and V in Lyra's geometry. *Int. J. Theor. Phys.*, **31** (12), 2095-2102.
- Ram, S., Zeyauddin, M., & Singh, C. P. (2008). Bianchi type V cosmological models with perfect fluid and heat conduction in Lyra's geometry. *Int. J. Mod. Phys. A*, **23** (31), 4991-5005.
- Ram, S., Zeyauddin, M., & Singh, C. P. (2010). Anisotropic Bianchi type V perfect fluid cosmological models in Lyra's geometry. *J. Geom. Phys.*, **60**(11), 1671-1680.
- Rao, M. B., et al. (2022). Bianchi type–I dark energy cosmological model coupled with a massive scalar field. *New Astron.*, **92**, 101733.
- Rao, M. B., Reddy, D. R. K., & Babu, K. S. (2015). Bianchi type-V bulk viscous string cosmological model in a self-creation theory of gravitation. *Astrophys. Space Sci.*, **359**, 1-5.

- Rao, V. U. M., & Rao, D. P. (2015). Bianchi type-V string cosmological models in $f(R, T)$ gravity. *Astrophys. Space Sci.*, **357**, 1-5.
- Rao, V. U. M., Vinutha, T., & Vijaya Santhi, M. (2008). Bianchi type-V cosmological model with perfect fluid using negative constant deceleration parameter in a scalar tensor theory based on Lyra Manifold. *Astrophys. Space Sci.*, **314** (1), 213-216.
- Reboucas, M. J. (1982). Time-dependent, Bianchi II, rotating universe. *Il Nuovo Cimento B* (1971-1996), **67** (1), 120-126.
- Reddy, D. R. K. (1977). On Birkhoff's theorem for electromagnetic fields in a scalar-tensor theory of gravitation. *J. Phys. A: Math. Gen.*, **10** (2), 185.
- Reddy, D. R. K., & Innaiah, P. (1986). A plane symmetric cosmological model in Lyra manifold. *Astrophys. Space Sci.*, **123** (1), 49-52.
- Reddy, D. R. K., & Venkateswarlu, R. (1987). Bianchi type-I universe in the presence of zero-mass scalar fields. *Astrophys. Space Sci.*, **136** (1), 17-20.
- Reddy, D. R. K., Adhav, K. S., & Purandare, M. A. (2015). Bianchi type-I cosmological model with quadratic equation of state. *Astrophys. Space Sci.*, **357** (1), 1-5.
- Reddy, D. R., Santikumar, R., & Naidu, R. L. (2012). Bianchi type-III cosmological model in $f(R, T)$ theory of gravity. *Astrophys. Space Sci.*, **342** (1), 249-252.
- Riess, A. G. et al. (1998). Observational evidence from supernovae for an accelerating universe and a cosmological constant. *Astron. J.*, **116** (3), 1009.
- Rodrigues, M. E., et al. (2014). A type of Levi-Civita solution in modified Gauss-Bonnet gravity. *Can. J. Phys.*, **92** (2), 173-176.
- Roy, S. R., & Prasad, A. (1994). Some LRS Bianchi type V cosmological models of local embedding class one. *Gen. Relat. Gravit.*, **26** (10), 939-950.

- Ruban, V. A., & Finkelstein, A. M. (1975). On the initial singularity in the scalar-tensor anisotropic cosmology. *Gen. Relat. Gravit.*, **6** (6), 601-638.
- Saez, D., & Ballester, V. J. (1986). A simple coupling with cosmological implications. *Phys. Lett. A*, **113** (9), 467-470.
- Saha, B. (2013). Bianchi type-V dark energy model with varying EoS parameter. *Int. J. Theor. Phys.*, **52** (4), 1314-1325.
- Sahni, V. et al. (2003). Statefinder—a new geometrical diagnostic of dark energy. *J. Exp.Theor. Phys. Lett.*, **77** (5), 201-206.
- Sahoo, P. K. et al. (2016). Bianchi type string cosmological models in $f(R, T)$ gravity. *Eur. Phys. J. Plus*, **131** (9), 1-12.
- Sahoo, P. K., Mandal, S., & Arora, S. (2021). Energy conditions in non-minimally coupled $f(R, T)$ gravity. *Astron. Nachr.*, **34** 2(1-2), 89-95.
- Sahoo, P. K., Sahoo, P., & Bishi, B. K. (2017). Anisotropic cosmological models in $f(R, T)$ gravity with variable deceleration parameter. *Int. J. Geom. Meth. Mod. Phys.*, **14** (06), 1750097.
- Sarmah, L., Kalita, S., & Wojnar, A. (2022). Stability criterion for white dwarfs in Palatini $f(R)$ gravity. *Phys. Rev. D*, **105** (2), 024028.
- Sebastiani, L., & Myrzakulov, R. (2015). $F(R)$ -gravity and inflation. *Int. J. Geom. Meth. Mod. Phys.*, **12** (09), 1530003.
- Samanta, G. C., Jaiswal, S., & Biswal, S. K. (2014). Universe described by dark energy in the form of wet dark fluid (WDF) in higher-dimensional space-time. *Eur. Phys. J. Plus*, **129** (3), 1-11.
- Sen, D. K. (1957). A static cosmological model. *Zeitschrift für Phys.*, **149** (3), 311-323.

- Sen, D. K., and Dunn, K. A. (1971). A scalar-tensor theory of gravitation in a modified Riemannian manifold. *J. Math. Phys.*, **12** (4), 578-586.
- Shamir & Sadiq, M. A. (2018). Modified Gauss–Bonnet gravity with radiating fluids. *Europ. Phys. J. C*, **78** (4), 1-9.
- Sharif, M., & Ismat Fatima, H. (2016). Noether symmetries in $f(G)$ gravity. *J. Exp. Theor. Phys.*, **122** (1), 104-112.
- Sharif, M., & Rani, S. (2011). $F(T)$ models within bianchi type-i universe. *Mod. Phys. Lett. A*, **26** (22), 1657-1671.
- Shamir, M. F., & Sadiq, M. A. (2018). Modified Gauss–Bonnet gravity with radiating fluids. *Europ. Phys. J. C*, **78** (4), 1-9.
- Sharif, M., & Saba, S. (2018). Gravitational decoupled anisotropic solutions in $f(G)$ gravity. *Eur. Phys. J. C*, **78**, 1-12.
- Sharif, M., & Shamir, M. F. (2009). Exact solutions of Bianchi-type I and V space-times in the $f(R)$ theory of gravity. *Classical and Quantum Gravity*, **26** (23), 235020.
- Sharif, M., & Zubair, M. (2012). Energy conditions constraints and stability of power law solutions in $f(R, T)$ gravity. *J. Phys. Soc. Japan*, **82** (1), 014002.
- Sharma, L. K., Singh, B. K., & Yadav, A. K. (2020). Viability of Bianchi type V universe in $f(R, T) = f_1(R) + f_2(R)f_3(T)$ gravity. *Int. J. Geom. Meth. Mod. Phys.*, **17** (07), 2050111.
- Singh, C. P. (2009). LRS Bianchi type-V cosmology with heat flow in scalar: tensor theory. *Braz. J. Phys.*, **39** (4), 619-628.
- Singh, G. P., & Bishi, B. K. (2015). Bianchi type-I transit Universe in $f(R, T)$ modified gravity with quadratic equation of state and Λ . *Astrophys. Space Sci.*, **360** (1), 1-8.

- Singh, G. P., & Desikan, K. (1997). A new class of cosmological models in Lyra geometry. *Pramana*, **49** (2), 205-212.
- Singh, G. P., & Kale, A. Y. (2009). A new class of Bianchi type-I cosmological models in Lyra geometry. *Int. J. Theor. Phys.*, **48**, 3049-3060.
- Singh, G. P., & Kale, A. Y. (2009). Bulk viscous Bianchi type-V cosmological models with variable gravitational and cosmological constant. *Int. J. Theor. Phys.*, **48** (11), 3158-3168.
- Singh, G. P., Bishi, B. K., & Sahoo, P. K. (2016). Bianchi type-I bulk viscous cosmology with Chaplygin gas in Lyra Geometry. *Chin. J. Phys.*, **54** (6), 895-905.
- Singh, J. K. (2007). Some cosmological models with heat and null radiation flow. *Astrophys. Space Sci.*, **310** (3), 241-244.
- Singh, J. K. (2008). Exact solutions of some cosmological models in Lyra geometry. *Astrophys. Space Sci.*, **314**, 361-365.
- Singh, J. K., & Rani, S. (2015). Bianchi type-III cosmological models in lyra's geometry in the presence of massive scalar field. *Int. J.Theor. Phys.*, **54** (2), 545-560.
- Singh, J. K., & Sharma, N. K. (2014). Anisotropic dark energy Bianchi Type-II cosmological models in Lyra geometry. *Int. J. Theor. Phys.*, **53** (4), 1375-1386.
- Singh, J. P., & Baghel, P. S. (2009). Bianchi type V bulk viscous cosmological models with time dependent Λ -term. *Electron. J. Theor. Phys.*, **6** (22), 85-96.
- Singh, K. P., & Dewri, M. (2016). Robertson–Walker model universe interacting with electromagnetic field and Brans–Dicke field in presence of hybrid scale factor. *Chin. J. Phys.*, **54** (5), 845-849.
- Singh, S. S., & Devi, L. A. (2022). Interacting anisotropic dark energy with hybrid expansion in $f(R, T)$ gravity. *New Astron.*, **90**, 101656.

- Singh, T., & Chaubey, R. (2006). Bianchi type-V model with a perfect fluid and Λ -term. *Pramana*, **67** (3), 415-428.
- Singh, T., & Chaubey, R. (2007). Bianchi Type-V universe with a viscous fluid and Λ -term. *Pramana*, **68**(5), 721-734.
- Singh, T., & Singh, G. P. (1991). Bianchi type V and VI_0 cosmological models in Lyra geometry. *Astrophys. Space Sci.*, **182** (2), 189-200.
- Singh, T., & Singh, G. P. (1991). Bianchi type-I cosmological models in Lyra's geometry. *J. Math. Phys.*, **32** (9), 2456-2458.
- Singh, T., & Singh, G. P. (1993). Lyra's geometry and cosmology: a review. *Fortsch. Phys.*, **41** (8), 737-764.
- Singh, V., & Beesham, A. (2020). Plane symmetric model in $f(R, T)$ gravity. *Eur. Phys. J. Plus*, **135** (3), 1-15.
- Singha, A. K., & Debnath, U. (2009). Accelerating universe with a special form of decelerating parameter. *Int. J. Theor. Phys.*, **48** (2), 351-356.
- Soleng, H. H. (1987). Cosmologies based on Lyra's geometry. *Gen. Relat. Gravit.*, **19** (12), 1213-1216.
- Spergel, D. N. et al. (2003). First-year Wilkinson Microwave Anisotropy Probe (WMAP)* observations: determination of cosmological parameters. *Astrophys. J. Suppl. S.*, **148** (1), 175.
- Spregel, D. N., et al. (2007). Wilkinson Microwave Anisotropy Probe (WMAP) Three Year observations: Implications for Cosmology. *Astrophys. J. Suppl. Ser.*, **170**, 1-99.
- Tegmark, M. et al. (2004). Cosmological parameters from SDSS and WMAP. *Phys. Rev. D*, **69** (10), 103501.

- Tegmark, M. et al. (2004). The three-dimensional power spectrum of galaxies from the sloan digital sky survey. *Astrophys. J.*, **606** (2), 702.
- Thakur, P. (2017). Recent observational constraints on EoS parameters of a class of emergent Universe. *Pramana*, **89** (2), 1-9.
- Thorne, K. S. (1967). Primordial element formation, primordial magnetic fields, and the isotropy of the universe. *Astrophys. J.*, **148**, 51.
- Tiwari, L. K., & Tiwari, R. K. (2017). Bianchi Type-V Cosmological Models with Viscous Fluid and Varying Λ . *Prespacetime J.*, **8**, 1509-1520.
- Tiwari, R. K. (2009). Bianchi type-V cosmological models with constant deceleration parameter in scalar-tensor theory. *Fiz. B*, **18** (1), 9-18.
- Tiwari, R. K. et al. (2021). Bianchi Type I Cosmological Model in $f(R, T)$ Gravity. *Phys. Sci. Forum*, **2** (1), 38. Multidisciplinary Digital Publishing Institute.
- Tiwari, R. K., & Mishra, S. (2017). A Bianchi Type-V Cosmological Model in the $f(R, T)$ Theory of Gravity. *Prespacetime J.*, **8** (7).
- Tiwari, R. K., & Singh, R. (2015). Bianchi type V cosmological models with varying cosmological term. *Int. J.Theor. Phys.*, **54** (5), 1417-1434.
- Tiwari, R. K., Sofuoğlu, D., & Dubey, V. K. (2020). Phase transition of LRS Bianchi type-I cosmological model in $f(R, T)$ gravity. *Int. J. Geom. Meth. Mod. Phys.*, **17** (12), 2050187.
- Turner, M. S., & Widrow, L. M. (1988). Inflation-produced, large-scale magnetic fields. *Phys. Rev. D*, **37** (10), 2743.
- Weinberg, S. (1989). The cosmological constant problem. *Rev. Mod. Phys.*, **61**(1), 1.
- Weyl, H. (1918). Gravitation and Electricity, Sitzungsber. *Preuss Akad Wiss Berlin (Math Phys.)*, 465-480.

- White, M., Scott, D., & Silk, J. (1994). Anisotropies in the cosmic microwave background. *Annu. Rev. Astron. Astr.*, **32**, 319-370.
- Yadav, A. K. (2011). Some anisotropic dark energy models in Bianchi type-V space-time. *Astrophys. Space Sci.*, **335** (2), 565-575.
- Yadav, A. K., & Bhardwaj, V. K. (2018). Lyra's cosmology of hybrid universe in Bianchi-V space-time. *Res. Astron. Astrophys.*, **18** (6), 064.
- Yadav, V. K., & Yadav, L. (2011). Bianchi type-III bulk viscous and barotropic perfect fluid cosmological models in Lyra's geometry. *Int. J. Theor. Phys.*, **50** (5), 1382-1394.
- Zeldovich, Y. B., Ruzmaikin, A. A., & Sokoloff, D. D. (1983). Magnetic Fields in Astrophysics Gordon and Breach New-York. *Paris, London*.
- Zia, R., Maurya, D. C., & Pradhan, A. (2018). Transit dark energy string cosmological models with perfect fluid in F (R, T)-gravity. *Int. J. Geom. Meth. Mod. Phys.*, **15** (10), 1850168.
- Zia, R., & Maurya, D. C. (2018). Brans–Dicke scalar field cosmological model in Lyra's geometry with time-dependent deceleration parameter. *Int. J. Geom. Meth. Mod. Phys.*, **15** (11), 1850186.
- Zubair, M., Azmat, H., & Noureen, I. (2018). Anisotropic stellar filaments evolving under expansion-free condition in $f(R, T)$ gravity. *Int. J. Mod. Phys.D*, **27** (04), 1850047.
- Zweibel, E. G., & Heiles, C. (1997). Magnetic fields in galaxies and beyond. *Nature*, **385** (6612), 131-136.

Annexure-I

The List of published papers are:

1. Brahma, B. P., & Dewri, M. (2021). Bianchi type-V modified $f(R, T)$ gravity model in Lyra geometry with varying deceleration parameter. *J. Math. Comput. Sci.*, *11(1)*, 1018-1028.
2. Brahma, B. P., & Dewri, M. (2022). Bulk Viscous Bianchi Type-V Cosmological Model in $f(R, T)$ Theory of Gravity. *Front. Astron. Space Sci.* *9*: 831431. doi: 10.3389/fspas.

The List of accepted papers are :

1. Bianchi type-V Dark Energy Modified $f(R, T)$ Gravity Model in the presence of Massive scalar field in Lyra Geometry. *This article is accepted in the journal -Trends in Sciences on 11th February, 2022.*
2. Role of $f(R, T)$ Gravity in Bianchi Type-V Dark Energy Model with Electromagnetic Field based on Lyra Geometry. *This article is accepted in the journal -Journal of Scientific Research on 8th March, 2022.*

Annexure-II

The List of the papers presented in the conferences are :

- Bulk Viscous Bianchi type-V cosmology in Lyra Geometry, *National Conference on Emerging Trends in Advanced Mathematical Sciences & Its Interdisciplinary Areas* organized by Department of Mathematical Sciences, Bodoland University, Kokrajhar on 21st and 22nd February, 2020.
- Bianchi Type-V Cosmological Model in Lyra Geometry with Massive Scalar Field, *National Conference on Advanced Mathematical & Applied Sciences* organized by Department of Mathematical Sciences, Bodoland University, Kokrajhar on 1st and 2nd July, 2020.