

Bibliography

- [1] Abdalaa, M. C. B., Nojiri, S., Odintsov, S. D.: "Consistent modified gravity: dark energy, acceleration and the absence of cosmic doomsday", *Class. Quantum Gravity* 22, 35 (2005).
- [2] Abdel-Rahman, A. M. M.: "A critical density cosmological model with varying gravitational and cosmological constants", *Gen. Relativ. and Grav.*, 22(6), 655 (1990).
- [3] Abdussattar and Vishwakarma, R. G.: "Some Robertson-Walker models with variable G and Λ ", *Austral. J. Phys.* 50(5), 893 (1997).
- [4] Adhav, K. S.: "LRS Bianchi Type-I Universe with Anisotropic Dark Energy in Lyra Geometry", *International Journal of Astronomy and Astrophysics*, 1(4), 204 (2011).
"
- [5] Adhav, K. S. et al.: "N-Dimensional String Cosmological Model in Brans-Dicke Theory of Gravitation", *Astrophys. Space Sci.*, 310, pp. 231-235 (2007).
- [6] Aditya, Y. and Reddy, D. R. K.: *Astrophys. Space Sci.* 207, 363 (2018a).
- [7] Aditya, Y., Reddy, D. R. K., "FRW type Kaluza–Klein modified holographic Ricci dark energy models in Brans–Dicke theory of gravitation", *Eur. Phys. J. C* 78, 619 (2018).

- [8] Ahmed, N. et al.: "Transition from decelerating to accelerating universe with quadratic equation of state in $f(R, T)$ gravity", NRIAG Journal of Astronomy and Geophysics, 8, 1, 198 (2019).
- [9] Akarsu, Ö. and Dereli, T.: "Cosmological Models with Linearly Varying Deceleration Parameter", International Journal of Theoretical Physics, 51(2), 612 (2012).
- [10] Akarsu, O. and Kilinc, C. B.: "LRS Bianchi Type-I Models with Anisotropic Dark Energy and Constant Deceleration Parameter", Gen. Rel. Grav., 42(1) 119 (2010a).
- [11] Akarsu, O. and Kilinc, C. B.: "Bianchi Type-III Models with Anisotropic Dark Energy", Gen. Rel. Grav., 42(4) 763-775 (2010b).
- [12] Akbar, M.: "Viscous Cosmology and Thermodynamics of Apparent Horizon", Physics Letter, 25(12), 4199 (2008).
- [13] Akbar, M., and Cai, R. G.: "Thermodynamic behaviour of the Friedmann equation at the apparent horizon of the FRW Univers", Physical Rev. D, 75(8), 084003 (2007).
- [14] Alam, M. M. et al.: "Super exponential expansion for dark energy model with variable Λ in $f(R, T)$ gravity", Int. J. Astrophys. Space Sci., 5(3) 46, (2017).
- [15] Ali, A. T., Yadav, A. K. and Alzahrani, A. K.: "Similarity Dark Energy Models in Bianchi Type-I Space-Time", Eur. Phys. J. Plus, 131, 415, (2016).
- [16] Alvarez, E., Gavela, M. B.: "Entropy from extra dimensions", Physical Review Letters, 51, 931 (1983).

- [17] Amanullah, R. et al.: "Spectra and Hubble Space Telescope light curves of six Type Ia Supernovae $0.511 < z < 1.12$ and the union compilation", *The Astrophysical Journal*, 716, 712 (2010).
- [18] Amendola, L.: "Coupled quintessence", *Phys. Rev. D*, 62, 043511, (2000).
- [19] Amirhashchi, H. et al.: "Interacting and Non-interacting Two-Fluid Atmosphere for Dark Energy in FRW Universe", *Electronic Journal of Theoretical Physics*, 11(30), 109 (2014).
- [20] Anguilar, J. E. M., Romero, C., Barros, A.: "Modified Brans-Dicke theory of gravity from five-dimensional vacuum", *Gen. Rel. Grav.*, 40 117, (2008).
- [21] Appelquist, T., Chodos, A., Freund, P. G. O., "Modern Kaluza-Klein Theories", (Addison-Wesley, Menlo Park) (1987).
- [22] Arbab, A. I.: "Phantom energy with variable G and Λ ", *Chinese Physics Letters*, 25(12), 4497 (2008).
- [23] Archana, D. et al. , "Tsallis holographic dark energy in FRW universe with time varying deceleration parameter", *New Astronomy*, 101281(73) (2019).
- [24] Archana, D. et al. : *Pramana*, 94, 25 (2020).
- [25] Arora, S., Parida, A. and Sahoo, P.K.: "Constraining effective equation of state in $f(Q,T)$ gravity", *Eur. Phys. J. C*, 81, 555 (2021).
- [26] Asgar, A., Ansari, M.: "Accelerating Bianchi type- VI_0 bulk viscous cosmological models in Lyra geometry", *Journal Applied Physics* 5, 1 (2014).
- [27] Asgar, A., Ansari, M., "Accelerating Bianchi type- VI_0 bulk viscous cosmological models in Lyra geometry", *Journal Applied Physics* 5, 1 (2014).

- [28] Astier, P. et al.: "The Supernova Legacy Survey: measurement of Ω_M , Ω_Λ and w from the first year data set", *Astronomy And Astrophysics*, 447, 31 (2006).
- [29] Avik De, Tee-How Loo, Raja Solanki and Sahoo, P. K.: "A conformally flat generalized Ricci recurrent spacetime in $F(R)$ -gravity", *Physica Scripta*, 96, 379 (2021).
- [30] Aygun, S., Aktas C., Yilmaz I.: "Non-existence of a massive scalar field for the Marder universe in Lyra and Riemannian geometries", *Journal of Geometry And Physics*, 62, 100 (2012).
- [31] Bahrehabakhsh, A. F., Farhoudi, M., Sepangi, H. R.: "An anisotropic cosmological model in a modified Brans-Dicke theory", *Class. Quant. Grav.*, 28 (2011).
- [32] Bali, R. and Pradhan, A.: *Chin. Phys. Lett.* 24, 585 (2007).
- [33] Bali, R., Singh, P., "Bulk Viscous Bianchi Type-I Barotropic Fluid Cosmological Model with Varying and Functional Relation on Hubble Parameter", *Int. J. Theo. Phys.*, 51, 772 (2012).
- [34] Bamba, K., Capozziello, S., Odintsov S. D.: "Dark energy cosmology: the equivalent description via different theoretical models and cosmography tests" *Astrophysics And Space Science*, 342, 155 (2012).
- [35] Banarjee, A., Sanayal, A.K., Chakraborti, S., 1990: "String cosmology in Bianchi Type-I space-time", *Pramana J.Phys.* 34, 1 (1990).
- [36] Banerjee, N. and Pavon, D.: "Cosmic acceleration without quintessence", *Phys. Rev. D*, 63, 043504, (2001a).
- [37] Banerjee, N. and Pavon, D.: "A quintessence scalar field in Brans-Dicke theor", *Class Quantum Grav.*, 18, 593, (2001b).

- [38] Banerjee, N. and Sen, S.: "Power law inflation and scalar field cosmology with a causal viscous fluid", *Physical Review D*, 57(8), 4614 (1998).
- [39] Banerjee, S., Bhui B.: "Homogeneous cosmological model in higher dimension", *Monthly Notices of the Royal Astronomical Society, London*, 247, 57 (1990).
- [40] Barrow, J. D. and Matzner, R. A.: "The homogeneity and isotropy of the Universe", *Monthly Notices of the Royal Astronomical Society*, 181(4), 719 (1977).
- [41] Barrow, J. D. :*Phys. Lett. B* 180, 335 (1986).
- [42] Baysal, H. et al.: "Some String Cosmological Models in Cylindrically Symmetric Inhomogeneous Universe", *Turk. J. Phys.*, 283, 292 (2001).
- [43] Beesham, A.: "Some Friedmann cosmological solutions in the scale covariant theory of gravitation", *International Journal of Mathematics and Mathematical Sciences*, 14(2), 305 (1991).
- [44] Beesham, A.: " Variable-G cosmology and creation", *International Journal of Theoretical Physics*, 25(12), 1295, (1986).
- [45] Beesham, A.: "Cosmological models with a variable cosmological term and bulk viscous models", *Physical Rev. D*, 48(8), 3539-3543, (1993).
<https://link.aps.org/doi/10.1103/PhysRevD.48.3539>
- [46] Beesham, A.: "FLRW Cosmological Models in Lyra's Manifold with Time Dependent Displacement Field", *Australian Journal of Physics*, 41, 833 (1988).
- [47] Bento, M. C. et al.: "Generalized Chaplygin gas, accelerated expansion, and dark energy-matter unification", *Physical Review D*, 66(4), 043507 (2002).

- [48] Berman, M. S.: “A special law of variation for Hubble’s parameter”, IL Nuovo Cimento B, 74, 182 (1983).
- [49] Bertolami, O. and Martins P. J.: “Nonminimal coupling and quintessence”, Phys. Rev. D, 61, 064007, (2000).
- [50] Bertolami, O. et al., “Latest supernova data in the framework of the generalized Chaplygin gas model”, Mon. Not. R. Astron. Soc. 353, 329 (2004).
- [51] Bertolo, N. and Pietroni, M.: “Scalar-tensor gravity and quintessence”, Phys. Rev. D, 61, 023518, (2000).
- [52] Bhamra, K. S.: “A Cosmological Model of Class One in Lyra’s Manifold”, Aust. J. Phys., 27, 541 (1974).
- [53] Bhowmik B. B., Rajput A.: “Anisotropic Lyra cosmology”, Pramana Journal of Physics, 62, 1187 (2004).
- [54] Bisabr, Y.: Gen. Relativ. Gravit. 41, 305 (2009).
- [55] Bochniak, A. and Sitarz, A.: “Stability of Friedmann-Lemaître-Robertson-Walker solutions in doubled geometries”, Phys. Rev. D 103, 044041 (2021).
- [56] Bondi, H. and Gold, T. “The Steady-State Theory of the Expanding Universe”, Monthly Notices of the Royal Astronomical Society, 108(3), 252-270, (1948).
- [57] Boughn, S. P., Cheng, E. S., and Wilkinson, D. T.: Astrophys. Space sci., 243, L113 (1981).
- [58] Brans, C. H., Dicke, R. H.: “Mach’s principle and a relativistic theory of gravitation” Phys. Rev. D 124, 125 (1961).

- [59] Brans, C., Dicke R. H.: "Mach's Principle and a Relativistic Theory of Gravitation", *Physical Review*, 124, 925 (1961).
- [60] Brans, C., Dicke, R. H.: "Mach's Principle and a Relativistic Theory of Gravitation", *Phys. Rev.*, 124, 925 (1961).
- [61] Buchdahl, H. A.: "Static solutions of the Brans-Dicke equations", *International Journal of Theoretical Physics*, 6, 407-412 (1972).
- [62] Burman, M. S.: *Phys. Lett. B* 43, 1075 (1991).
- [63] Caldera-Cabral, G., Maartens, R., and Ureña-López, L. A.: "Dynamics of interacting dark energy", *Phys. Rev. D*, 79, 063518, (2009).
- [64] Canuto, V., Adams, P. J., Hsieh, S. H. and Tsiang E.: "Scale-covariant theory of gravitation and astrophysical applications", *Phys. Rev. D*, 16, 1643, (1977a).
- [65] Canuto, V., Heish, S. H. and Adams, P. J.: "Scale-covariant theory of gravitation and astrophysical application", *Phys. Rev. Lett.*, 39, 429 (1977b).
- [66] Capozziello, S. and Luongo, O.: "Information entropy and dark energy evolution", *International Journal of Modern Physics D* 27, 1850029 (2018).
- [67] Capozziello, S. Ruchika, Sen, A. A.: "Model-independent constraints on dark energy evolution from low-redshift observations", *Monthly Notices of the Royal Astronomical Society*, 484, 4484, (2019).
- [68] Carroll, S. M., Duvvuri, V., Trodden, M., Turner, M. S.: "Is cosmic speed-up due to new gravitational physics ", *Phys. Rev. D* 70, 043528 (2004).
- [69] Carroll, S. M., "Spacetime and geometry: An Introduction to general relativity", Carlifonia, USA, (2004).

- [70] Casana, R., de Melo, C. A. M. and Pimental, B. M.: "Electromagnetic Field in Lyra Manifold: A First Order Approach", *Braz. J. Phys.*, 35, 1151 (2005).
- [71] Casana, R., de Melo, C. A. M. and Pimental, B. M.: "Spinoral Field and Lyra Geometry", *Astrophys. Space Sci.*, 305, 125, (2006).
- [72] Chakraborty, S.: "A study on bianchi-IX cosmological model", *Astrophysics and Space Sci.*, 180, 293 (1991).
- [73] Chand, A. et al.: "FRW cosmological models in Brans-Dicke theory of gravity with variable q and dynamical Λ -term", *Astrophysics and Space Science*, 361, 81 (2016).
- [74] Chandel, S. and Shri Ram: *Pranama J. Phys.*, (2015).
- [75] Chatterjee, S., Bhui, B.: *Mon. Not. R. Astron. Soc.* 57, 247 (1990).
- [76] Chatterjee, S., Bhui, B.: *Int. J. Theor. Phys.* 32, 671 (1993).
- [77] Chen, W., Wu, Y.S.: *Phys. Rev. D* 41, 695 (1990).
- [78] Chen, Y., Zhu, Z., H., Alcaniz, J. S. and Gong, Y.: "Using a Phenomenological model to test the coincidence problem of dark energy", *Astrophys. J.*, 711, 1, 439 (2010).
- [79] Cho, Y. M.: "Reinterpretation of Jordan-Brans-Dicke theory and Kaluza-Klein cosmology," *Phys. Rev. Lett.*, 68, 3133-3136 (1992).
- [80] Chodos, A., Detweiler, S.: "Where has the fifth dimension gone?" *Physical Review D*, 21, 2167 (1980).
- [81] Collins, C. B. et al.: " Exact spatially homogeneous cosmologies," *Gen. Rel. Grav.*, 12, 805 (1980).

- [82] Copeland, E. J., Sami, M. and Tsujikawa, S.: "Dyanamics of Dark Energ", Int. J. Mod. Phys. D, 15, 1753, (2006).
- [83] Copeland, E.J. et al.: "Dynamics of a scalar field in Robertson-Walker spacetimes", Physical Review D, 79(10), 103515 (2009).
- [84] Copeland, E.J. et al.: "Dynamics of dark energy", International Journal of Modern Physics D, 15(11), 1753 (2006).
- [85] Das, K. and Sarma. G.: "A Higher Dimensional Cosmological Model in Early Universe in Lyra Geometry", The African Review of Physics, 96, 145 (2013).
- [86] Das, S., Al Mamon, A.: "An Interacting Model of Dark Energy in Brans-Dicke Theory", Astrophys Space Sci 351, 651 (2014).
- [87] Debnath, P. S. and Paul, B. C.: "Cosmological models with variable gravitational and cosmological constants in R^2 gravity", International Journal of Modern Physics D, 15(2), 189 (2006).
- [88] Dicke R.H.: "The many faces of Mach in gravitation and relativity", (ed. Chiu H. Y. and Haffmann W. F.) Benjamin W. A. Inc., New York (1964a).
- [89] Dicke R.H.: "Field theories of gravitation in the theoretical significance of experimental relativity", Blackie and Son Hod, London and Glagow, 47 (1964b).
- [90] Dicke, R.H.: Physics Today, 20, 55 (1967).
- [91] Dicke, R. H. and Goldenberg, H. M.: "Solar oblateness and general relativity", Phys. Letters, 18, 313 (1967).
- [92] Dirac P.A.M.: "The Cosmological Constants", Nature. 139, 323, (1937).

- [93] Dolgov, A. D., Gibbons, G. W., Hawking, S. W.: Siklos, S. T. C. (eds.): *The Very Early Universe*, Cambridge Univ. Press, Cambridge (1983).
- [94] Dolgov, A. D., Sazhin, M. V., Zeldovich, Y. B.: "Basics of Modern Cosmology", Editions Printers, Paris (1990).
- [95] Dolgov, A. D.: Phys. Rev. D 55, 5881 (1997).
- [96] Dunn, K.A.: "A scalar-tensor theory of gravitation", J. Math. Physc., 15, 389 (1974)."
- [97] Dutta Choudhury, S. B. and Sil, A.: " Varying cosmological models with viscous fluid", Astrophysics and Space Science, 301(1), 61 (2006).
- [98] Ehlers, J., Geren, P. and Sachs, R. K.: "Isotropic Solutions of the Einstein-Liouville Equations", J.Math.Phys., 9, 1344 (1968).
- [99] Einstein, A., Preuss. Akad. Wiss. Berlin, Sitzber, 778 (1915).
- [100] Einstein, A., Preuss. Akad. Wiss. Berlin, Sitzber, 844 (1915).
- [101] Einstein, A.: Akademie der Wissenschaften 1, 831 (1915a).
- [102] Einstein, A.: Akademie der Wissenschaften 1, 844 (1915b).
- [103] Einstein, A.: Annalen der Physik, 354, 769 (1916).
- [104] El-Nabulsi, A. R.: "A dark energy and phantom energy dilaton-Brans-Dicke multiverse with positive cosmological constant", Astrophysics and Space Science, 327, 155 (2010b).
- [105] El-Nabulsi, A.R. "Dark energy from extended modified gravity and Gauss–Bonnet invariant term", Astrophysics and Space Science, 327, 161 (2010a).
- [106] Emelyanov, V. M., Nikitin, Y. P., Rozental, J. L., Borkov, A. V.: Phys. Rep. 143, 1 (1986).

- [107] Faraoni V.: “Inflation and quintessence with nonminimal coupling”, Phys. Rev. D, 62, 023504 (2000).
- [108] Farooq, M. U. et al.: “Interacting entropy-corrected new agegraphic tachyon, K-essence and dilaton scalar field models of dark energy in non-flat universe”, International Journal of Theoretical Physics, 49(9), 2278 (2010).
- [109] Freund, P. G. O.: “Kaluza-Klein Cosmologies”, Nucl. Phys B, 209(1) 146 (1982).
- [110] Friedman, A.: “On the curvature of space”, Gen. Rel. and Grav., 31(12), 1991,(1999).
- [111] Frieman, J. A., Turner, M. S., and Huterer, D.: “Dark Energy and the Accelerating Universe”, Annu. Rev. Astron. Astrophys., 46, 385, (2008).
- [112] Gad, R. M.: “Axially Symmetric Cosmological Mesonic Stiff Fluid Models in Lyra Geometry”, Canadian J. Phys., 89(7), 773 (2011).
- [113] Garnavich, P. M., et al.: “Supernova Limits on the Cosmic Equation of State”, Astrophys. J., 509, 74 (1998).
- [114] Gleiser, R. J., Diaz, M. C.: “Perfect-fluid cosmologies with extra dimensions”, Physical Review D, 37, 3761 (1988).
- [115] Gödel, K.: “An Example of a New Type of Cosmological Solutions of Einstein’s Field Equations of Gravitation”, Rev. Mod. Phys. 21, 447 (1949).
- [116] Goswami, G. K., “Cosmological parameters for spatially flat dust filled Universe in Brans-Dicke theory”, Research in Astronomy and Astrophysics 17, 27 (2017).
- [117] Gott, J. R.: “Gravitational lensing effects of vacuum strings-Exact solutions”, Astrophys. J., 288, 422 (1985).

- [118] Guth, A. H.: "Inflationary universe: A possible solution to the horizon and flatness problems", *Physical Review D*, 23, 347 (1981).
- [119] Halford, W. D.: "Cosmological Theory Based on Lyra's Geometry", *Aust. J. Phys.*, 23, 863 (1970)
- [120] Halford, W. D.: "Scalar-Tensor Theory of Gravitation in a Lyra Manifold", *J. Math. Phys.*, 13, 1699 (1972).
- [121] Harko, T., Francisco S. N. L., Nojiri S., Odintsov S.D., " $f(R,T)$ gravity", *Physical Review D*, 84, 024020, (2011).
- [122] Harko, T., Lobo, F. S. N., Nojiri, S. and Odintsov, S. D., $f(R, T)$ Gravity, *Phys. Rev D*, Vol. 84, 024020 (2011).
- [123] Hawking, S. W. and Ellis, G. F. R.: "The Large Scale Structure of Space-time", New York, USA: Press Syndicate of the University of Cambridge, (1973).
- [124] Heckmann, O. and E Schücking, E.: "Gravitation: An Introduction to Current Research", Wiley New York, (1962).
- [125] Heller, M. and Suszycki, L. Dust filled viscous Universes.*Acta Physica Polonica. Series B*, 5(3), 345-351 (1974).
- [126] Holden D. J. and Wands, D. "Self-similar cosmological solutions with a non-minimally coupled scalar field", *Phys. Rev. D*, 61, 043506, (2000).
- [127] Hoyle, F. and Narlikar, J. V., "A New Theory of Gravitation", *Pro. R. Soc. Lond. Ser A*, 282, 191-207 (1964).
- [128] Hoyle, F. and Narlikar, J. V., "Mach's Principle and the Creation of Matter", *Pro. R. Soc. Lond. Ser A*, 273, 1 (1963).

- [129] Hoyle, F., "A New Model for the Expanding Universe", *Mon. Not. R. Astron. Soc.*, Vol. 108, pp. 372-382 (1948).
- [130] Ibanez, J., Verdaguer, E., "Radiative isotropic cosmologies with extra dimensions", *Physical Review D*, 34, 1202 (1986).
- [131] Ibotombi Singh, N. and Biren Singh, N.: "Conformally-invariant scalar field with trace-free energy-momentum tensor in Robertson-Walker models", *Astrophysics and Space Science*, 188, 165 (1992).
- [132] Ibotombi Singh, N. et al.: "Bulk viscous cosmological models of Universe with variable deceleration parameter in Lyra's Manifold", *Astrophysics and Space Science Astrophys*, 321(3), 233 (2009).
- [133] Jamil, M and Rashid, M. A.: "Interacting dark energy with inhomogeneous equation of state", *The Eur. Phys. J. C.* 56, 429 (2008).
- [134] Jamil, M. and Debnath, U.: "FRW Cosmology with Variable G and Λ ", *International Journal of Theoretical Physics*, 50, 1602 (2011).
- [135] Jamil, M., et al.: *Int. J. Theor. Phys.* 51, 604 (2012).
- [136] Jamil, M., Momeni, Raza, D. M., and Myrzakulov, R., "Reconstruction of some cosmological models in $f(R,T)$ cosmology", *Eur. Phys. J. C.*, 72(4) 1, (2012).
- [137] Jamil,M and Rashid.M.A.: "Interacting modified variable Chaplygin gas in a non-flat universe ", *Eur. Phys. J. C.*, 58, 111 (2008).
- [138] Jassal, H. K., Bagla, J. S. and Padmanabhan, T.: "Understanding the origin of CMB constraints on dark energy", *Mon. Not. R. Astron. Soc.*, 2639, (2010).

- [139] Jawad, A, Aslam, A. and Rani, S.: "Cosmological implications of Tsallis dark energy in modified Brans–Dicke theory", International Journal of Modern Physics D, 28(11), 1950146 (2019).
- [140] Jeavons, J. S., McIntosh, C. B. G. and Sen, D. K.: "A Correction to the Sen and Dunn Gravitational Field Equations", J. Math. Phys., 16 320 (1975).
- [141] Johri, V. B. and Sudharsan, R.: "Friedmann Universes with bulk viscosity", Physics Letters A, 132(6-7), 316 (1988).
- [142] Johri, V.B. and Desikan, K.: "Cosmological models with constant deceleration parameter in Brans-Dicke theory", Gen. Rel. and Gravit. 26(12), 1217 (1994).
- [143] Jordan, P., Schwerkraft und Weltall, Vieweg, Braunschweig (1955).
- [144] Kaluza T., Sitz. Preuss. Akad. Wissen., 33, 966 (1921).
- [145] Kaluza, T.: "Unified Field Theories In More than 4 Dimensions", Sitz. Preuss. Akad. Wissen D, 33 966 (1921).
- [146] Kaluza, T.: "On the Problem of Unity in Physics", Sitzungsber. Preuss. Akad. Wiss. Berlin (Math. Phys.) 966, (1921).
- [147] Kalyanshetti, S. B., and Waghmode, B. B.: "A Static Cosmological Model in Einstein-Cartan Theory", Gen Rel. Grav, 14(10), 823 (1982).
- [148] Karade, T. M. and Borikar, S. M.: "Thermodynamic Equilibrium of a Gravitating Sphere in Lyra's Geometry", Gen. Rel. Grav, 9(5), 431 (1978).
- [149] Katore, S. D., Shaikh, A. Y., Kapse, D. V., Bhaskar, S. A.: "FRW bulk viscous cosmology in multi-dimensional space-time", Int. J. Theo. Phys., 50, 2644 (2011).

- [150] Katore, S. D. and Kapse, D. V.: "Bianchi Type-I Dark Energy Cosmological Model with Polytropic Equation of State in Barber's Second Self-Creation Cosmology", International Journal of Mathematics Trends and Technology (IJMTT), 53(6), 476 (2018).
- [151] Katore, S. D. et al.: Int. J. Theor. Phys., 49, 187 (2010).
- [152] Khadekar, G. S. and Nagpure, A. R.: "Higher Dimensional Static Cosmological Model in Lyra Geometry", arXive:gr-qc/0111096 (2001).
- [153] Khadekar, G. S., Gaikwad, M., Proceedings of Einstein Foundation International, 11, 95 (2001).
- [154] Khadekar, G. S., Raut, D., Miskin, V. G.: "FRW viscous cosmology with inhomogeneous equation of state and future singularity", Modern Physics Letters A, 30(29) (2015).
- [155] Khadekar, G. S., et al.: Mod. Phys. Lett. A 30, 1550144 (2015).
- [156] Kibble, T. W., "Topology of cosmic domains and strings", J. Phys A, 9, 1387 (1976).
- [157] Kiran, M., Reddy, D. R. K.: "Non-existence of Bianchi Type-III bulk viscous string cosmological model in $f(R, T)$ gravity", Astrophysics And Space Science, 346, 521 (2013).
- [158] Kiran, M., Reddy, D. R. K. and Rao, V. U. M.: "Minimally interacting holographic Dark energy model in Brans-Dicke theory", Astrophys Space Sci 356, 407 (2015).
- [159] Klein, O.: "Quantentheorie und fünfdimensionale Relativitätstheorie", Zeitschrift für Physik, 37, 895 (1926).
- [160] Klein, O.: "Quantentheorie und funfdimensionale Relativitätstheorie", Zeitschrift fur Physik, 37, 895, (1926).

- [161] Kremer, G. M. and Devecchi, F. P. Viscous cosmological models and accelerated Universes. *Physical Review D*, 67(4), 047301 (2003).
- [162] Kristian, J. and Sachs, R. K., "Observations in cosmology", *Astrophysical Journal*, 143, pp. 379 (1966).
- [163] Krori, K. D., Chaudhuri, T., Mahanta, C.R., Majumdar, A.: *Gen. Rel. Grav.* 22, 123 (1990).
- [164] Landau, L. D., Lifshitz, E. M., *Fluid Mechanics*, 2nd edn. (Pergamon, Oxford, (1959).
- [165] Lee, H.C.: "An Introduction to Kaluza-Klein Theories", (World Scientific, Singapore) (1984).
- [166] Lemaître, G.: "Expansion of the universe, A homogeneous universe of constant mass and increasing radius accounting for the radial velocity of extra-galactic nebulae", *Monthly Notices of the Royal Astronomical Society*, 483, (1931).
- [167] Leon, G. and Saridakis E. N.: "Phantom dark energy with varying-mass dark matter particles: Acceleration and cosmic coincidence problem", *Physics Letter B*, 693(1), 1 (2010).
- [168] Letelier, P. S.: "Clouds of strings in general relativity" *Physical Review D*, 20, 1294 (1979).
- [169] Letelier, P. S.: "String cosmologies", *Physical Review D*, 28, 2414 (1983).
- [170] Li, Y. H. et al.: "Interacting model of new agegraphic dark energy: observational constraints and age problem", *Science China Physics, Mechanics and Astronomy*, 54(8), 1367 (2011).
- [171] Liddle, A.: *An Introduction to Modern Cosmology*, Wiley- Blackwell (1998).

- [172] Lima, J.A.S., et al.: Phys. Rev. D 53, 4287 (1993).
- [173] Lopez, L. A. U. and Matos, T.: "A new cosmological trackers solution for Quintessence", Phys. Rev. D, 62, 081302 (2000).
- [174] Lyra, G.: "Über eine Modifikation der Riemannschen Geometrie", Mathematische Zeitschrift, 54, 52 (1951).
- [175] Mach, E.: Die mechanik in ihrer entwicklung, University of Michigan, (1883).
- [176] Mahanta, K. L. and Biswal, A. K.: "String Cloud and Domain Walls with Quark Matter in Lyra Geometry", J. Mod. Phys., 3,1479 (2012).
- [177] Mahanta, K. L., Biswal, A. K., Sahoo, P. K.: "Bianchi type-III dark energy models with constant deceleration parameter in self-creation cosmology", Canadian J. of Phys., 92(4), 295 (2014).
- [178] Manihar, K., Priyokumar, K.: "String cosmological models in the Brans-Dicke theory for five-dimensional space-time", Research in Astron. Astrophys., 12, 39 (2012).
- [179] Maurya, D.C. and Zia, R.: "Brans-Dicke scalar field cosmological model in Lyra's geometry", Phys. Rev. D 100, 023503 (2019).
- [180] Megied, M. A., Gad, R. M. and Hegazy, E. A.: "Inhomogeneous Bianchi type-I Cosmological Model with Electromagnetic Field in Lyra Geometry", Assiut Univ. J. of Mathematics and Computer Science (2009), 38(1) arXiv: 1411.5978v1 [gr-qc] 21 Nov (2014)
- [181] Mena, O., Santiago, J., Weller, J.: "Constraining inverse-curvature gravity with supernovae", Phys. Rev. Lett., 96, 041103 (2006).
- [182] Mermin, N. D.: "The topological theory of defects in ordered media", Rev. Mod. Phys. 51, 591, (1979).

- [183] Mishra , R. K. and Dua, H.: *Astrophys. Space Sci.* 364, 195 (2019).
- [184] Mishra, B. et al.: "Stability analysis of two-fluid dark energy models", *Physica Scripta*, 96, 045006 (2021).
- [185] Mishra, B., Sahoo, P. K.: "Bianchi type VII cosmological model with wet dark fluid in scale invariant theory of gravitation", *Astrophys. Space Sci.*, 349 491-499 (2014).
- [186] Mishra, R. K. and Dua, H .: *Astrophys. Space Sci.* 364, 195 (2019).
- [187] Misner, C. W.: "The Astrophysical Journal ", 151, 431 (1986).
- [188] Mohajan, H. K., Friedmann; " Robertson-Walker (FRW) Models in Cosmology", *Journal of Environmental Treatment Techniques*, 1(3), 158 (2013).
- [189] Mohanty, G. and Mahanta, K. L.: "five-dimensional Anisotropic Homogeneous Cosmological Models in Self-Creation Theory of Gravitation", *Turk. J. Phys.*, 31, 299 (2007).
- [190] Mohanty, G., Samanta G. C., Mahanta, K. L., "Kaluza-Klein FRW stiff fluid cosmological model in Lyra manifold" *Communications in Physics*, 17, 213 (2009).
- [191] Mollah, M. R., Singh, K. P. and Singh, P. S.: "Bianchi type-III cosmological model with quadratic EoS in Lyra geometry ", *International Journal of Geometric Methods in Modern Physics*, 15, 1850194 (2018).
- [192] Mollah, M. R., Singh, K. P.: "Behaviour of viscous fluid in string cosmological models in the framework of Lyra geometry", 88, 101611 (2021).
- [193] Moradpour, H., Sadeghnezhad, N, Ghaffari, S. and Jahan, A. "Thermodynamic analysis of gravitational field equations in Lyra manifold," *Adv. High Energy Phys.*, 2017, 2, (2017).

- [194] Morgenstern and Chiu, H. Y.: "Scalar gravitational fields in pulsating stars ", Phys. Rev., 157, 1228 (1967).
- [195] Mostafapoor, N. and Gron, O.: Viscous Λ CDM Universe models. Astrophysics, 333, 357-368 (2011).
- [196] Mukhopadhyay, S. Saha, Chaudhury, T.: " A Study of Some Characteristics of the Accelerated Expansion of the Universe in the Framework of Brans-Dicke Theory", World Scientific News, 159, 145-166 (2021).
- [197] Naidu, R. L., Naidu K. D., Babu, K. S., Reddy, D. R. K.: " A five-dimensional Kaluza-Klein bulk viscous string cosmological model in Brans-Dicke scalar-tensor theory of gravitation", Astrophys. Space Sci., 347 197 (2013).
- [198] Naidu, R. L., Reddy, D. R. K., Ramprasad, T., Ramana K. V.: "Bianchi type-V bulk viscous string cosmological model in $f(R, T)$ gravity", Astrophysics And Space Science, 348, 247 (2013).
- [199] Naidu, R. L., Satyanarayana, B., Reddy D. R. K., "LRS Bianchi type-II Universe with cosmic strings and bulk viscosity in a scalar tensor theory of gravitation", Astrophysics And Space Science, 338, 351 (2012).
- [200] Naidu, R. L., Dasu Naidu, K., Shobhan Babu, K. et al.: "A five-dimensional Kaluza-Klein bulk viscous string cosmological model in Brans-Dicke scalar-tensor theory of gravitation", Astrophys Space Sci 347, 197 (2013).
- [201] Nojiri, S. and Odintsov, S. D.: "Introduction to Modified Gravity and Gravitational Alternative for Dark Energy", Int. J. Geom. Meth. Mod Phys., 4, 1, 115 (2007).

- [202] Nojiri, S., Odinstov S. D.: "Modified gravity with negative and positive powers of curvature: Unification of inflation and cosmic acceleration", Physical Review D, 68, 123512 (2003).
- [203] Nordstrom, G.: "Über die Möglichkeit, das elektromagnetische Feld und das Gravitationsfeld zu vereinigen", Phys. Zeitschrift. D, 15, 504 (1914).
- [204] Nordtvedt, K., Jr.: "Post-Newtonian Metric for a General Class of Scalar-Tensor Gravitational Theories and Observational Consequences", Astrophysical Journal, 161, 1059 (1970).
- [205] Overduin, J. M., Wesson, P.S.: "Kaluza-Klein gravity", Phus. Rept., 283, 303-380 (1997).
- [206] Overduin, J.M., Wesson, P.S.: Phys. Rep. 283, 303 (1987).
- [207] Ozar, M., Taha, M.O.: Phys. Lett. B 171, 363 (1986).
- [208] Ozar, M., Taha, M.O.: Nucl. Phys. B 287, 776 (1987).
- [209] Özer, M and Taha, M. O., "A model of the universe free of cosmological problems", Nuclear Physics B, 287, 776-796, (1987).
- [210] Padmanabhan, T. and Chitre, S.M.: Phys. Lett. A 120, 433 (1987).
- [211] Pando, J., Valls-Gabaud, J., and Li-Zhi Fang, L., "Evidence for Scale-Scale Correlations in the Cosmic Microwave Background Radiation", Phys. Rev. Lett. 81, 4568 (1998).
- [212] Partridge, R. B. and Wilkinson, D.T: Phys.Rev.Lett. 18,557 (1967).
- [213] Patra, P. N., Sethi, A. K., Nayak, B. and Swain, R. R.: "Effect of dark energy on cosmological parameters with LVDP in Lyra manifold", New Astron.. 66, 74, (2019).

- [214] Perlmutter, et al.: "Measurements of O and L from 42 High-Redshift", *Astrophys. J.*, 517, 565, (1999).
- [215] Perlmutter S. et al.: *Nature*, 391, 51 (1998).
- [216] Pounce de Leon, J.: "Bianchi-V cosmological models with viscous fluid and constant deceleration parameter in general relativity", *Class. Quant. Grav.*, 27 (2010).
- [217] Pounce de Leon, J.: "Brans-Dicke Cosmology in 4D from scalar-vacuum in 5D", *JCAP*, 03 (2010).
- [218] Pradhan A., Pandey H. R.: "Higher Dimensional Model in Lyra Geometry: Revisted" arXiv, gr-qc/0307038v1 (2003).
- [219] Pradhan et al.: "An Interacting and Non-interacting Two-Fluid Dark Energy Models in FRW Universe with Time Dependent Deceleration Parameter", *Int. J. of Theoretical Physics* volume 50, 3529 (2011).
- [220] Pradhan, A., et al.: *Astrophys Space Sci.* 52,266 (2013).
- [221] Prigogine, I., Geheniau, J., Gunzig, E., and Nardone, P.: "Thermodynamics of cosmological matter creation," *Proc. Natl. Acad. Sci.*, 85, 20, pp. 7428, (1988).
- [222] Priyokumar, K.: "On physical distribution in Brans-Dicke cosmology under flat Robertson-Walker universe", *Research Journal of Physical and Applied Sciences*, 2(2), 16 (2013).
- [223] Priyokumar, K., Dewri, M.: " Some Spherically Symmetric R/W Universe Interacting with Vacuum B-D Scalar Field", *Ukrainian Journal of Physics*, 60(11) (2015).

- [224] Priyokumar, K., Manihar, K, Dewri, M.: "Interaction of Gravitational field and Brans-Dicke field in R/W universe containing Dark Energy like fluid", Res. Astron. Astrophys, 16(4) (2016).
- [225] Rahaman, F., Begum, N., Bag, G. and Bhui, B. C., : Cosmological Model with Negative Constant Deceleration Parameter in Lyra Geometry, Astrophys. Space Sci., 299, 211 (2005).
- [226] Rahaman, F., Bera J., "Higher Dimensional Model in Lyra Geometry", International Journal of Modern Physics D, 10, 729 (2001).
- [227] Rahaman, F., Chakraborty S., Hossain M., Begum N., Bera J., "Higher dimensional string cosmology in Lyra geometry", Indian Journal Of Physics, 76B, 747 (2002).
- [228] Rahaman, F., Chakraborty, S., Das S., Hossain M., Bera J.: "String cloud and domain walls with quark matter in 5-D Kaluza–Klein cosmological model", Pramana Journal of Physics, 60, 453 (2003).
- [229] Rahaman, H., Banerji, S.: "Can the big-bang singularity be avoided in the scale-covariant theory?", Astrophys. Space Sci., 113, 405 (1985).
- [230] Raja Solanki, R. S. K. J. Pacif, Abhishek Parida, P. K. Sahoo, P. K.: "Cosmic acceleration with bulk viscosity in modified $f(Q)$ gravity", Physics of the Dark Universe, 32, 379 (2021).
- [231] Ramprasad, T., Naidu, R. L., Ramana, K. V.: "Five-dimensional FRW bulk viscous cosmological models in Brans-Dicke theory of gravitation", Astrophys. Space Sci., 357 (2015).
- [232] Rao, V. U. M. and Vijaya Santhi, M.: "Bianchi Type-V Cosmological Model with Perfect Fluid Using Negative Constant Deceleration Parameter in a Scalar tensor Theory Based on Lyra Manifold", Astrophys. Space Sci., 314, 1-3, 213 (2008a).

- [233] Rao, V. U. M., Neelima, D., "Perfect-fluid Einstein-Rosen universe in $f(R,T)$ gravity", Eur. Phys. J. Plus., 128 (2013).
- [234] Rao, V. U. M., Rao, D. C. P., Reddy, D. R. K.: "Five-dimensional FRW cosmological models in a scalar-tensor theory of gravitation", Astrophys. Space Sci., 357(2), 164 (2015).
- [235] Rao, V. U. M., Sreedevi, G. K., Neelima, D.: "A dark energy model in a scalar tensor theory of gravitation", Astrophys. Space Sci., 337, 499 (2012).
- [236] Rao, V.U.M., et al.: Afr. Rev. Phys. 10, 0060 (2015b).
- [237] Rao, V.U.M., et al.: Astrophys. Space Sci. 335, 635 (2011).
- [238] Rao, V.U.M., et al.: Astrophys. Space Sci. 335, 635 (2011).
- [239] Rao, V.U.M., et al.: prespacetime J. 6, 531 (2015a).
- [240] Rao, V.U.M., U.Y.D Prasanthi.: Eur. Phys. J. Plus 132, 64 (2017) R.L. Naidu et al. : New Astronomy, 85, (2021).
- [241] Ratra, B., Peebles, P.J.E.: Phys. Rev. D 37, 3406 (1988).
- [242] Ratra, B. and Vogeley, M. S.: "The Beginning and Evolution of the Universe", Publ. Astron. Soc. Pacific, 120, 865, 235, (2008).
- [243] Reddy D. R. K., "Plane Symmetric Cosmic Strings In Lyra Manifold", Astrophysics And Space Science, 300, 381 (2005).
- [244] Reddy D. R. K., Ramana, C. H. C. S. V. V.: "Friedmann universes with bulk viscosity in a scale covariant theory", Venkateswarlu, R., J. Ind. Math Soc., 69, 179 (2002).
- [245] Reddy, D. R. K. and Innaiah, P.: "An Anisotropic Cosmological Model in Lyra's Manifold", Astrophys. Space Sci., 114(2), 285 (1985).

- [246] Reddy, D. R. K.: "On Birkhoff's Theorem in Scalar-Tensor Theory of Gravitation ", J. Phys. A: Math. Nuclear Gen., 6(12) 1867 (1973).
- [247] Reddy, D. R. K.: "On Birkhoff's Theorem for Electromagnetic Fields in a Scalar-Tensor Theory of Gravitation", J. Phys. A: Math. Gen. 10, 185 (1977).
- [248] Reddy, D. R. K., and Innaiah, P.: A Plane Symmetric Cosmological Model in Lyra Manifold, *Astrophys Space Sci*, 123(1), 49 (1986).
- [249] Reddy, D. R. K., Kumar, R. S., Kumar T. V. P.: "Kaluza-Klein universe with cosmic strings and bulk viscosity in a scalar-tensor theory of gravitation", International Journal of Theoretical Physics, 52, 1214 (2013).
- [250] Reddy, D. R. K., Naidu, R. L.: "Five-dimensional string cosmological models in a scalar tensor theory of gravitation", *Astrophys. Space Sci.*, 307, 395 (2007).
- [251] Reddy, D. R. K., Naidu, R. L., Naidu K. D., Prasad T. R.: "Kaluza-Klein universe with cosmic strings and bulk viscosity in $f(R, T)$ gravity", *Astrophysics And Space Science*, 346, 261 (2013).
- [252] Reddy, D. R. K., Rao, N. V.: "Some cosmological models in scalar-tensor theory of gravitation", *Astrophysics And Space Science*, 277, 461 (2001).
"
- [253] Reddy, D. R. K., Satyanarayana, B., Naidu, R. L.: "Five-dimensional dark energy model in a scalar-tensor theory of gravitation", *Astrophys. Space Sci.*, 339 401-404, (2012). "
- [254] Reddy, D. R. K. et al.: *Astro Phys. Space Sci.*, 350, 799 (2014).

- [255] Riess A. G. et al.: "Observational Evidence from Supernovae for an Accelerating Universe and a Cosmological Constant", *The Astronomical Journal*, 116, 1009 (1998).
- [256] Riess A. G. et al., "Type Ia Supernova Discoveries at $z > 1$ from the Hubble Space Telescope: Evidence for Past Deceleration and Constraints on Dark Energy Evolution", *The Astrophysical Journal*, 607, 665 (2004).
- [257] Riess, A. G., "The Case for an Accelerating Universe from Supernovae", *Publ. Astron. Soc. Pacific*, 83(112), 1284 (2000).
- [258] Robertson, H. P.: "Kinematics and world structure", *Astrophysical Journal*, 82, 284 (1935).
- [259] Rosen, N., : The Bimetric Weyl-Direc Theory and Gravitational Constant, *Foundations of Phys.*, 13(3), 363 (1983).
- [260] Ross, D.K.: "Scalar-tensor theory of gravitation", *Phys. Rev. D.*, 5, 284 (1972).
- [261] Saadat, H. and Poursassan, B.: *Astrophys. Space Sci.* 343, 783 (2013).
- [262] Saadat, H.: "A cosmological Model of the Early Universe Based on ECG with Variable Λ -term in Lyra Geometry", *Int. J. Theor. Phys.* 55(5) 2364 (2016). arXiv : 1508.06544v1 [gr-qc] 24
- [263] Saez, D., Ballester, V.J.: " A simple coupling with cosmological implications", *Phys. Lett. A* 113, 467 (1986).
- [264] Saha, B. Yadav, A. K., "Dark energy model with variable q and w in LRS Bianchi-II spacetime", *Astrophys. Space Sci.*, 341, 651-656 ,(2012).
- [265] Sahdev, D.: *Phys. Rev. D* 30, 2495 (1984).

- [266] Sahoo, P. K., Nath, A. and Sahu, S. K.: "Bianchi Type-III String Cosmological Model with Bulk Viscous Fluid in Lyra Geometry", *Iran J. Sci Technol. Trans Sci* 41, 243 (2017).
- [267] Saini T. D., Raychaudhury S., Sahni V. and Starobinsky A. A.: "Reconstructing the Cosmic Equation of state from Supernova distances", *Phys. Rev. Lett.*, 85, 1162 (2000).
- [268] Samanta, G. C., Myrzakulov, R. and Shah, P., "Kaluza-Klein Bulk Viscous Fluid Cosmological Models and the Validity of the Second Law of Thermodynamics in $f(R, T)$ Gravity", *Zeitschrift für Naturforsch. A*, 72(4), 365, (2017).
- [269] Samanta, G.C., et al.; *Astrophys. Space Sci.* 346, 233 (2013).
- [270] Samantha, G. C., "Bianchi Type-III Cosmological Models with Anisotropic Dark Energy (DE) in Lyra Geometry", *Int. J. Theo. Phys.*, 52(10) 3442 (2013).
- [271] Samatha, G. C., "Five-dimensional Bulk Viscous Cosmological Model with Wet Dark Fluid in General Relativity", *Astrophys. Space. Sci. Phys.*, 346 233 (2013).
- [272] Sanjay, M., et al., arXiv preprint arXiv:2103.00171, (2021).
- [273] Santhi, M.V., et al.: *Can. J. Phys.* 95, 136 (2017).
- [274] Santhi, M.V., et al.: *Can. J. Phys.* 96, 1 (2018).
- [275] Scheibe, E., : Über-einen Verallgemeinerten Affinen Zusammenhang, *Math. Z.*, Vol. 57, pp. 65-74 (1952).
- [276] Schoen, R., and Yau, S. T.: "Proof of the positive mass theorem. II", *Commun. Math. Phys.*, 79(2) 231, (1981).

- [277] Schwarz , J. H.: "The Future of String Theory", *J. Math. Phys.*, 42, 2889 (2001).
- [278] Sciama, D.: The Unity of the Universe (1959).
- [279] Sen S. and Sen A.A.: "Late time acceleration in Brans-Dicke Cosmolog", *Phys. Rev. D*, 63, 124006 (2001).
- [280] Sen S. and Seshadri T.R.: "Self interacting Brans Dicke Cosmology and Quintessence", *Int. J. Mod. Phys D*, 12, 445 (2003).
- [281] Sen, D. K. and Dunn, K. A., "A Scalar Tensor Theory of Gravitation in a Modified Riemannian Manifold", *J. Math. Phys.*, 12, 578 (1971).
- [282] Sen, D. K. and Vanstone, J. R.: "On Weyl and Lyra Manifolds", *J. Math. Phys.*, 13(7), 990 (1972).
- [283] Sen, D. K.: "A static cosmological model", *Zeitschrift f'ur Physik*, 149, 311 (1957).
- [284] Sen, D. K.: "A static cosmological model", *Z. Physik*, 149, 311 (1957).
- [285] Setare, M. R.: "Holographic Chaplygin Gas Model", *Physics Letters B*, 648(5-6), 329(2007).
- [286] Setare, M. R. et al.: "Holography Chaplygin Gas Model". *Physics Letters B*, 648(5), 329-332 (2007).
- [287] Shapiro, I. I., Counselman, C. C. and King, R . W.: "Verification of the principle of equivalence for massive bodies ", *Phys.Rev.Letters*, 36, 555 (1976).
- [288] Shchigolev, V. K.: "Cosmology with an Effective Λ -Term in Lyra Manifold ", *Chin. Phys. Lett.*, Vol. 30, No. 11, 119801 (2013); arXiv: 1307.1866v1 [gr-qc]

- [289] Shekh, S. H., Arora, S., Chirde, V. R., and Sahoo, P.K.: "Thermodynamical aspects of relativistic hydrodynamics in $f(R,G)$ gravity", Int. J. Geom. Methods Mod. Phys., 17(3) 2050048, (2020).
- [290] Shri Ram and Tiwari, S.K.: Astrophys. Space Sci., 259, 91 (1998).
- [291] Shri Ram, and Singh, CP.: Astrophys. Space Sci., 259, 91 (1998).
- [292] Silk J.: "The Big Bang. The Creation and Evolution of the Universe", (W. H. Freeman and Company, San Francisco) (1989).
- [293] Singh G. P., Kotambkar S., Pradhan A.: "International Journal of Modern Physics D", 12, 853 (2003).
- [294] Singh I. N., Devi B. Y.: "Explaining the accelerated expansion of the Universe by particle creation" Astrophysics And Space Science, 361, 131, (2016).
- [295] Singh, N. I. and Singh, S. G.: "Cosmological Massive Scalar Field Interacting with Viscous Fluid", Astrophysics and Space Science, 259, 109-116 (1998).
- [296] Singh, C.P. et al.: "Early viscous universe with variable gravitational and cosmological constants", Classical and Quantum Gravity, 24(2), 455-474, (2007).
- [297] Singh, C.P.: "Viscous FRW model with particle creation in the early universe", Modern Physics Letters A, 27, 1250070 (2012).
- [298] Singh, G. P. and Bishi, B. K.: "FRW universe with variable G and Λ term in $f(R,T)$ gravity", Romanian Journal of Physics, 60(1-2), 32–43 (2015).
- [299] Sistero, R. F.: "Cosmology with G and Λ coupling scalars", Gen. Rel. and Gravit., 23(11), 1265 (1991).

- [300] Smalley, L. L. and Eby, P.: "Scalar-tensor theory of gravitation with negative coupling constant", *Nuovo Cimento*, 35B, 54 (1976).
- [301] Sofue, Y., Fujimoto, M. and Kawabata, K.: *Pub. Astr. Soc. Japan*, 31, 125 (1979).
- [302] Soleng, H. H.: "Cosmologies based on Lyra's geometry", *Gen. Rel. Grav.*, 19(12), 1213-1216 (1987).
- [303] Solmona, A.: *Phys. Rev.*, 154, 218 (1967).
- [304] Sotiriou, T. P. and Faraoni, V., "f(R) theories of gravity", *Rev. Mod. Phys.* 82, 451 (2010).
- [305] Spergel D. N. et al.: *The Astrophysical Journal, Supplement Series*, 148, 175 (2003).
- [306] Spergel, D. N. et al.: "Three-year Wilkinson Microwave Anisotropy Probe (WMAP) observations: implications for cosmology", *The Astrophysical Journal Supplement Series*, 170(2), 377-408 (2007).
- [307] Spergel, D. N. et al.: "First-year Wilkinson Microwave Anisotropy Probe (WMAP) observations: Determination of cosmological parameters", *The Astrophysical Journal Supplement Series*, 148(1), (2003).
- [308] Srivastava, S. K.: "Future universe with $w < -1$ without big smash," *Physics Letters B*, 619(1),(2005).
- [309] Stachel, J.: "Thickening the string. I. The string perfect dust", *Physical Review D*, 21, 2171 (1980).
- [310] Starobinsky, A. A.: "A new type of isotropic cosmological models without singularity," *Physics Letters B*, 91(1), 99 (1980).

- [311] Suzuki, N. et al.: "The Hubble space Telescope cluster supernova survey. V. Improving the dark-energy constraints above $z > 1$ and building and building an early-type-hosted supernova sample", *The Astrophysical Journal*, 746, 85 (2012).
- [312] Tarachand Singh, R. K. and Ibotombi Singh, N.: "Imperfect fluid interacting with the gravitational field in Robertson-Walker Universe", *Astrophysics and Space Science*, 159, 271 (1989).
- [313] Taser, D.: "Conformally symmetric Friedmann–Robertson–Walker metric in $f(R,T)$ gravity", *Modern Physics Letters A* 35, 2050067 (2020).
- [314] Taub, A. H.: "Empty Space-Times Admitting a Three Parameter Group of Motions", *Annals of Mathematics: Second Series*, 53(3), 472, (1951).
- [315] Tegmark M. et al.: "Cosmological parameters from SDSS and WMAP", *Physical Review D*, 69, 103501 (2004).
- [316] Thorne, K. S.: "Primordial Element Formation, Primordial Magnetic Fields and Isotropy of the Universe", *Astrophys. J.*, 148, 51 (1967).
- [317] Tikekar, R., Patel, L. K.: "Some exact solutions in Bianchi VI_0 string cosmology," *Pramana J.Phys*, 42, 483 (1994).
- [318] Tikekar, R., Patel, L. K., Dadhich, N.: "A class of cylindrically-symmetric models in string cosmology", *Gen. Relativ. Gravit.*, 26, 647 (1994).
- [319] Tiwari, R. K., Farook Rahaman, F., Ray, S., "Five-dimensional Cosmological Models in General relativity", *Int. J. Theor. Phys.* (2010), 49, 2348 (2010).
- [320] Tiwari, R. K.: "Robertson-Walker cosmological models with perfect fluid in general relativity", *Research in Astronomy and Astrophysics*, 11(7), 767 (2011).

- [321] Tiwari, R. K. et al.: "Scenario of a two-fluid FRW cosmological model with dark energy", *The European Physical Journal Plus*, 132, 126 (2017).
- [322] Tripathy, S. K., et al.: *Astrophys. Space Sci.* 321, 247 (2009).
- [323] Tripathy, et al.: "Unified dark fluid and cosmic transit models in Brans–Dicke theory", *Physics of the Dark Universe* 30, 100722 (2020).
- [324] Uzan J. P.: Cosmological scaling solutions nonminimally coupled scalar fields", *Phys. Rev. D*, vol. 59, p.123510-123519 (1999).
- [325] Venkateswarlu, R. and Pavan Kumar R. K., "Higher Dimensional String Cosmologies in Scale-covariant theory of gravitation", *Astrophys. Space. Sci.*, 298, 403 (2005).
- [326] Veto, B.: "Retarded cosmological gravity and Mach's principle in flat FRW universes", arXiv: 1302.4529v1 [gr-qc] (2013).
- [327] Vidyasagar, T., Naidu, R. L., Vijaya, R. B., Reddy, D. R. K.: "Bianchi type- VI_0 bulk viscous string cosmological model in Brans-Dicke scalar-tensor theory of gravitation", *The European Physical J. Plus*, 129, 36 (2014).
- [328] Vilenkin, A and Shellard, E. P. S.: "Cosmic strings and topological defects", Cambridge University Press (1994).
- [329] Vilenkin, A.: "Cosmic String and domain walls", *Phys. Rept.* 121, 263 (1985).
- [330] Vishwakarma, R. G.: "Consequences on variable Λ -models from distant type Ia supernovae and compact radio sources", *Classical and Quantum Gravity*, 18(2), 1159 (2001).
- [331] Visser, M.: "Lorentzian wormholes : from Einstein to Hawking", New York: Woodbury, N. Y. : American Institute of Physics, (1995).

- [332] Walker, A. G.: “On Milne’s theory of world-structure”, Proceedings, Series 2, 42 (1), 90–127 (1937).
- [333] Wang, L. et al.: “Holographic Dark Energy”, Physics Reports, 696, 1-57, (2017).
- [334] Weinberg, S.: “The Cosmological Constant Problems (Talk given at Dark Matter 2000, February, 2000),” May (2000).
- [335] Weinberg, S., “Gravitation and Cosmology: Principles and Applications of the General Theory of Relativity”, Wiley, (1972).
- [336] Weinberg, S.: “The Cosmological Constant Problem”, Rev. Mod. Phys., 61(1), 1, (1989).
- [337] Wesson, P. S.: “A new approach to scale-invariant gravity /or: A variable-mass embedding for general relativity”, Astron Astrophys, 119, 1, 145 (1983).
- [338] Weyl, H.: “Gravitation and Electricity”, (Sitzungsber. Preuss. Akad. Berlin) 465 (1918).
- [339] Wheeler, J. A.: “Mach’s Principle as Boundary Condition for Einstein’s Equations.” 303–350 in Gravitation and Relativity, eds. Hong-Yee Chiu and William F Hoffman. New York: W. A. Benjamin (1964).
- [340] Wheeler, J. A.: In Relativity, Groups and Topology edited by B and C DeWitt (Gordon and Breach Publications, Inc., N. Y.)(1964).
- [341] Williams, J. G. et al: Phys.Rev.Letters, 36,551 (1976).
- [342] Yadav, A. K.: “Lyra’s Cosmology of Inhomogeneous Universe with Electromagnetic Field ”, Fizika B, 19(2) 53-80; arXiv:1004.1535 [gr-qc] (2010).
- [343] Yadav, A. K. et al.: New Astronomy. 78, 101382 (2020).

- [344] Yavus, I., Tarhan, I.: "Some string cosmological models in Bianchi Type-I space-time," *Astrophys. Space Sci.*, 240, 45 (1996).
- [345] Yilmaz, I.: "String cloud and domain walls with quark matter in 5-D Kaluza–Klein cosmological model", *Gen. Relativ. and Gravit.* 38, 1397 (2006).
- [346] Zel'dovich, Ya. B., Kobzarev, I. Yu. and Okun, L. B.: "Cosmological consequences of a spontaneous breakdown of a discrete symmetry", *Zh. Eksp. Teor. Fiz.* 67, 3 (1974).
- [347] Zeyauddin, M, Shri Ram.: *Fizika B*, 19, 149 (2011).
- [348] Zhang, W and Kuang, X. M.: "The Quantum Effect on Friedmann Equation in FRW Universe", *Advances in High Energy Physics*, 2018, 6758078 (2018).
- [349] Zimdahl, W. and Pavón, D.: "Interacting holographic dark energy", *Classical and Quantum Gravity* 24, 5461 (2007).
- [350] Zlatev, I., Wang, L., and Steinhardt, P. J.: "Quintessence, Cosmic Coincidence, and the Cosmological Constant", *Phys. Rev. Lett.*, 82(5), 896, (1999).