

Contents

Page No.

| | |
|---|-------------|
| Title Page | i |
| Dedication | ii |
| Declaration | iii |
| Certificate by the Supervisors | iv |
| Acknowledgement | v |
| List of Abbreviations and Symbols | vi |
| Abstract | vii |
| Contents | viii-x |
| Chapter 1: Introduction | 1-25 |
| 1.1 . Methods of polymerization | 2-13 |
| 1.1.a). Free radical polymerization | 3 |
| 1.1.b). Ionic polymerization | 3-5 |
| 1.1.b).i. Anionic polymerization | 4 |
| 1.1.b).ii. Cationic polymerization | 4 |
| 1.1.c). Ring Opening Polymerization (ROP) | 5 |
| 1.1.d). Coordination polymerization | 6 |
| 1.1.e). Metallocene polymerization | 7 |
| 1.1.f). Reversible-deactivation radical polymerization (RDRP) | 8-13 |
| 1.1.f).i. Atom transfer radical polymerization (ATRP) | 9 |
| 1.1.f).i.i. Activators regenerated by electron transfer (ARGET) ATRP | 11 |
| 1.1.f).i.ii. Nitroxide mediated polymerization (NMP) | 12 |
| 1.1.f).i.iii. Reversible addition-fragmentation chain transfer polymerization (RAFT) | 12 |
| 1.2. Preparation Techniques | 13-15 |
| 1.2.a). Bulk polymerization | 13 |
| 1.2.b). Solution polymerization | 14 |
| 1.2.c). Emulsion polymerization | 14 |
| 1.2.d). Suspension polymerization | 15 |
| 1.3. Literature review | 15-23 |
| 1.3.a). Methyl methacrylate (MMA) | 15 |
| 1.3.b). Polyethylene glycol (PEG) | 16 |
| 1.3.b).i. Graft copolymer prepared by ATRP:PEG-g-PMMA | 17 |
| 1.3.c). Starch | 17-23 |
| 1.3.c).i. Chemical Modification of Starch | 20-23 |
| 1.5.c).i.i. Grafting via reversible-deactivation radical polymerization (RDRP) | 20 |
| 1.3.c).ii. Modification of Starch via ATRP | 22 |
| 1.4. Scope and objectives | 24-25 |

| | |
|---|--------------|
| Chapter 2: Experimental & Characterizing techniques | 26-29 |
| 2.1. Materials | |
| 2.1.1. Chemical and reagents | 27-28 |
| 2.2. Characterization | 28-29 |
| 2.2.1. Fourier transform infrared (FT-IR) spectroscopy | 28 |
| 2.2.2. Nuclear magnetic resonance (NMR) spectroscopy | 28 |
| 2.2.3. Thermogravimetric analysis (TGA) | 28 |
| 2.2.4. Differential scanning calorimetry (DSC) | 29 |
| 2.2.5. Gel permeation chromatography (GPC) | 29 |
| 2.2.6. Matrix Assisted Laser Desorption/Ionization-Time of Fragmentation-Mass Spectroscopy (MALDI-TOF-MS) | 29 |
| 2.2.7. Scanning electron microscopy (SEM) | 29 |
| Chapter 3: Synthesis of poly(methyl methacrylate) via ARGET ATRP and study of the effect of solvents and temperature on its polymerization kinetics | 30-38 |
| 3.1 Introduction | 31 |
| 3.2. Preparation | 33 |
| 3.2.1. ARGET ATRP of MMA | 33 |
| 3.3. Results and discussion | 34-38 |
| 3.3.1. Polymerization kinetics | 34 |
| 3.3.2. Nature of solvents | 35 |
| 3.4. Conclusion | 38 |
| Chapter 4: Investigation of microstructure in poly(methyl methacrylate) prepared via ambient temperature ARGET-ATRP: a combined approach of 1D and 2D NMR spectroscopy | 39-52 |
| 4.1 Introduction | 40 |
| 4.2. Preparation of poly (methyl methacrylate) | 42 |
| 4.3. Characterization | |
| 4.3.1. NMR spectroscopy | 42 |
| 4.4. Results and discussion | 42-52 |
| 4.4.1. 2D HSQC study | 46 |
| 4.4.2. 2D TOCSY and HMBC study | 49 |
| 4.5. Conclusion | 52 |
| Chapter 5: Polyethylene Glycol Initiated Activators Regenerated by Electron Transfer Radical Copolymerization of Methyl Methacrylate: A Tri-block Copolymer | 53-65 |
| 5.1 Introduction | 54 |
| 5.2 Preparation | |
| 5.2.1 Preparation of PEG macroinitiator | 57 |
| 5.2.2. ARGET ATRP of MMA using the macroinitiator PEG-Br | 57 |
| 5.3. Characterization | 58 |
| 5.4. Results and discussion | 58-65 |
| 5.4.1. Synthesis of macroinitiator PEG-Br | 58 |
| 5.4.2. Preparation of Block copolymer | 60 |
| 5.4.3. Thermal and Morphological study | 64 |
| 5.5. Conclusion | 65 |

| | |
|---|---------------|
| Chapter 6: Starch initiated Activators Regenerated by Electron Transfer Atom Transfer Radical Polymerization (ARGET-ATRP) of Methyl Methacrylate | 66-78 |
| 6.1 Introduction | 67 |
| 6.2 Preparation | 69-70 |
| 6.2.1. Preparation of Starch macroinitiator | 69 |
| 6.2.2. Synthesis of Starch-g-PMMA co-polymer | 70 |
| 6.3. Characterization | 70 |
| 6.4. Results and discussion | 71-78 |
| 6.4.1. Synthesis of Starch macroinitiator: Starch-Br | 71 |
| 6.4.2. Kinetic study | 73 |
| 6.4.3. Graft copolymerization of MMA onto Starch | 75 |
| 6.4.4. Thermal Property | 75 |
| 6.4.5. Morphological Study | 77 |
| 6.5. Conclusion | 78 |
| Chapter 7: Summary and Conclusion | 79-82 |
| References | 83-106 |
| Curriculum Vitae | |
| Reprint of published papers | |