

References

- [1] Banković-Ilić IB, Miladinović MR, Stamenković OS, Veljković VB. Application of nano CaO-based catalysts in biodiesel synthesis. *Renew. Sust. Energ. Rev.* 2017;72:746–60.
- [2] Muh E, Tabet F, Amara S. Biomass conversion to fuels and value-added chemicals: a comprehensive review of the thermochemical processes. *Curr. Altern. Energy* 2019;4:3–25.
- [3] Changmai B, Vanlalveni C, Ingle AP, Bhagat R, Rokhum L. Widely used catalysts in biodiesel production: a review. *RSC Adv* 2020;10:41625–79.
- [4] Satyanarayana KG, Mariano AB, Vargas JVC. A review on microalgae, a versatile source for sustainable energy and materials. *Int. J. Energy Res.* 2011;35:291–311.
- [5] Seela CR, Rao Dv, Vykunta Rao M. Performance analysis of an air driven engine modified from SI engine. *Int. J. Curr. Eng. Technol.* 2013;3(4):1440-6.
- [6] Indhumathi P, Shabudeen SPS, Shoba US. A method for production and characterization of biodiesel from green micro algae. *Int. J. Bio-Sci. Bio-Technol.* 2014;6:111–22.
- [7] Abdullah SHYS, Hanapi NHM, Azid A, Umar R, Juahir H, Khatoon H, et al. A review of biomass-derived heterogeneous catalyst for a sustainable biodiesel production. *Renew. Sust. Energ. Rev.* 2017;70:1040–51.
- [8] Barua P, Dutta K, Basumatary S, Deka DC, Deka DC. Seed oils from non-conventional sources in north-east India: potential feedstock for production of biodiesel. *Nat. Prod. Res.* 2014;28:577–80.
- [9] Muniyappa PR, Brammer SC, Nouredini H, Scott PRM, Brammer C. Improved conversion of plant oils and animal fats into biodiesel and co-product *Bioresour. Technol.* 1996;56(1):19-24.
- [10] Subramaniam D, Murugesan A, Avinash A. Performance and emission evaluation of biodiesel fueled diesel engine abetted with exhaust gas recirculation and Ni coated catalytic converter. *J. Renew. Sustain. Energy* 2013;5:023138.
- [11] Deka DC, Basumatary S. High quality biodiesel from yellow oleander (*Thevetia peruviana*) seed oil. *Biomass Bioenergy* 2011;35:1797–803.
- [12] Mendonça IM, Paes OARL, Maia PJS, Souza MP, Almeida RA, Silva CC, et al. New heterogeneous catalyst for biodiesel production from waste tucumã peels (*Astrocaryum aculeatum* Meyer): parameters optimization study. *Renew. Energy* 2019;130:103–10.
- [13] Kumar S, Singhal MK, Sharma MP. Utilization of mixed oils for biodiesel preparation: a review. *Energy Sources A: Recovery Util. Environ. Eff.* 2021:1-34.
- [14] Hirani AH, Javed N, Asif M, Basu SK, Kumar A. A review on first- and second- generation biofuel productions. *Biofuels: Greenhouse Gas Mitigation and Global Warming: Next Generation Biofuels and Role of Biotechnology*, Springer India; 2018;141–54.
- [15] Singh D, Sharma D, Soni SL, Sharma S, Kumar Sharma P, Jhalani A. A review on feedstocks, production processes, and yield for different generations of biodiesel. *Fuel* 2020; 262:116553.
- [16] Alalwan HA, Alminshid AH, Aljaafari HAS. Promising evolution of biofuel generations. Subject review. *Renew. Energy Focus* 2019;28:127–39.
- [17] Singh D, Sharma D, Soni SL, Sharma S, Kumari D. Chemical compositions, properties, and standards for different generation biodiesels: A review. *Fuel* 2019;253:60–71.
- [18] Brahma S, Nath B, Basumatary B, Das B, Saikia P, Patir K, et al. Biodiesel production from mixed oils: a sustainable approach towards industrial biofuel production. *Chem. Eng. J. Adv.* 2022;10:100284.
- [19] Mat Aron NS, Khoo KS, Chew KW, Show PL, Chen WH, Nguyen THP. Sustainability of the four generations of biofuels – a review. *Int. J. Energy Res.* 2020;44:9266–82.

- [20] Tayari S, Abedi R, Rahi A. Comparative assessment of engine performance and emissions fueled with three different biodiesel generations. *Renew. Energy* 2020;147:1058–69.
- [21] Abdullah B, Syed Muhammad SAF ad, Shokravi Z, Ismail S, Kassim KA, Mahmood AN, et al. Fourth generation biofuel: a review on risks and mitigation strategies. *Renew. Sust. Energ. Rev.* 2019;107:37–50.
- [22] Karmee SK. Liquid biofuels from food waste: current trends, prospect and limitation. *Renew. Sust. Energ. Rev.* 2016;53:945–53.
- [23] Aro EM. From first generation biofuels to advanced solar biofuels. *Ambio.* 2016;45:24–31.
- [24] Payne WA. Are biofuels antithetic to long-term sustainability of soil and water resources? *Adv. Agron.* 2010;105:1–46.
- [25] Robles-Medina A, González-Moreno PA, Esteban-Cerdán L, Molina-Grima E. Biocatalysis: towards ever greener biodiesel production. *Biotechnol. Adv* 2009;27:398–408.
- [26] Ma F, Hanna MA. Biodiesel production: a review. *Bioresour. Technol.* 1999;70:1–15.
- [27] Singh SP, Singh D. Biodiesel production through the use of different sources and characterization of oils and their esters as the substitute of diesel: a review. *Renew. Sust. Energ. Rev.* 2010;14:200–16.
- [28] Tariq M, Ali S, Khalid N. Activity of homogeneous and heterogeneous catalysts, spectroscopic and chromatographic characterization of biodiesel: a review. *Renew. Sust. Energ. Rev.* 2012;16:6303–16.
- [29] Kouzu M, Kasuno T, Tajika M, Sugimoto Y, Yamanaka S, Hidaka J. Calcium oxide as a solid base catalyst for transesterification of soybean oil and its application to biodiesel production. *Fuel* 2008;87:2798–806.
- [30] Chen X, Qian WW, Lu XP, Han PF. Preparation of biodiesel catalysed by KF/CaO with ultrasound. *Nat. Prod. Res.* 2012;26:1249–56.
- [31] Reddy ANR, Saleh AA, Islam MS, Hamdan S, Rahman MR, Masjuki HH. Experimental evaluation of fatty acid composition influence on jatropha biodiesel physicochemical properties. *J. Renew. Sustain. Energy* 2018;10(1):013103.
- [32] Boro J, Deka D, Thakur AJ. A review on solid oxide derived from waste shells as catalyst for biodiesel production. *Renew. Sust. Energ. Rev.* 2012;16:904–10.
- [33] Hoque ME, Singh A, Chuan YL. Biodiesel from low cost feedstocks: the effects of process parameters on the biodiesel yield. *Biomass Bioenergy* 2011;35:1582–7.
- [34] Schuchardt U, Sercheli R, Vargas RM. Transesterification of vegetable oils: a review. *J. Braz. Chem. Soc.* 1998;9:199–210.
- [35] Meher LC, Vidya Sagar D, Naik SN. Technical aspects of biodiesel production by transesterification - a review. *Renew. Sust. Energ. Rev.* 2006;10:248–68.
- [36] Basumatary S. Yellow oleander (*Thevetia peruviana*) seed oil biodiesel as an alternative and renewable fuel for diesel engines: a review. *Int. J. Chemtech Res.* 2014;7:2823–40.
- [37] Mandari V, Devarai SK. Biodiesel production using homogeneous, heterogeneous, and enzyme catalysts via transesterification and esterification reactions: a critical review. *Bioenergy Res.* 2021:1-27.
- [38] Rezanian S, Oryani B, Park J, Hashemi B, Yadav KK, Kwon EE, et al. Review on transesterification of non-edible sources for biodiesel production with a focus on economic aspects, fuel properties and by-product applications. *Energy Convers. Manag.* 2019;201:112155.
- [39] Leung DY, Wu X, Leung MKH. A review on biodiesel production using catalyzed transesterification. *Appl. Energy* 2010;87:1083–95.

- [40] Canakci M, Gerpen J. Biodiesel production via acid catalysts. *Transactions of the ASAE* 1999;42:1203–10.
- [41] Soriano NU, Venditti R, Argyropoulos DS. Biodiesel synthesis via homogeneous Lewis acid-catalyzed transesterification. *Fuel* 2009;88:560–5.
- [42] Rizwanul Fattah IM, Ong HC, Mahlia TMI, Mofijur M, Silitonga AS, Ashrafur Rahman SM, et al. State of the art of catalysts for biodiesel production. *Front. Energy Res.* 2020;8:101.
- [43] Dubé MA, Tremblay AY, Liu J. Biodiesel production using a membrane reactor. *Bioresour. Technol.* 2007;98:639–47.
- [44] Mendonça IM, Machado FL, Silva CC, Duvoisin Junior S, Takeno ML, de Sousa Maia PJ, et al. Application of calcined waste cupuaçu (*Theobroma grandiflorum*) seeds as a low-cost solid catalyst in soybean oil ethanolysis: statistical optimization. *Energy. Convers. Manag.* 2019;200:112095.
- [45] Sandoval G, Casas-Godoy L, Bonet-Ragel K, Rodrigues J, Ferreira-Dias S, Valero F. Enzyme-catalyzed production of biodiesel as alternative to chemical- catalyzed processes: advantages and constraints. *Curr. Biochem. Eng.* 2017;4:109–41.
- [46] Li E, Rudolph V. Transesterification of vegetable oil to biodiesel over MgO-functionalized mesoporous catalysts. *Energy Fuel.* 2008;22:145–9.
- [47] Reddy C, Reddy V, Fetterly BM, Verkade JG. Polymer-supported azidoproazaphosphatane: a recyclable catalyst for the room-temperature transformation of triglycerides to biodiesel. *Energy Fuel.* 2007;21:2466–72.
- [48] Teng G, Gao L, Xiao G, Liu H. Transesterification of soybean oil to biodiesel over heterogeneous solid base catalyst. *Energy Fuel.* 2009;23:4630–4.
- [49] Liu X, Piao X, Wang Y, Zhu S. Calcium ethoxide as a solid base catalyst for the transesterification of soybean oil to biodiesel. *Energy Fuel.* 2008;22:1313–7.
- [50] Zhao C, Yang L, Xing S, Luo W, Wang Z, Lv P. Biodiesel production by a highly effective renewable catalyst from pyrolytic rice husk. *J. Clean. Prod.* 2018;199:772–80.
- [51] Khan HM, Iqbal T, Yasin S, Ali CH, Abbas MM, Jamil MA, et al. Application of agricultural waste as heterogeneous catalysts for biodiesel production. *Catalysts* 2021;11(10):1215.
- [52] Liu X, He H, Wang Y, Zhu S. Transesterification of soybean oil to biodiesel using SrO as a solid base catalyst. *Catal. Commun.* 2007;8:1107–11.
- [53] Zhang J, Chen S, Yang R, Yan Y. Biodiesel production from vegetable oil using heterogenous acid and alkali catalyst. *Fuel* 2010;89:2939–44.
- [54] Liu X, He H, Wang Y, Zhu S, Piao X. Transesterification of soybean oil to biodiesel using CaO as a solid base catalyst. *Fuel* 2008;87:216–21.
- [55] Bo X, Guomin X, Lingfeng C, Ruiping W, Lijing G. Transesterification of palm oil with methanol to biodiesel over a KF/Al₂O₃ heterogeneous base catalyst. *Energy Fuel.* 2007;21:3109–12.
- [56] Akbar E, Binitha N, Yaakob Z, Kamarudin SK, Salimon J. Preparation of Na doped SiO₂ solid catalysts by the sol-gel method for the production of biodiesel from jatropha oil. *Green Chem.* 2009;11:1862–6.
- [57] Lingfeng C, Guomin X, Bo X, Guangyuan T. Transesterification of cottonseed oil to biodiesel by using heterogeneous solid basic catalysts. *Energy Fuel.* 2007;21:3740–3.
- [58] Hameed BH, Lai LF, Chin LH. Production of biodiesel from palm oil (*Elaeis guineensis*) using heterogeneous catalyst: an optimized process. *Fuel Process. Technol.* 2009;90:606–10.
- [59] Sun H, Hu K, Lou H, Zheng X. Biodiesel production from transesterification of rapeseed oil using KF/Eu₂O₃ as a catalyst. *Energy Fuel.* 2008;22:2756–60.

- [60] Li Y, Qiu F, Yang D, Li X, Sun P. Preparation, characterization and application of heterogeneous solid base catalyst for biodiesel production from soybean oil. *Biomass Bioenergy* 2011;35:2787–95.
- [61] Liang X, Gao S, Wu H, Yang J. Highly efficient procedure for the synthesis of biodiesel from soybean oil. *Fuel Process. Technol.* 2009;90:701–4.
- [62] Sahu G, Saha S, Datta S, Chavan P, Naik S. Methanolysis of *Jatropha curcas* oil using K_2CO_3/CaO as a solid base catalyst. *Turk. J. Chem.* 2017;41:845–61.
- [63] Torres-Rodríguez DA, Romero-Ibarra IC, Ibarra IA, Pfeiffer H. Biodiesel production from soybean and jatropha oils using cesium impregnated sodium zirconate as a heterogeneous base catalyst. *Renew. Energy* 2016;93:323–31.
- [64] Nakagaki S, Bail A, Santos VC dos, Souza VHR de, Vrubel H, Nunes FS, et al. Use of anhydrous sodium molybdate as an efficient heterogeneous catalyst for soybean oil methanolysis. *Appl. Catal. A Gen.* 2008;351:267–74.
- [65] di Serio M, Cozzolino M, Tesser R, Patrono P, Pinzari F, Bonelli B, et al. Vanadyl phosphate catalysts in biodiesel production. *Appl. Catal. A Gen.* 2007;320:1–7.
- [66] Liu X, Piao X, Wang Y, Zhu S, He H. Calcium methoxide as a solid base catalyst for the transesterification of soybean oil to biodiesel with methanol. *Fuel* 2008;87:1076–82.
- [67] Garcia CM, Teixeira S, Marciniuk LL, Schuchardt U. Transesterification of soybean oil catalyzed by sulfated zirconia. *Bioresour. Technol.* 2008;99:6608–13.
- [68] Ramu S, Lingaiah N, Prabhavathi Devi BLA, Prasad RBN, Suryanarayana I, Sai Prasad PS. Esterification of palmitic acid with methanol over tungsten oxide supported on zirconia solid acid catalysts: effect of method of preparation of the catalyst on its structural stability and reactivity. *Appl. Catal. A Gen.* 2004;276:163–8.
- [69] Gao L, Xu B, Xiao G, Lv J. Transesterification of palm oil with methanol to biodiesel over a $KF/hydrotalcite$ solid catalyst. *Energy Fuel.* 2008;22:3531–5.
- [70] Gao L, Teng G, Lv J, Xiao G. Biodiesel synthesis catalyzed by the $KF/Ca-Mg-Al$ hydrotalcite base catalyst. *Energy Fuel.* 2010;24:646–51.
- [71] Chen L, Yin P, Liu X, Yang L, Yu Z, Guo X, et al. Biodiesel production over copper vanadium phosphate. *Energy* 2011;36:175–80.
- [72] Dossin TF, Reyniers MF, Berger RJ, Marin GB. Simulation of heterogeneously MgO -catalyzed transesterification for fine-chemical and biodiesel industrial production. *Appl. Catal. B* 2006;67:136–48.
- [73] Benjapornkulaphong S, Ngamcharussrivichai C, Bunyakiat K. Al_2O_3 -supported alkali and alkali earth metal oxides for transesterification of palm kernel oil and coconut oil. *Chem. Eng. J.* 2009;145:468–74.
- [74] Kawashima A, Matsubara K, Honda K. Development of heterogeneous base catalysts for biodiesel production. *Bioresour. Technol.* 2008;99:3439–43.
- [75] Gupta J, Agarwal M, Dalai AK. Experimental evaluation of the catalytic efficiency of calcium based natural and modified catalyst for biodiesel synthesis. *Int. J. Green. Energy* 2017;14:878–88.
- [76] Shi M, Zhang P, Fan M, Jiang P, Dong Y. Influence of crystal of Fe_2O_3 in magnetism and activity of nanoparticle $CaO@Fe_2O_3$ for biodiesel production. *Fuel* 2017;197:343–7.
- [77] Yang L, Zhang A, Zheng X. Shrimp shell catalyst for biodiesel production. *Energy Fuel.* 2009;23:3859–65.
- [78] Hu S, Wang Y, Han H. Utilization of waste freshwater mussel shell as an economic catalyst for biodiesel production. *Biomass Bioenergy* 2011;35:3627–35.

- [79] Boey PL, Maniam GP, Hamid SA. Biodiesel production via transesterification of palm olein using waste mud crab (*Scylla serrata*) shell as a heterogeneous catalyst. *Bioresour. Technol.* 2009;100:6362–8.
- [80] Madhu D, Arora R, Sahani S, Singh V, Sharma YC. Synthesis of high-quality biodiesel using feedstock and catalyst derived from fish wastes. *J. Agric. Food Chem.* 2017;65:2100–9.
- [81] Wei Z, Xu C, Li B. Application of waste eggshell as low-cost solid catalyst for biodiesel production. *Bioresour. Technol.* 2009;100:2883–5.
- [82] Viriya-empikul N, Krasae P, Puttasawat B, Yoosuk B, Chollacoop N, Faungnawakij K. Waste shells of mollusk and egg as biodiesel production catalysts. *Bioresour. Technol.* 2010;101:3765–7.
- [83] Chakraborty R, Bepari S, Banerjee A. Application of calcined waste fish (*Labeo rohita*) scale as low-cost heterogeneous catalyst for biodiesel synthesis. *Bioresour. Technol.* 2011;102:3610–8.
- [84] Boey PL, Maniam GP, Hamid SA, Ali DMH. Utilization of waste cockle shell (*Anadara granosa*) in biodiesel production from palm olein: optimization using response surface methodology. *Fuel* 2011;90:2353–8.
- [85] Xie J, Zheng X, Dong A, Xiao Z, Zhang J. Biont shell catalyst for biodiesel production. *Green Chem.* 2009;11:355–36.
- [86] Tan YH, Abdullah MO, Nolasco-Hipolito C, Taufiq-Yap YH. Waste ostrich- and chicken-eggshells as heterogeneous base catalyst for biodiesel production from used cooking oil: catalyst characterization and biodiesel yield performance. *Appl. Energy* 2015;160:58–70.
- [87] Boro J, Thakur AJ, Deka D. Solid oxide derived from waste shells of *Turbonilla striatula* as a renewable catalyst for biodiesel production. *Fuel Process. Technol.* 2011;92:2061–7.
- [88] Birla A, Singh B, Upadhyay SN, Sharma YC. Kinetics studies of synthesis of biodiesel from waste frying oil using a heterogeneous catalyst derived from snail shell. *Bioresour. Technol.* 2012;106:95–100.
- [89] Nair P, Singh B, Upadhyay SN, Sharma YC. Synthesis of biodiesel from low FFA waste frying oil using calcium oxide derived from *Meretrix meretrix* as a heterogeneous catalyst. *J. Clean. Prod.* 2012;29–30:82–90.
- [90] Sharma YC, Singh B, Korstad J. Application of an efficient nonconventional heterogeneous catalyst for biodiesel synthesis from pongamia pinnata oil. *Energy Fuel.* 2010;24:3223–31.
- [91] Suwannasom P, Tansupo P, Ruangviriyachai C. A bone-based catalyst for biodiesel production from waste cooking oil. *Energy Sources A: Recovery Util. Environ. Eff.* 2016;38:3167–73.
- [92] Nakatani N, Takamori H, Takeda K, Sakugawa H. Transesterification of soybean oil using combusted oyster shell waste as a catalyst. *Bioresour. Technol.* 2009;100:1510–3.
- [93] Obadiah A, Swaroopa GA, Kumar SV, Jeganathan KR, Ramasubbu A. Biodiesel production from palm oil using calcined waste animal bone as catalyst. *Bioresour. Technol.* 2012;116:512–6.
- [94] Marinković DM, Avramović JM, Stanković M v., Stamenković OS, Jovanović DM, Veljković VB. Synthesis and characterization of spherically-shaped CaO/ Γ -Al₂O₃ catalyst and its application in biodiesel production. *Energy. Convers. Manag.* 2017;144:399–413.
- [95] Boro J, Konwar LJ, Deka D. Transesterification of non edible feedstock with lithium incorporated egg shell derived CaO for biodiesel production. *Fuel Process. Technol.* 2014;122:72–8.
- [96] Shankar V, Jambulingam R. Waste crab shell derived CaO impregnated Na-ZSM-5 as a solid base catalyst for the transesterification of neem oil into biodiesel. *Sustain. Environ. Res.* 2017;27:273–8.

- [97] Hadiyanto H, Afianti AH, Navi'A UI, Adetya NP, Widayat W, Sutanto H. The development of heterogeneous catalyst C/CaO/NaOH from waste of green mussel shell (*Perna varidis*) for biodiesel synthesis. *J. Environ. Chem. Eng.* 2017;5:4559–63.
- [98] Kumar D, Kim SM, Ali A. Solvent-free one step aminolysis and alcoholysis of low-quality triglycerides using sodium modified CaO nanoparticles as a solid catalyst. *RSC Adv* 2016;6:55800–8.
- [99] Mansir N, Teo SH, Rashid U, Taufiq-Yap YH. Efficient waste *Gallus domesticus* shell derived calcium-based catalyst for biodiesel production. *Fuel* 2018;211:67–75.
- [100] Vadery V, Narayanan BN, Ramakrishnan RM, Cherikkallinmel SK, Sugunan S, Narayanan DP, et al. Room temperature production of jatropha biodiesel over coconut husk ash. *Energy* 2014;70:588–94.
- [101] Reis CER, Valle GF, Bento HBS, Carvalho AKF, Alves TM, de Castro HF. Sugarcane by-products within the biodiesel production chain: vinasse and molasses as feedstock for oleaginous fungi and conversion to ethyl esters. *Fuel* 2020;277:118064.
- [102] Niju S, Ajieth Kanna SK, Ramalingam V, Satheesh Kumar M, Balajii M. Sugarcane bagasse derived biochar—a potential heterogeneous catalyst for transesterification process. *Energy Sources A: Recovery Util. Environ. Eff.* 2019.
- [103] Akinfalabi SI, Rashid U, Ngamcharussrivichai C, Nehdi IA. Synthesis of reusable biobased nano-catalyst from waste sugarcane bagasse for biodiesel production. *Environ. Technol. Innov.* 2020;18:100788.
- [104] Basumatary B, Das B, Nath B, Basumatary S. Synthesis and characterization of heterogeneous catalyst from sugarcane bagasse: production of jatropha seed oil methyl esters. *Curr. Res. Green Sustain. Chem.* 2021;4:100082.
- [105] Betiku E, Akintunde AM, Ojumu TV. Banana peels as a biobase catalyst for fatty acid methyl esters production using Napoleon's plume (*Bauhinia monandra*) seed oil: a process parameters optimization study. *Energy* 2016;103:797–806.
- [106] Odude VO, Adesina AJ, Oyetunde OO, Adeyemi OO, Ishola NB, Etim AO, et al. Application of agricultural waste-based catalysts to transesterification of esterified palm kernel oil into biodiesel: a case of banana fruit peel versus cocoa pod husk. *Waste Biomass Valori.* 2019;10:877–88.
- [107] Etim AO, Betiku E, Ajala SO, Olaniyi PJ, Ojumu T v. Potential of ripe plantain fruit peels as an ecofriendly catalyst for biodiesel synthesis: optimization by artificial neural network integrated with genetic algorithm. *Sustainability* 2018;10(3):707.
- [108] Pathak G, Das D, Rajkumari K, Rokhum L. Exploiting waste: towards a sustainable production of biodiesel using: *Musa acuminata* peel ash as a heterogeneous catalyst. *Green Chem.* 2018;20:2365–73.
- [109] Gohain M, Devi A, Deka D. *Musa balbisiana* Colla peel as highly effective renewable heterogeneous base catalyst for biodiesel production. *Ind. Crops Prod.* 2017;109:8–18.
- [110] Aslam M, Saxena P, Sarma AK. Green technology for biodiesel production from *Mesua Ferrea* L. seed oil. *Energy Environ. Res.* 2014;4:11–21.
- [111] Sarma AK, Kumar P, Aslam M, Chouhan APS. Preparation and characterization of *Musa balbisiana* colla underground stem nano-material for biodiesel production under elevated conditions. *Catal. Letters* 2014;144:1344–53.
- [112] Betiku E, Ajala SO. Modeling and optimization of *Thevetia peruviana* (yellow oleander) oil biodiesel synthesis via *Musa paradisiacal* (plantain) peels as heterogeneous base catalyst: a case of artificial neural network vs. response surface methodology. *Ind. Crops Prod.* 2014;53:314–22.

- [113] Vinukumar K, Azhagurajan A, Stephen VK. Synthesis of rice husk nano-particles for biodiesel production. *J. Chem. Pharm. Sci.* 2016;9:2641–73.
- [114] Chouhan APS, Sarma AK. Biodiesel production from *Jatropha curcas* L. oil using *Lemna perpusilla* Torrey ash as heterogeneous catalyst. *Biomass Bioenergy* 2013;55:386–9.
- [115] Betiku E, Etim AO, Perea O, Ojumu TV. Two-step conversion of neem (*Azadirachta indica*) seed oil into fatty methyl esters using a heterogeneous biomass-based catalyst: an example of cocoa pod husk. *Energy Fuel.* 2017;31:6182–93.
- [116] Gouran A, Aghel B, Nasirmanesh F. Biodiesel production from waste cooking oil using wheat bran ash as a sustainable biomass. *Fuel* 2021;295:120542.
- [117] Behera B, Selvam S M, Dey B, Balasubramanian P. Algal biodiesel production with engineered biochar as a heterogeneous solid acid catalyst. *Bioresour Technol.* 2020;310:123392.
- [118] Choksi H, Pandian S, Gandhi YH, Deepalakshmi S. Studies on production of biodiesel from *Madhuca indica* oil using a catalyst derived from cotton stalk. *Energy Sources A: Recovery Util. Environ. Eff.* 2021;43:3424–33.
- [119] Singh S, Nahil MA, Sun X, Wu C, Chen J, Shen B, et al. Novel application of cotton stalk as a waste derived catalyst in the low temperature SCR-deNOx process. *Fuel* 2013;105:585–94.
- [120] Kohli K, Prajapati R, Sharma BK. Bio-based chemicals from renewable biomass for integrated biorefineries. *Energies* 2019;12(2):233.
- [121] Fiorentino G, Ripa M, Ulgiati S. Chemicals from biomass: technological versus environmental feasibility. A review. *Biofuel. Bioprod. Biorefin.* 2017;11:195–214.
- [122] Xu Y, Hanna MA, Isom L. “Green” chemicals from renewable agricultural biomass—a mini review. *Open Agric. J.* 2008;2:54–61.
- [123] Tursi A. A review on biomass: importance, chemistry, classification, and conversion. *Biofuel Res. J.* 2019;6:962–79.
- [124] Sengupta D, Pike RW. Chemicals from biomass. *Handbook of Climate Change Mitigation and Adaptation, Second Edition, Springer International Publishing;* 2016;3:1855–901.
- [125] Wang B, Dong F, Chen M, Zhu J, Tan J, Fu X, et al. Advances in recycling and utilization of agricultural wastes in China: based on environmental risk, crucial pathways, influencing factors, policy mechanism. *Procedia Environ. Sci.* 2016;31:12–7.
- [126] Formighieri C, Bassi R. Algae, a new biomass resource. *Renew. Energy Syst.* 2013;1–26.
- [127] Obi F, Ugwuishiwu B, Nwakaire J. Agricultural waste concept, generation, utilization and management. *Niger. J. Technol.* 2016;35:957.
- [128] Forster-Carneiro T, Berni MD, Dorileo IL, Rostagno MA. Biorefinery study of availability of agriculture residues and wastes for integrated biorefineries in Brazil. *Resour. Conserv. Recycl.* 2013;77:78–88.
- [129] Basumatary S, Nath B, Kalita P. Application of agro-waste derived materials as heterogeneous base catalysts for biodiesel synthesis. *J. Renew. Sustain. Energy* 2018;10:043105.
- [130] Zevallos Torres LA, Lorenci Woiciechowski A, de Andrade Tanobe VO, Karp SG, Guimarães Lorenci LC, Faulds C, et al. Lignin as a potential source of high-added value compounds: a review. *J. Clean. Prod.* 2020;263:121499.
- [131] Lucia LA, Argyropoulos DS, Adamopoulos L, Gaspar AR. Chemicals and energy from biomass. *Can. J. Chem.* 2006;84:960–70.
- [132] Lim SF, Matu SU. Utilization of agro-wastes to produce biofertilizer. *Int. J. Energy Environ. Eng.* 2015;6:31–5.

- [133] Sharma A, Sharma S. Utilization of agro-industrial waste as organic fertilizer to enhance growth, yield and quality of eggplant (*Solanum Melongena*). *J. Solid Waste Technol. Manag.* 2015;41:380–86.
- [134] Balakrishnan M, Batra VS, Hargreaves JSJ, Pulford ID. Waste materials – catalytic opportunities: an overview of the application of large scale waste materials as resources for catalytic applications. *Green Chem.* 2011;13:16–24.
- [135] Talukdar A, Deka DC. Preparation and characterization of a heterogeneous catalyst from water hyacinth (*Eichhornia crassipes*): catalytic application in the synthesis of bis(indolyl)methanes and bis(pyrryl) methanes under solvent free condition. *Curr. Catal.* 2016;5:51–65.
- [136] Sharma M, Khan AA, Puri SK, Tuli DK. Wood ash as a potential heterogeneous catalyst for biodiesel synthesis. *Biomass Bioenergy* 2012;41:94–106.
- [137] Aziz A, Shah SS, Kashem A. Preparation and utilization of jute-derived carbon: a short review. *Chem. Rec.*, 2020;20(9):1074–98.
- [138] Akbayrak S, Özçifçi Z, Tabak A. Activated carbon derived from tea waste: a promising supporting material for metal nanoparticles used as catalysts in hydrolysis of ammonia borane. *Biomass Bioenergy* 2020;138:105589.
- [139] Elabadagama RY, Gunawardena S, Thushara D. Tea waste derived heterogeneous acid catalyst for esterification of free fatty acids in biodiesel production. *Innov. Impact* 2020;1:1–5.
- [140] Chen SS, Yu IKM, Cho DW, Song H, Tsang DCW, Tessonnier JP, et al. Selective glucose isomerization to fructose via a nitrogen-doped solid base catalyst derived from spent coffee grounds. *ACS Sustain. Chem. Eng.* 2018;6:16113–20.
- [141] Ngaosuwan K, Goodwin JG, Prasertdham P. A green sulfonated carbon-based catalyst derived from coffee residue for esterification. *Renew. Energy* 2016;86:262–9.
- [142] Endut A, Abdullah SHYS, Hanapi NHM, Hamid SHA, Lananan F, Kamarudin MKA, et al. Optimization of biodiesel production by solid acid catalyst derived from coconut shell via response surface methodology. *Int. Biodeterior. Biodegradation* 2017;124:250–7.
- [143] Thushari I, Babel S. Sustainable utilization of waste palm oil and sulfonated carbon catalyst derived from coconut meal residue for biodiesel production. *Bioresour. Technol.* 2018;248:199–203.
- [144] Thushari I, Babel S, Samart C. Biodiesel production in an autoclave reactor using waste palm oil and coconut coir husk derived catalyst. *Renew. Energy* 2019;134:125–34.
- [145] Etim AO, Eloka-Eboka AC, Musonge P. Potential of *Carica papaya* peels as effective biocatalyst in the optimized parametric transesterification of used vegetable oil. *Environ. Eng. Res.* 2021;26:200299.
- [146] Falowo OA, Oloko-Oba MI, Betiku E. Biodiesel production intensification via microwave irradiation-assisted transesterification of oil blend using nanoparticles from elephant-ear tree pod husk as a base heterogeneous catalyst. *Chem. Eng. Process.: Process Intensif.* 2019;140:157–70.
- [147] John M, Abdullah MO, Hua TY, Nolasco-Hipólito C. Techno-economical and energy analysis of sunflower oil biodiesel synthesis assisted with waste ginger leaves derived catalysts. *Renew. Energy* 2021;168:815–28.
- [148] Fadara OA, Falowo OA, Ojumu T v., Betiku E. Process optimization of microwave irradiation-aided transesterification of kariya seed oil by Taguchi orthogonal array: pawpaw trunk as a novel biocatalyst. *Biofuel. Bioprod. Biorefin.* 2021;15(4):1006-20.
- [149] Oladipo B, Ojumu T v., Latinwo LM, Betiku E. Pawpaw (*Carica papaya*) peel waste as a novel green heterogeneous catalyst for moringa oil methyl esters synthesis: process optimization and kinetic study. *Energies.* 2020;13(21):5834.

- [150] Sarmah M, Mondal M, Bora U. Agro-waste extract based solvents: emergence of novel green solvent for the design of sustainable processes in catalysis and organic chemistry. *ChemistrySelect* 2017;2:5180–8.
- [151] Saikia B, Borah P, Barua NC. H₂O₂ in WEB: a highly efficient catalyst system for Dakin reaction. *Green Chem.* 2015;17:4533–6.
- [152] Sarmah M, Dewan A, Mondal M, Thakur AJ, Bora U. Analysis of water extract of waste papaya bark ash and its implications as in situ base in ligandless recyclable Suzuki-Miyaura coupling reaction. *RSC Adv* 2016;34:28981–5.
- [153] Surneni N, Barua NC, Saikia B. Application of natural feedstock extract: the Henry reaction. *Tetrahedron Lett.* 2016;57:2814–7.
- [154] Konwar M, Ali AA, Sarma D. A green protocol for peptide bond formation in WEB. *Tetrahedron Lett.* 2016;57:2283–5.
- [155] Eric AJ, Christiana N, Caesar SM, Ahmed AY. Production and characterization of wood ash pozzolan of Melina and Cashew tropical woods. *Int. J. Sci. Eng. Res.* 2020;11.
- [156] Eldiehy KSH, Daimary N, Borah D, Sarmah D, Bora U, Mandal M, et al. Towards biodiesel sustainability: waste sweet potato leaves as a green heterogeneous catalyst for biodiesel production using microalgal oil and waste cooking oil. *Ind. Crops Prod.* 2022;187:115467.
- [157] Gohain M, Laskar K, Phukon H, Bora U, Kalita D, Deka D. Towards sustainable biodiesel and chemical production: multifunctional use of heterogeneous catalyst from littered *Tectona grandis* leaves. *Waste Manage.* 2020;102:212–21.
- [158] Olatundun EA, Borokini OO, Betiku E. Cocoa pod husk-plantain peel blend as a novel green heterogeneous catalyst for renewable and sustainable honne oil biodiesel synthesis: a case of biowastes-to-wealth. *Renew. Energy* 2020;166:163–75.
- [159] Li C, Hu X, Feng W, Wu B, Wu K. A supported solid base catalyst synthesized from green biomass ash for biodiesel production. *Energy Sources A: Recovery Util. Environ. Eff.* 2018;40:142–7.
- [160] Changmai B, Sudarsanam P, Rokhum L. Biodiesel production using a renewable mesoporous solid catalyst. *Ind. Crops Prod.* 2020;145:111911.
- [161] Aleman-Ramirez JL, Moreira J, Torres-Arellano S, Longoria A, Okoye PU, Sebastian PJ. Preparation of a heterogeneous catalyst from moringa leaves as a sustainable precursor for biodiesel production. *Fuel* 2021;284.
- [162] Laskar IB, Gupta R, Chatterjee S, Vanlalveni C, Rokhum L. Taming waste: waste *Mangifera indica* peel as a sustainable catalyst for biodiesel production at room temperature. *Renew. Energy* 2020;161:207–20.
- [163] Veličković A, Avramović J, Kostić M, Krstić JB, Stamenković O, Veljković VB. Modeling the biodiesel production using the wheat straw ash as a catalyst. *Hem. Ind.* 2021;75:257–76.
- [164] Ma'arof NANB, Hindryawati N, Khazaai SNM, Bhuyar P, Rahim MHA, Maniam GP. Exploitation of cost-effective renewable heterogeneous base catalyst from banana (*Musa paradisiaca*) peel for effective methyl ester production from soybean oil. *Appl. Nanosci.* 2021:1–12.
- [165] Laskar IB, Deshmukhya T, Biswas A, Paul B, Changmai B, Gupta R, et al. Utilization of biowaste-derived catalysts for biodiesel production: process optimization using response surface methodology and particle swarm optimization method. *Energy Adv.* 2022;1:287–302.
- [166] Falowo OA, Oladipo B, Taiwo AE, Olaiya AT, Oyekola OO, Betiku E. Green heterogeneous base catalyst from ripe and unripe plantain peels mixture for the transesterification of waste cooking oil. *Chem. Eng. J. Adv.* 2022;10.

- [167] Miladinović MR, Krstić JB, Zdujić M v., Veselinović LM, Veljović DN, Banković-Ilić IB, et al. Transesterification of used cooking sunflower oil catalyzed by hazelnut shell ash. *Renew. Energy* 2022;183:103–13.
- [168] Daimary N, Eldiehy KSH, Boruah P, Deka D, Bora U, Kakati BK. Potato peels as a sustainable source for biochar, bio-oil and a green heterogeneous catalyst for biodiesel production. *J. Environ. Chem. Eng.* 2022;10.
- [169] Basumatary B, Basumatary S, Das B, Nath B, Kalita P. Waste *Musa paradisiaca* plant: an efficient heterogeneous base catalyst for fast production of biodiesel. *J. Clean. Prod.* 2021;305:127089.
- [170] Dhawane SH, Kumar T, Halder G. Biodiesel synthesis from *Hevea brasiliensis* oil employing carbon supported heterogeneous catalyst: optimization by Taguchi method. *Renew. Energy* 2016;89:506–14.
- [171] Uprety BK, Chaiwong W, Ewelike C, Rakshit SK. Biodiesel production using heterogeneous catalysts including wood ash and the importance of enhancing byproduct glycerol purity. *Energy Convers. Manag.* 2016;115:191–9.
- [172] Jitjamnong J, Thunyaratchatanon C, Luengnaruemitchai A, Kongrit N, Kasetsomboon N, Chuaykarn N, et al. Effect of calcination temperature of *Musa sapientum* Linn peels as a novel biobased heterogeneous catalyst for soybean oil-derived fatty acid methyl ester formation. *Chiang Mai J. Sci.* 2020;47:484-498.
- [173] Nabora CS, Kingondu CK, Kivevele TT. *Tamarindus Indica* fruit shell ash: a low cost and effective catalyst for biodiesel production from *Parinari curatellifolia* seeds oil. *SN Appl. Sci.* 2019;1(3):1-9.
- [174] Miladinović MR, Zdujić M v., Veljović DN, Krstić JB, Banković-Ilić IB, Veljković VB, et al. Valorization of walnut shell ash as a catalyst for biodiesel production. *Renew. Energy* 2020;147:1033–43.
- [175] Oladipo B, Betiku E. Optimization and kinetic studies on conversion of rubber seed (*Hevea brasiliensis*) oil to methyl esters over a green biowaste catalyst. *J. Environ. Manage.* 2020; 268:110705.
- [176] de S. Barros S, Pessoa Junior WAG, Sá ISC, Takeno ML, Nobre FX, Pinheiro W, et al. Pineapple (*Ananas comosus*) leaves ash as a solid base catalyst for biodiesel synthesis. *Bioresour. Technol.* 2020; 312:123569.
- [177] Mares EKL, Gonçalves MA, da Luz PTS, da Rocha Filho GN, Zamian JR, da Conceição LRV. Acai seed ash as a novel basic heterogeneous catalyst for biodiesel synthesis: optimization of the biodiesel production process. *Fuel* 2021;299:120887.
- [178] Niju S, Janaranjani A, Nanthini R, Sindhu PA, Balajii M. Valorization of banana pseudostem as a catalyst for transesterification process and its optimization studies. *Biomass Convers. Biorefin.* 2021:1-14.
- [179] Falowo OA, Betiku E. A novel heterogeneous catalyst synthesis from agrowastes mixture and application in transesterification of yellow oleander-rubber oil: optimization by Taguchi approach. *Fuel* 2022;312:122999.
- [180] TF A. “Derived biobased catalyst from the three agro wastes peel powders for the synthesis of biodiesel from *Luffa Cylindrical*, *Datura Stramonium*, and *Lagenaria Siceraria* oil blend: process parameter optimization.” *Biomed. J. Sci. Tech. Res.* 2021;40(4):32449-61.
- [181] Daimary N, Boruah P, Eldiehy KSH, Pegu T, Bardhan P, Bora U, et al. *Musa acuminata* peel: a bioresource for bio-oil and by-product utilization as a sustainable source of renewable green catalyst for biodiesel production. *Renew. Energy* 2022;187:450–62.

- [182] Sitepu EK, Sembiring Y, Supeno M, Tarigan K, Ginting J, Karo-karo JA, et al. Homogenizer-intensified room temperature biodiesel production using heterogeneous palm bunch ash catalyst. *S. Afr. J. Chem. Eng.* 2022;40:240–5.
- [183] Kumar P, Aslam M, Singh N, Mittal S, Bansal A, Jha MK, et al. Characterization, activity and process optimization with a biomass-based thermal power plant's fly ash as a potential catalyst for biodiesel production. *RSC Adv* 2015;5:9946–54.
- [184] Babajide O, Petrik L, Musyoka N, Amigun B, Ameer F. Use of coal fly ash as a catalyst in the production of biodiesel. *Pet. Coal* 2010;52:261–72.
- [185] Khan FA, Hussain J, Zahoor M, Shah SMM, Khan A, Ullah N, et al. Biodiesel production from mustard oil, coal ash using as catalyst. *Middle East J. Sci. Res.* 2011;8:866–72.
- [186] Luque R, Pineda A, Colmenares JC, Campelo JM, Romero AA, Serrano-Riz JC, et al. Carbonaceous residues from biomass gasification as catalysts for biodiesel production. *J. Nat. Gas Chem.* 2012;21:246–50.
- [187] Miladinović MR, Zdujić M v., Veljović DN, Krstić JB, Banković-Ilić IB, Veljković VB, et al. Valorization of walnut shell ash as a catalyst for biodiesel production. *Renew. Energy* 2020;147:1033–43.
- [188] Jitjamnong J, Numwong N, Chuaykarn N, Direksilp C, Luengnaruemitchai A, Kongrit N, et al. Conversion of palm oil into biodiesel production with heterogeneous catalyst derived from spent coffee grounds ash: process optimization through response surface methodology. *Chiang Mai J. Sci.* 2021;48:580–99.
- [189] Jitjamnong J, Thunyaratchatanon C, Luengnaruemitchai A, Kongrit N, Kasetsoomboon N, Sopajarn A, et al. Response surface optimization of biodiesel synthesis over a novel biochar-based heterogeneous catalyst from cultivated (*Musa sapientum*) banana peels. *Biomass Convers. Biorefin.* 2021;11:2795–811.
- [190] Nazir MH, Ayoub M, Zahid I, Shamsuddin RB, Zulqarnain, Ameen M, et al. Waste sugarcane bagasse-derived nanocatalyst for microwave-assisted transesterification: thermal, kinetic and optimization study. *Biofuel. Bioprod. Biorefin.* 2022;16:122–41.
- [191] Lee H v., Juan JC, Taufiq-Yap YH, Kong PS, Rahman NA. Advancement in heterogeneous base catalyzed technology: an efficient production of biodiesel fuels. *J. Renew. Sustain. Energy* 2015;7(3):032701.
- [192] Musthafa MM. Development of performance and emission characteristics on coated diesel engine fuelled by biodiesel with cetane number enhancing additive. *Energy* 2017;134:234–9.
- [193] Saxena P, Jawale S, Joshipura MH. A review on prediction of properties of biodiesel and blends of biodiesel. *Procedia Eng.* 2013;51:395–402.
- [194] Sivaramkrishnan K. Determination of higher heating value of biodiesels. *Int. J. Sci. Eng. Technol.* 2011;3:7981–7.
- [195] Ramírez-Verduzco LF, Rodríguez-Rodríguez JE, Jaramillo-Jacob ADR. Predicting cetane number, kinematic viscosity, density and higher heating value of biodiesel from its fatty acid methyl ester composition. *Fuel* 2012;91:102–11.
- [196] Martínez G, Sánchez N, Encinar JM, González JF. Fuel properties of biodiesel from vegetable oils and oil mixtures. Influence of methyl esters distribution. *Biomass Bioenergy* 2014;63:22–32.
- [197] Kumar P, Kumar Sarma A, Bansal A, Kumar Jha M. Formulation of SrO-MBCUS agglomerates for esterification and transesterification of high FFA vegetable oil. *Bull. Chem. React. Eng. Catal.* 2016;11:140–50.

- [198] Ofori-Boateng C, Lee KT. The potential of using cocoa pod husks as green solid base catalysts for the transesterification of soybean oil into biodiesel: Effects of biodiesel on engine performance. *Chem. Eng. J.* 2013;220:395–401.
- [199] Singh B, Tiken N, Baruah K, Dutta K, Mishra N, Mahanta J, et al. Studies on rearing performance and economic traits of eri silkworm (*Samia ricini donovan*) on castor and kesseru: prospects for sustainable utilization of by products. *The Ecoscan: Special Issue 2011*;1:305–8.
- [200] Kalita T, Dutta K. Biodiversity of sericigenous insects in Assam and their role in employment generation. *J. Entomol. Zool. Stud.* 2014;2:119–25.
- [201] Kalita D, Saikia J, Mukherjee AK, Doley R. An ethnomedicinal survey of traditionally used medicinal plants for the treatment of snakebite in Morigaon district of Assam, India. *Int. J. Med. Arom. Plants* 2014;4:97–106.
- [202] Dohutia C, Chetia D, Upadhyaya S. Ethno-medicinal survey on Tai-Ahom community of Assam. *Ethno. Med.* 2016;10:461–71.
- [203] Jin B, Liu Y, Xie J, Luo B, Long C. Ethnobotanical survey of plant species for herbal tea in a Yao autonomous county (Jianghua, China): results of a 2-year study of traditional medicinal markets on the Dragon Boat Festival. *J. Ethnobiol. Ethnomed.* 2018;14(1):58.
- [204] Luo B, Liu Y, Liu B, Liu S, Zhang B, Zhang L, et al. Yao herbal medicinal market during the Dragon Boat festival in Jianghua County, China. *J. Ethnobiol. Ethnomed.* 2018;14(1):61.
- [205] Nath B, Das B, Kalita P, Basumatary S. Waste to value addition: utilization of waste *Brassica nigra* plant derived novel green heterogeneous base catalyst for effective synthesis of biodiesel. *J. Clean. Prod.* 2019;239:118112.
- [206] Nath B, Kalita P, Das B, Basumatary S. Highly efficient renewable heterogeneous base catalyst derived from waste *Sesamum indicum* plant for synthesis of biodiesel. *Renew. Energy* 2020;151:295–310.
- [207] Roy T, Sahani S, Chandra Sharma Y. Study on kinetics-thermodynamics and environmental parameter of biodiesel production from waste cooking oil and castor oil using potassium modified ceria oxide catalyst. *J. Clean. Prod.* 2020;247:119166.
- [208] Basumatary S, Barua P, Deka DC. Gmelina arborea and *Tabernaemontana divaricata* seed oils as non-edible feedstocks for biodiesel production. *Int. J. Chemtech Res.* 2014;6:1440–5.
- [209] Barua P, Dutta K, Basumatary S, Deka DC. Seed oils from non-conventional sources in north-east India: potential feedstock for production of biodiesel. *Nat. Prod. Res.* 2014;28:577–80.
- [210] Adepoju TF, Olatunbosun BE, Olatunji OM, Ibeh MA. Brette Pearl Spar Mable (BPSM): a potential recoverable catalyst as a renewable source of biodiesel from *Thevetia peruviana* seed oil for the benefit of sustainable development in West Africa. *Energy Sustain. Soc.* 2018;8:1–17.
- [211] Kumar D, Ali A. Transesterification of low-quality triglycerides over a Zn/CaO heterogeneous catalyst: kinetics and reusability studies. *Energy Fuel.* 2013;27:3758–68.
- [212] Kaur M, Malhotra R, Ali A. Tungsten supported Ti/SiO₂ nanoflowers as reusable heterogeneous catalyst for biodiesel production. *Renew. Energy* 2018;116:109–19.
- [213] Laskar IB, Rajkumari K, Gupta R, Chatterjee S, Paul B, Rokhum L. Waste snail shell derived heterogeneous catalyst for biodiesel production by the transesterification of soybean oil. *RSC Adv* 2018;8:20131–42.
- [214] Nabora CS, Kingondu CK, Kivevele TT. *Tamarindus Indica* fruit shell ash: a low cost and effective catalyst for biodiesel production from *Parinari curatellifolia* seeds oil. *SN Appl. Sci.* 2019;1:253.
- [215] Ho WWS, Ng HK, Gan S. Development and characterisation of novel heterogeneous palm oil mill boiler ash-based catalysts for biodiesel production. *Bioresour. Technol.* 2012;125:158–64.

- [216] Biondo CEG, Biondo PBF, Visentainer J v., Muñiz GIB, Neves AC, Ballester ELC, et al. Charred shrimp shells treated with potassium fluoride used as a catalyst for the transesterification of soybean oil with methanol. *J. Renew. Sustain. Energy* 2015;7(5):053128.
- [217] Zeng J, Li J, Zhong J, Yang H, Lu Y, Wang G. Improved sun light photocatalytic activity of α - Fe_2O_3 prepared with the assistance of CTAB. *Mater. Lett.* 2015;160:526–8.
- [218] Abukhadra MR, Salam MA, Ibrahim SM. Insight into the catalytic conversion of palm oil into biodiesel using Na^+/K^+ trapped muscovite/phillipsite composite as a novel catalyst: Effect of ultrasonic irradiation and mechanism. *Renew. Sust. Energ. Rev.* 2019;115:109346.
- [219] Vadery V, Cherikkallinmel SK, Ramakrishnan RM, Sugunan S, Narayanan BN. Green production of biodiesel over waste borosilicate glass derived catalyst and the process up-gradation in pilot scale. *Renew. Energy* 2019;141:1042–53.
- [220] Gohain M, Laskar K, Paul AK, Daimary N, Maharana M, Goswami IK, et al. *Carica papaya* stem: a source of versatile heterogeneous catalyst for biodiesel production and C–C bond formation. *Renew. Energy* 2020;147:541–55.
- [221] Zhang CY, Shao WL, Zhou WX, Liu Y, Han YY, Zheng Y, et al. Biodiesel production by esterification reaction on k^+ modified MgAl -hydrotalcites catalysts. *Catalysts* 2019;9(9):742.
- [222] Betiku E, Okeleye AA, Ishola NB, Osunleke AS, Ojumu TV. Development of a novel mesoporous biocatalyst derived from kola nut pod husk for conversion of Kariya seed oil to methyl esters: a case of synthesis, modeling and optimization studies. *Catal. Letters* 2019;149:1772–87.
- [223] Wang J, Xing S, Huang Y, Fan P, Fu J, Yang G, et al. Highly stable gasified straw slag as a novel solid base catalyst for the effective synthesis of biodiesel: characteristics and performance. *Appl. Energy* 2017;190:703–12.
- [224] Balajii M, Niju S. A novel biobased heterogeneous catalyst derived from *Musa acuminata* peduncle for biodiesel production – process optimization using central composite design. *Energy Convers. Manag.* 2019;189:118–31.
- [225] Barr TL. Recent advances in x-ray photoelectron spectroscopy studies of oxides. *J. Vac. Sci. Technol. A* 1991;9:1793–805.
- [226] Shchukarev AV, Korolkov DV. XPS study of Group IA carbonates. *Cent. Eur. J. Chem.* 2004;2:347–62.
- [227] Niju S, Begum MMMS, Anantharaman N. Modification of egg shell and its application in biodiesel production. *J. Saudi Chem. Soc.* 2014;18:702–6.
- [228] Wang JX, Chen KT, Wu JS, Wang PH, Huang ST, Chen CC. Production of biodiesel through transesterification of soybean oil using lithium orthosilicate solid catalyst. *Fuel Process. Technol.* 2012;104:167–73.
- [229] Chen GY, Shan R, Shi JF, Yan BB. Transesterification of palm oil to biodiesel using rice husk ash-based catalysts. *Fuel Process. Technol.* 2015;133:8–13.
- [230] Nur Syazwani O, Rashid U, Taufiq Yap YH. Low-cost solid catalyst derived from waste *Cyrtopleura costata* (Angel Wing Shell) for biodiesel production using microalgae oil. *Energy Convers. Manag.* 2015;101:749–56.
- [231] Taslim, Andika Sinaga B, Nathalia Sihaloho M, Iriany, Bani O. Biodiesel synthesis from waste cooking oil using heterogeneous catalyst from corncob ash impregnated with KOH. *J. Phys. Conf. Ser.* 2019;1175:012281.
- [232] Adesina AJ, Ishola NB, Etim AO, Betiku E, Adesina AJ, Adeyemi OO, et al. Potential application of cocoa pod husks as a green catalyst for biodiesel synthesis via transesterification. *Proceedings of the OAU Faculty of Technology Conference*, 2017;1–7.

- [233] Roy T, Sahani S, Madhu D, Chandra Sharma Y. A clean approach of biodiesel production from waste cooking oil by using single phase BaSnO₃ as solid base catalyst: mechanism, kinetics & E-study. *J. Clean. Prod.* 2020;265:121440.
- [234] Basumatary S, Nath B, Das B, Kalita P, Basumatary B. Utilization of renewable and sustainable basic heterogeneous catalyst from *Heteropanax fragrans* (Kesseru) for effective synthesis of biodiesel from *Jatropha curcas* oil. *Fuel* 2021;286:119357.
- [235] Haslinda WH, Cheng LH, Chong LC, Aziah AAN. Chemical composition and physicochemical properties of green banana (*Musa acuminata* × *balbisiana* Colla cv. Awak) flour. *Int. J. Food. Sci. Nutr.* 2009;60:232–9.
- [236] Mohapatra D, Mishra S, Sutar N. Banana and its by-product utilisation: an overview. *J. Sci. Ind. Res.* 2010;69:323–9.
- [237] Pazmiño-Hernandez M, Moreira CM, Pullammanappallil P. Feasibility assessment of waste banana peduncle as feedstock for biofuel production. *Biofuels* 2019;10:473–84.
- [238] Mohiuddin AKM, Saha K, Ferdoushi A. Usefulness of banana (*Musa paradisiaca*) wastes in manufacturing of bio-products: a review. *The Agriculturists* 2014;12:148–58.
- [239] Pappu A, Patil V, Jain S, Mahindrakar A, Haque R, Thakur VK. Advances in industrial prospective of cellulosic macromolecules enriched banana biofibre resources: a review. *Int. J. Biol. Macromol.* 2015;79:449–58.
- [240] Imam ZM, Akter S. *Musa paradisiaca* L. and *Musa sapientum* L.: a phytochemical and pharmacological review. *J. Appl. Pharm. Sci.* 2011;01:14–20.
- [241] Sengupta S, Debnath S, Ghosh P, Mustafa I. Development of unconventional fabric from banana (*Musa acuminata*) fibre for industrial uses. *J. Nat. Fibers* 2020;17:1212–24.
- [242] Awedem Wobiwo F, Alleluya VK, Emaga TH, Boda M, Fokou E, Gillet S, et al. Recovery of fibers and biomethane from banana peduncles biomass through anaerobic digestion. *Energy Sustain. Dev.* 2017;37:60–5.
- [243] Arafat K, Nayeem J, Quadery A, Quaiyyum M, Jahan MS. Handmade paper from waste banana fibre. *Bangladesh J. Sci. Ind. Res.* 2018;53:83–8.
- [244] Chattopadhyay SN, Pan NC, Roy AN, Samanta KK. Pretreatment of jute and banana fibre—its effect on blended yarn and fabric. *J. Nat. Fibers* 2020;17:75–83.
- [245] Ahmad T, Danish M. Prospects of banana waste utilization in wastewater treatment: a review. *J. Environ. Manage.* 2018;206:330–48.
- [246] Pathak PD, Mandavgane SA, Kulkarni BD. Utilization of banana peel for the removal of benzoic and salicylic acid from aqueous solutions and its potential reuse. *Desalination Water Treat.* 2016;57:12717–29.
- [247] Tiwari G, Sharma A, Kumar A, Sharma S. Assessment of microwave-assisted alkali pretreatment for the production of sugars from banana fruit peel waste. *Biofuels* 2019;10:3–10.
- [248] Karim AA, Kumar M, Singh SK, Panda CR, Mishra BK. Potassium enriched biochar production by thermal plasma processing of banana peduncle for soil application. *J. Anal. Appl. Pyrolysis* 2017;123:165–72.
- [249] Bordoloi PK, Bhuyan PD, Boruah P, Bordoloi M, Rao PG. A long chain alkylated α -methylene- γ -butyrolactone from *Artabotrys odoratissimus* fruit. *Phytochem. Lett.* 2009;2:22–4.
- [250] Ploetz RC, Kepler AK, Daniells J, Nelson SC. Banana and plantain—an overview with emphasis on Pacific island cultivars Musaceae (banana family). *Species Profiles for Pacific Island Agroforestry* 2007:1–27.

- [251] Seffati K, Honarvar B, Esmaili H, Esfandiari N. Enhanced biodiesel production from chicken fat using $\text{CaO}/\text{CuFe}_2\text{O}_4$ nanocatalyst and its combination with diesel to improve fuel properties. *Fuel* 2019;235:1238–44.
- [252] Fadhil AB, Aziz AM, Altamer MH. Potassium acetate supported on activated carbon for transesterification of new non-edible oil, bitter almond oil. *Fuel* 2016;170:130–40.
- [253] Balajii M, Niju S. Banana peduncle – a green and renewable heterogeneous base catalyst for biodiesel production from *Ceiba pentandra* oil. *Renew. Energy* 2020;146:2255–69.
- [254] Changmai B, Rano R, Vanlalveni C, Rokhum L. A novel *Citrus sinensis* peel ash coated magnetic nanoparticles as an easily recoverable solid catalyst for biodiesel production. *Fuel* 2021;286:119447.
- [255] Elimbinzi E, Nyandoro SS, Mubofu EB, Manayil JC, Lee AF, Wilson K. Valorization of rice husk silica waste: organo-amine functionalized castor oil templated mesoporous silicas for biofuels synthesis. *Microporous Mesoporous Mater.* 2020;294:109868.
- [256] Roy T, Sahani S, Sharma YC. Green synthesis of biodiesel from *Ricinus communis* oil (castor seed oil) using potassium promoted lanthanum oxide catalyst: kinetic, thermodynamic and environmental studies. *Fuel* 2020;274:117644.
- [257] Yahya NY, Ngadi N, Wong S, Hassan O. Transesterification of used cooking oil (UCO) catalyzed by mesoporous calcium titanate: kinetic and thermodynamic studies. *Energy Convers. Manag.* 2018;164:210–8.
- [258] Ahmad Farid MA, Hassan MA, Taufiq-Yap YH, Ibrahim ML, Hasan MY, Ali AAM, et al. Kinetic and thermodynamic of heterogeneously $\text{K}_3\text{PO}_4/\text{AC}$ -catalysed transesterification via pseudo-first order mechanism and Eyring-Polanyi equation. *Fuel* 2018;232:653–8.
- [259] Roy T, Sahani S, Chandra Sharma Y. Study on kinetics-thermodynamics and environmental parameter of biodiesel production from waste cooking oil and castor oil using potassium modified ceria oxide catalyst. *J. Clean. Prod.* 2020;247:119166.
- [260] Banerjee S, Sahani S, Chandra Sharma Y. Process dynamic investigations and emission analyses of biodiesel produced using Sr–Ce mixed metal oxide heterogeneous catalyst. *J. Environ. Manage.* 2019;248:109218.
- [261] Sarve AN, Varma MN, Sonawane SS. Ultrasound assisted two-stage biodiesel synthesis from non-edible *Schleichera triguga* oil using heterogeneous catalyst: kinetics and thermodynamic analysis. *Ultrason. Sonochem.* 2016;29:288–98.
- [262] Miraj S, Kiani S. Bioactivity of *Sesamum indicum*: a review study. *Der Pharm. Lett.* 2016;8:328–34.
- [263] Shah NC. *Sesamum indicum* (sesame or Til): seeds and oil-a historical and scientific evaluation from Indian perspective. *Asian Agri-History.* 2016;20(1):3-19.
- [264] de Almeida Vittori Gouveia L, Cardoso CA, de Oliveira GMM, Rosa G, Moreira ASB. Effects of the intake of sesame seeds (*Sesamum indicum* L.) and derivatives on oxidative stress: a systematic review. *J. Med. Food* 2016;19:337–45.
- [265] Prasad MN N, KR S, S. Prasad D. A review on nutritional and nutraceutical properties of sesame. *J. Nutr. Food Sci.* 2016;02.
- [266] Amoo SO, Okorogbona AOM, du Plooy CP, Venter SL. *Sesamum indicum*. Medicinal Spices and Vegetables from Africa: Therapeutic Potential Against Metabolic, Inflammatory, Infectious and Systemic Diseases, Elsevier Inc.; 2017:549–79.
- [267] Zarei M, Pezhhanfar S, Ahmadi Someh A. Removal of acid red 88 from wastewater by adsorption on agrobased waste material. a case study of Iranian golden *Sesamum indicum* hull. *Environ. Health Eng. Manag.* 2017;4:195–201.

- [268] Aregawi T, Animut G, Kassa H. Utilization and nutritive value of sesame (*Sesamum indicum* L.) straw as feed for livestock in the North western lowlands of Ethiopia. *Livest. Res. Rural. Dev.* 2013;25:124.
- [269] Jin H, Kolar P, Peretti SW, Osborne JA, Cheng JJ. Kinetics and mechanism of NaOH-impregnated calcined oyster shell-catalyzed transesterification of soybean oil. *Energies.* 2017;10(11):1920.
- [270] Kumar D, Kuk H, Ali A. One-pot solvent-free synthesis of fatty acid alkanoamides from natural oil triglycerides using alkali metal doped CaO nanoparticles as heterogeneous catalyst. *J. Ind. Eng. Chem.* 2016;38:43–9.
- [271] Ismail SAEA, Ali RFM. Physico-chemical properties of biodiesel manufactured from waste frying oil using domestic adsorbents. *Sci. Technol. Adv. Mater.* 2015;16:034602.
- [272] Rahman M, Khatun A, Liu L, Barkla BJ. Brassicaceae mustards: traditional and agronomic uses in Australia and New Zealand. *Molecules* 2018;23(1):231.
- [273] Rahmatullah M, Ferdousi Shefa T, Hasan L, Tozammal Hossain M, Ahmed S, al Mamun A, et al. A study on antinociceptive and anti-hyperglycemic activity of methanol extract of *Brassica Juncea* (L.) Czern. leaves in Mice. *Adv. Nat. Appl. Sci.* 2010;4:221–5.
- [274] Parthiban R, Anand S, Vishnupriya R, Mathiazhagan S. Antidepressant effect of *Brassica nigra* seeds in Swiss mice using tail suspension test. *Res. J. Pharm. Biol. Chem. Sci.* 2015;6:147–54.
- [275] Tomar RS, Shrivastava V. Efficacy evaluation of ethanolic extract of *Brassica nigra* as potential antimicrobial agent against selected microorganism. *Int. J. Pharm. Sci. HealthC.* 2014;4:114–23.
- [276] Nauman SM, Mohammad I. Role of Khardal (*Brassica Nigra*) in non-communicable diseases: an overview. *Int. J. Drug Dev. Res.* 2015;7:137–44.
- [277] Wilson K, Hardacre C, Lee AF, Montero JM, Shellard L. The application of calcined natural dolomitic rock as a solid base catalyst in triglyceride transesterification for biodiesel synthesis. *Green Chem.* 2008;10:654–65.
- [278] Li J, Zhong J, He X, Huang S, Zeng J, He J, et al. Enhanced photocatalytic activity of Fe₂O₃ decorated Bi₂O₃. *Appl. Surf. Sci.* 2013;284:527–32.
- [279] Alves HJ, da Rocha AM, Monteiro MR, Moretti C, Cabrelon MD, Schwengber CA, et al. Treatment of clay with KF: new solid catalyst for biodiesel production. *Appl. Clay Sci.* 2014;91–92:98–104.
- [280] Kaewdaeng S, Sintuya P, Nirunsin R. Biodiesel production using calcium oxide from river snail shell ash as catalyst. *Energy Procedia* 2017;138:937–42.
- [281] Patel A, Brahmkhatri V. Kinetic study of oleic acid esterification over 12-tungstophosphoric acid catalyst anchored to different mesoporous silica supports. *Fuel Process. Technol.* 2013;113:141–9.