

CHAPTER-X**10. REFERENCES**

Abdel Moneim AE and El-Deib KM. The possible protective effects of *Physalis peruviana* on CCl₄-induced nephrotoxicity in male albino rats. Life Science Journal, 2012; 9: 1038-1052.

Abdulhameed IS, Al-Mohamadamin DFH, Abed AB and Abid WB. The effect of ginger plant (*Zingiber officinale*) aqueous extract on function and histological structure of kidney in mice treated with carbon tetrachloride. International Journal of ChemTech Research, 2017; 10 (12): 208-219.

Abubakar MN and Majinda RT. GC-MS analysis and preliminary antimicrobial activity of *Albizia adianthifolia* (Schumach) and *Pterocarpus angolensis* (DC). Medicines, 2016; 3 (3): 1-9.

Adebiyi OE, Olayemi FO, Ning-Hua T and Guang-Zhi Z. *In-vitro* antioxidant activity, total phenolic and flavonoid contents of ethanol extract of stem and leaf of *Grewia carpinifolia*. Journal of Basic and Applied Science, 2017; 6: 10-14.

Ahmed D, Khan MM and Saeed R. Comparative analysis of phenolics, flavonoids, and antioxidant and antibacterial potential of methanolic, hexanic and aqueous extracts from *Adiantum caudatum* leaves. Antioxidants, 2015; 4: 394-409.

Ahsan R, Islam KM, Musaddik A and Haque E. Hepatoprotective activity of methanol extract of some medicinal plants against carbon tetrachloride induced hepatotoxicity in albino rats. Global Journal of Pharmacology, 2009; 3 (3): 116-122.

Al-Yahya M, Mothana R, Al-Said M and Al-Dosari M. Attenuation CCl₄-induced oxidative stress and hepatonephrotoxicity by Saudi Sidr honey in rats. Evidence-Based Complementary and Alternative Medicine, 2013; 115-1165.

Alam MN, Bristi NJ and Rafiquzzaman M. A review on *in-vivo* and *in-vitro* methods evaluation of antioxidant activity. Saudi Pharmaceutical Journal, 2013; 21: 143-152.

Amaral AB, Silva MVD and Lannes SCDS. Lipid peroxidation in meat: mechanisms and protective factors- a review. Food Science and Technology, 2018; 38 (1): 1-15.

Amaravani M, Prasad NK and Ramakrishna V. COX-2 structural analysis and docking studies with gallic acid structural analogues. Springer Plus, 2012; 1 (58): 1-7.

Anderson KJ, Teuber SS, Gobeille A, Cremin P, Waterhouse AL and Steinberg FM. Walnut polyphenolics inhibit *in-vitro* human plasma and LDL oxidation. Journal of Nutrition, 2001; 131: 2837–42.

Anupa MP, Chinju S and Murugan M. Qualitative Phytochemical Screening and Invitro Antioxidant Activity of *Hybanthus enneaspermus*. International Journal of Pharmacognosy and Phytochemical Research, 2016; 8 (6): 1046-1049.

Apak R, Ozyurek M, Guclu K and Capanoglu E. Antioxidant activity/capacity measurement. 1. Classification, physicochemical principles, mechanisms and electron transfer (ET)- based assays. Journal of Agriculture and Food Chemistry, 2016; 64 (5): 997-1027.

Arabshahi-Delouee S, Vishalakshi Devi D and Urooj A. Evaluation of antioxidant activity of some plant extracts and their heat, pH and storage stability. Food Chemistry, 2007; 100: 1100–1105.

Arora S and Kumar G. Gas chromatography-mass spectrometry (GC-MS) determination of bioactive constituents from the methanolic and ethyl acetate extract of *Cenchrus setigerus* Vahl (Poaceae). The Pharma Innovation Journal, 2017; 6 (11): 635-640.

Asna AN and Noriham A. Antioxidant activity and bioactive components of oxalidaceae fruit extracts. Malaysian Journal of Analytical Sciences, 2014; 18 (1): 116- 126.

Ayoola GA, Coker HAB, Adesegun SA, Adepoju-Bella AA, Obaweya K, Ezennia EC and Atangbayila TO. Phytochemical screening and anti-oxidant activity of some selected medicinal plants used for malaria therapy in South-Western Nigeria. Tropical Journal of Pharmaceutical Research, 2008; 7 (3): 1019-1024.

Babu D, Gurumurthy P, Borra SK and Cherian KM. Antioxidant and free radical scavenging activity of triphala determined by using different *in-vitro* models. Journal of Medicinal Plant Research, 2013; 7 (39): 2898-2905.

Bahashwan S, Hassan MH, Aly H, Ghobara MM, El-Beshbishy HA and Busati I. Crocin mitigates carbon tetrachloride-induced liver toxicity in rats. Journal of Taibah University Medical Sciences, 2015; 10 (2): 140-149.

Balasubramanian A, Ramalingam K, Krishnan SK and Christina AJM. Anti-inflammatory activity of *Morus indica* Linn. International Journal of Pharmacy and Technology, 2005; 4 (1): 13-15.

Beers Jr. RF and Sizer IW. A spectrophotometric method for measuring the breakdown of hydrogen peroxide by catalase. Journal of Biological Chemistry, 1952; 195: 133-140.

Benzie IFF and Strain JJ. The ferric reducing ability of plasma (FRAP) as a measure of antioxidant power: the FRAP assay. Analytical Biochemistry, 239; 1996: 70–76.

Bhowmick BC, Sarma AK and Talukdar KC. Farming system in Assam. Scholars' Press, 2015.

Bin Nyeem MA, Alam MK, Md Abu Hossain MA, Islam MM, Akramuzzaman M and Das SK. A review of evidence based hepatoprotective selected medicinal plants used in Bangladeshi traditional medicine. International Journal of Veterinary Sciences and Animal Husbandry, 2017; 2 (5): 13-17.

Biswas SK. Does the Interdependence between Oxidative Stress and Inflammation Explain the Antioxidant Paradox? Oxidative Medicine and Cellular Longevity, 2016; 5698931.

Brahma AZ, Narzihari RR, Brahma UG, Basumatary UK and Brahma D. Bodoland Movement (1986-2001). "A dream and reality". All Bodo Students' Union, Kokrajhar, 2001.

Cao WR, Ge JQ, Xie X, Fan ML, Fan XD, Wang H, Dong ZY, Liao ZH, Lan XZ and Chen M. Protective Effects of Petroleum Ether Extracts of *Herpetospermum caudigerum* against α -naphthylisothiocyanate-Induced Acute Cholestasis of Rats. Journal of Ethnopharmacology, 2017; S0378-8741.

Cerqueira NM, Bras NF, Fernandes PA and Ramos MJ. MADAMM: a multistage docking with an automated molecular modeling protocol. Proteins, 2009; 74 (1): 192-206.

Chanu KV, Ali MA and Kataria M. Antioxidant activities of two medicinal vegetables: *Parkia javanica* and *Phlogacanthus thyrsoiflorus*. International Journal of Pharmacy and Pharmaceutical Sciences, 2012; 4 (1): 102-106.

Chatterjee GK, Burman K, Nagchaudhuri AK and Pal SP. Anti-inflammatory and antipyretic activities of *Morus indica*. Journal of Medicinal Plant Research, 1983; 48: 116-119.

Chen J, Sun H, Sun A, Hua Lin Q, Wang, Y and Tao X. Studies of the protective effect and antioxidant mechanism of blueberry anthocyanins in a CC14-induced liver injury model in mice. Food and Agricultural Immunology, 2012; 3: 352–362.

Das BK, Al-Amin MM, Chowdhury NN, Majumder FU, Nasir Uddin M and Pavel AM. Analgesic, anti-inflammatory, and anti-oxidant activities of *Phlogacanthus thyrsoiflorus* leaves. Journal of Basic and Clinical Physiology and Pharmacology, 2015; 26 (2): 153–159.

Dasgupta P, Chakraborty P and Bala NN. *Averrhoa carambola*: An update review. International Journal of Pharma Research & Review, 2013; 2 (7): 54-63.

De Vos P. European materia medica in historical texts: Longevity of a tradition and implications for future use. Journal of Ethnopharmacology, 2010; 132: 28–34.

Deepa R and Selvakumar S. GC-MS analysis of bioactive constituents of methanolic extracts of leaves of *Actinodaphne bourdillonii* Gamble. International Journal of Pharmacy and Pharmaceutical Sciences, 2014; 6 (10): 212-213.

Delouee AS and Urooj A. Antioxidant properties of various solvent extracts of mulberry (*Morus indica* L.) leaves. Food Chemistry, 2007; 102 (4): 1233-1240.

Denardin CC, Hirsch GE, Rocha RF. da, Vizzotto M, Henriques AT, Moreira JCF, Guma TCRF and Emanuelli T. Antioxidant capacity and bioactive compounds of four Brazilian native fruits. Journal of Food and Drug Analysis, 2015; 23: 387-398.

Dutta S, Chakraborty AK, Dey P, Kar P, Guha P, Sen S, Kumar A, Sen A and Chaudhuri TK. Amelioration of CCl₄ induced liver injury in swiss albino mice by antioxidant rich leaf extract of *Croton bonplandianus* Baill. Plos One, 2018; 1-30.

Ebrahimzadeh MA, Nabavi SM, Nabavi SF Eslami B and Ehsanifar S. Antioxidant activity of *Hyoscyamus squarrosus* fruits. Pharmacologyonline, 2009; 2: 644-650.

Elela GMA, Elnaby HA, Ibrahim HAH and Okabah MA. Marine natural products and their potential applications as anti-infective agents. World Applied Science Journal, 2009; 7 (7): 872-880.

Emniyet AA, Avci E, Ozcelik B, Avci GA and Kose DA. Antioxidant and antimicrobial activities with GC/MS analysis of the *Morus alba* L. leaves. Hittite Journal of Science and Engineering, 2014; (1): 137-41.

Eswaraiah CM, Nettem S, Dipankar B and Manasa N. Hepatoprotective activity Of *Averrhoa Carambola* stem ethanolic extract on CCl₄ induced liver damage in rats. International Journal of Pharmacy and Pharmaceutical Sciences, 2013; 5 (4): 406-410.

Fall AD, Dieng SIM, Diatta-Badji K, Diatta W and Bassene E. Phytochemical screening, phenol content and antioxidant studies of ethanol leaf extract of *Celtis toka* (Forssk.) Hepper & J.R.I. Wood. Journal of Pharmacognosy and Phytochemistry, 2017; 6 (1): 488-492.

Fatma N and Uphadhyay RP. *Euphorbia nivulia* Buch. Ham.: A boon for jaundice (A case study). Annals of Plant Sciences, 2015; 4 (6): 1137-1139.

Ferreira LG, Dos Santos RN, Oliva G and Andricopulo AD. Molecular Docking and Structure-Based Drug Design Strategies. Molecules, 2015; 20: 13384-13421.

Florence TM. The role of free radicals in disease. Australian and New Zealand Journal of Ophthalmology, 1995; 23 (1): 3-7.

Gan RY, Kuang L, Xu XR, Zhang Y, Xia EQ, Song FL and Li HB. Screening of natural antioxidants from traditional Chinese medicinal plants associated with treatment of rheumatic disease. Molecules, 2010; 15: 5988-5997.

Ganesan K, Nair SKP, Azalewor HG, Letha N and Gani SB. Preliminary phytochemical screening and *in-vitro* antioxidant activity of *Datura Stramonium* collected from Jimma, South west Ethiopia. International Journal of Pharma and Bio-Sciences, 2016; 7 (1): 261-266.

Ganguly S and Panigrahi N. Docking studies of some novel 1-{2-(Diarylmethoxy) ethyl}- 2-methyl-5-nitroimidazole (Damni) analogs. International Journal of ChemTech Research, 2009; 1 (4): 974-984.

Ghasemzadeh A and Ghasemzadeh N. Flavonoids and phenolic acids: Role and biochemical activity in plants and humans. Journal of Medicinal Plant Research, 2011; 5 (31): 6697-6703.

Ghasi S, Nwobodo E and Ofili JO. Hypocholesterolemic effects of crude extract of leaf of *Moringa oleifera* Lam. in high-fat diet fed wistar rats. *Journal of Ethnopharmacology*, 2000; 69: 21-25.

Giacometti J, Muhvic D, Pavletic A and Dudaric L. Cocoa polyphenols exhibit antioxidant, anti-inflammatory, anticancerogenic, and antinecrotic activity in carbon tetrachloride intoxicated mice. *Journal of Functional Foods*, 2016; 23: 177–187.

Glushchenko AV, Perekhoda LA and Georgiyants VA. Docking studies of the chemical components of the composition of *Bupleurum aureum* plant in relation to hepatoprotective biotargets. *Der Pharma Chemica*, 2015; 7 (4):201-206.

Gobalakrishnan R, Manikandan P and Bhuvaneshwari R. Antimicrobial potential and bioactive constituents from aerial parts of *Vitis setosa* Wall. *Journal of Medicinal Plant Research*, 2014; 8 (11): 454-460.

Gordillo KR, Shah R and Muriel P. Oxidative Stress and Inflammation in Hepatic Diseases: Current and Future Therapy. *Oxidative Medicine and Cellular Longevity*, 2017; 3140673.

Gosh A. Herbal folk remedies of Bantura & Medinipur districts, West Bengal (India). *Indian Journal of Traditional Knowledge*, 2003; 2: 393–396.

Gunalan G, Vijayalakshmi K, Saraswathy A, Hopper W and Tamilvannan T. Anti-inflammatory activities of phytochemicals from *Bauhinia variegata* Linn. leaf: An *in-silico* approach. *Journal of Chemical and Pharmaceutical Research*, 2014; 6 (9):334-348.

Halgren TA. Identifying and characterizing binding sites and assessing druggability. *Journal of Chemical Information and Modeling*, 2009; 49: 377–389.

Handa SS, Sharma A and Chakraborty KK. Natural products as liver protecting drugs. *Fitoterapia*, 1986; 57: 307–351.

Hopkin AI. Network pharmacology: The next paradigm in drug discovery. *Nature Chemical Biology*, 2008; 4: 682-90.

Hsieh CW, Ko WC, Ho WJ, Chang CK, Chen GJ and Tsai JC. Antioxidant and hepatoprotective effects of *Ajuga nipponensis* extract by ultrasonic assisted extraction. *Asian Pacific Journal of Tropical Medicine*, 2016; 9 (5): 420-5.

Huang SY, Grinter SZ and Zou X. Scoring functions and their evaluation methods for protein-ligand docking: Recent advances and future directions. *Physical Chemistry Chemical Physics*, 2010; 12: 12899–12908.

Hussein F, Hassan R, Akram H, Hussein H and Bassam B. Phytochemical screening and extraction of polyphenol from stems and leaves of a Lebanese *Euphorbia macrolada schyzoceras* Boiss. *Annals of Biological Research*, 2012; 3 (1): 149-56.

Igwenyi IO, Eze AC, Aja PM, Elom SO, Uraku AJ, Awoke JN and Obasi NA. Cholesterol-lowering and hepatoprotective effect of fruit extract of *Azadirachta indica* on *Plasmodium berghei* infected mice. *International Journal of Current Microbiology and Applied Sciences*, 2017; 6 (9): 3367-3375.

Ismail NA, Kamariah AS, Lim LBL and Ahmad N. Phytochemical and Pharmacological Evaluation of Methanolic Extracts of the Leaves of *Nepenthes bicalcarata* Hook.F. *International Journal of Pharmacognosy and Phytochemical Research*, 2015; 7 (6): 1127-1138.

Jan S and Khan MR. Protective effect of *Monothecca buxifolia* fruit on renal toxicity induced by CCl₄ in rats. *BMC Complementary and Alternative Medicine*, 2016; 16: 289.

Jasmine JM, Latha K and Vanaja R. Determination of bioactive components of decholestrate a polyherbal formulation by GC-MS analysis. *New York Science Journal*, 2013; 6 (5): 1-5.

Jayshree A, Jayashree S and Thangaraju N. *Chlorella vulgaris* and *Chlamydomonas reinhardtii*: effective antioxidant, antibacterial and anticancer mediators. *Indian Journal of Pharmaceutical Sciences*, 2016; 78 (5): 575-581.

Johnston DE and Kroening C. Mechanism of early carbon tetrachloride toxicity in cultured rat hepatocytes. *Pharmacology and Toxicology*, 1998; 83: 231-239.

Jollow DJ, Mitchell JR, Zampaglione N and Gillete JR. Bromobenzene induced liver necrosis. Protective role of glutathione and evidence for 3,4- bromobenzene oxide as a hepatotoxic metabolite. *Pharmacology*, 1974; 11: 151-169.

Kabesh K, Senthil kumar P, Ragunathan R and Kumar RR. Phytochemical analysis of *Catharanthus roseus* plant extract and its anti-microbial activity. *International Journal of Pure and Applied Biosciences*, 2015; 3 (2): 162-72.

Kahraman A, Morris RJ, Laskowski RA and Thornton JM. Shape variation in protein binding pockets and their ligands. *Journal of Molecular Biology*, 2007; 368 (1): 283-301.

Karakus E, Karadeniz A, Simsek N, Can I, Kara A, Yildirim S, Kalkan Y and Kisa F. Protective effect of *Panax ginseng* against serum biochemical changes and apoptosis in liver of rats treated with carbon tetrachloride (CCl₄). *Journal of Hazardous Materials*, 2011; 195: 208-213.

Kasote DM, Katyare SS, Hegde MV and Bae H. Significance of antioxidant potential of plants and its relevance to therapeutic applications. *International Journal of Biological Sciences*, 2015; 11 (8): 982-991.

Khalid A, Shahid S, Khan SA, Kanwal S, Yaqoob A, Rasool ZG and Rizwan K. Antioxidant activity and hepatoprotective effect of *Cichorium intybus* (Kasni) seed extract against carbon tetrachloride-induced liver toxicity in rats. *Tropical Journal of Pharmaceutical Research*, 2018; 17 (8): 1531-1538.

Khan RA. Effects of *Launaea procumbens* on brain antioxidant enzymes and cognitive performance of rat. *BMC Complementary and Alternative Medicine*, 2012; 12: 219.

Khan RA, Khan MR, Ahmed M, Sahreen S, Shah NA, Shah MS, Bokhari J, Rashid U, Ahmad B and Jan S. Hepatoprotection with a chloroform extract of *Launaea procumbens* against CCl₄- induced injuries in rats. *BMC complementary and alternative medicine*, 2012; 12: 114.

Kitchen DB, Decornez H, Furr JR and Bajorath J. Docking and scoring in virtual screening for drug discovery: methods and applications. *Nature Reviews Drug Discovery*, 2004; 3 (11): 935–949.

Kour SB and Sharma DK. Conservation status of *Varanus bengalensis* in Kokrajhar district of Assam, India. *International Journal of Fauna and Biological Studies*, 2016; 3 (3): 42-44.

Kpodar MS, Karou SD, Katawa G, Anani K, Gbekley HE, Adjrah Y, Tchacondo T, Batawila K and Simpore J. An ethnobotanical study of plants used to treat liver diseases in the maritime region of Togo. *Journal of Ethnopharmacology*, 2016; 181: 263-273.

Ksouri A, Dob T, Belkebir A, Lamari L, Krimat S and Metidji H. Total phenolic, antioxidant, antimicrobial activities and cytotoxicity study of wild *Anethum graveolens* L. *International Journal of Pharmacognosy and Phytochemical Research*, 2015; 7 (6): 1025-32.

Kuhn T and Wang Y. Artemisinin an innovative cornerstone for anti-malaria therapy. *Progress in Drug Research*, 2008; 66: 383-422.

Kumar A, Rai N, Kumar N, Gautam P and Kumar JS. Mechanisms involved in hepatoprotection of different herbal products: A review. *International Journal of Research in Pharmaceutical Sciences*, 2013; 4 (2): 112-117.

Lamie PF, Phillopes JN, El-Gendy AO, Rarova L and Gruz J. Design, synthesis and evaluation of novel Phthalimide derivatives as *in-vitro* anti-microbial, antioxidant and anti-inflammatory agents. *Molecules*, 2015; 20: 16620-16642.

Lee DY, Lin X, Paskaleva EE, Liu Y, Puttamadappa SS, Thornber C, Drake JR, Habulin M, Shekhtman A and Canki M. Palmitic acid is a novel CD4 fusion inhibitor that blocks HIV entry and infection. *AIDS Research and Human Retroviruses*, 2009; 25 (12): 1231-1241.

Lee YS, Cho IJ, Kim JW, Lee MK, Ku SK, Choi JS and Lee HJ. Hepatoprotective effects of blue honeysuckle on CCl₄-induced acute liver damaged mice. *Food Science & Nutrition*, 2019, 7 (1): 322-338.

Li Z, Wei W, Chen B, Cai G, Li X, Wang P, Tang J and Dong W. The effect of rhCygb on CCl₄-induced hepatic fibrogenesis in rat. *Scientific reports*, 2016; 6: 23508.

Lim YS and Lee ST. *In-vitro* antioxidant capacities of star fruit (*Averrhoa carambola*), an underutilised tropical fruit. *Journal of Biology*, 2013; 1 (1): 21-24.

Lin HM, Tseng HC, Wang CJ, Lin JJ, Lo CW and Chou FP. Hepatoprotective effects of *Solanum nigrum* Linn extract against CCl₄-induced oxidative damage in rats. *Chemico-Biological Interactions*, 2008; 171: 283–293.

Lipinski CA. Drug-like properties and the causes of poor solubility and poor permeability. *Journal of Pharmacological and Toxicological Methods*, 2000; 44: 235–249.

Lipinski CA, Lombardo F, Dominy BW and Feeney PJ. Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Advanced Drug Delivery Reviews*, 1997; 23: 3–25.

Liu T and Altman RB. Identifying druggable targets by protein microenvironments matching: application to transcription factors. *CPT: Pharmacometrics & Systems Pharmacology*, 2014; 3 (1): e93.

Liu Z, Ren Z, Zhang J, Chuang CC, Kandaswamy E, Zhou T and Zou L. Role of ROS and nutritional antioxidants in human diseases. *Frontiers in Physiology*, 2018; 9: 447.

Lordache A, Culea M, Gherman C and Cozar O. Characterization of some plant extracts by GC–MS. *Nuclear Instruments and Methods in Physics Research*, 2009; 267: 338-342.

Lowry OH, Rosenberg NJ, Farr AL and Randall RJ. Protein measurement with Folin phenol reagent. *Journal of Biological Chemistry*, 1975; 193: 265-275.

Lu SY, Jiang YJ, Lv J, Wu TX, Yu QS and Zhu WL. Molecular docking and molecular dynamics simulation studies of GPR40 receptor-agonist interactions. *Journal of Molecular Graphics and Modelling*, 2010; 28: 766-774.

Ma T, Sun X, Tian C, Zheng Y, Zheng C and Zhan J. Chemical composition and hepatoprotective effects of polyphenols extracted from the stems and leaves of *Sphallerocarpus gracilis*. *Journal of Functional Foods*, 2015; 18: 673-683.

Maestro, Version 10.2; Schrodinger Software: New York, NY, USA, 2015.

Maheshwari DT, Kumar MSY, Verma SK, Singh VK and Singh SN. Antioxidant and hepatoprotective activities of phenolic rich fraction of Seabuckthorn (*Hippophae rhamnoides* L.) leaves. *Food and Chemical Toxicology*, 2011; 49: 2422-8.

Maiti S. Inventory, documentation and status of medicinal plants research in India. *Medicinal plants research in Asia, 1: The Framework and Project Workplans*; 2004: 79-103.

Mani V, Siddique AI, Arivalagan S, Thomas NS and Namasivayam N. Zingerone ameliorates hepatic and renal damage in alcohol-induced toxicity in experimental rats. *International Journal of Nutrition, Pharmacology, Neurological Diseases*, 2016; 6 (3):125-32.

Mao AA and Hynniewta TM. Floristic diversity of North East India. *Journal of Assam Science Society*, 2000; 41 (4): 255-266.

Mazumder S and Choudhury S. Leaf extract of *Averrhoa carambola* L. confines the oxidative stress and confers hepatoprotection in albino mice. *Indo American Journal of Pharmaceutical Research*, 2013; 3 (10): 8388-8393.

Meng EC, Shoichet BK and Kuntz ID. Automated docking with grid-based energy evaluation. *Journal of Computational Chemistry*, 2004; 13 (4): 505–524.

Middha SK, Bhattacharjee B, Saini D, Baliga MS, Nagaveni MB and Usha T. Protective role of *Trigonella foenum* graceum extract against oxidative stress in hyperglycemic rats. *European Review for Medical and Pharmacological Sciences*, 2011; 15 (4): 427–435.

Misra HP and Fredovich I. The role of super oxide anion in the auto oxidation of epinephrine and a simple assay of super oxide dismutase. *Journal of Biological Chemistry*, 1972; 247: 3170-3175.

Molyneux RJ, Lee ST, Gardner DR, Panter KE and James LF. Phytochemicals: the good, the bad and the ugly. *Phytochemistry*, 2007; 68 (22-24): 2973-85.

Moonmun D, Majumder R and Lopamudra A. Quantitative phytochemical estimation and evaluation of antioxidant and antibacterial activity of methanol and ethanol extracts of *Heliconia rostrata*. *International Journal of Pharmaceutical Sciences*, 2017; 79 (1): 79-90.

Moresco HH, Queiroz GS, Pizzolatti MG and Brighente IMC. Chemical constituents and evaluation of the toxic and antioxidant activities of *Averrhoa carambola* leaves. *Revista Brasileira de Farmacognosia*, 2012; 22 (2): 319-324.

Morris RJ, Najmanovich RJ, Kahraman A and Thornton JM. Real spherical harmonic expansion coefficients as 3d shape descriptors for protein binding pocket and ligand comparisons. *Bioinformatics*, 2005; 21 (10): 2347–2355.

Muthulakshmi A, Jothibai MR and Mohan VR. GC-MS analysis of bioactive components of *Feronia elephantum* Correa (Rutaceae). Journal of Applied Pharmaceutical Sciences, 2012; 2 (2): 69-74.

Najafabad AM and Jamei R. Free radical scavenging capacity and antioxidant activity of methanolic and ethanolic extracts of plum (*Prunus domestica* L.) in both fresh and dried samples. Avicenna Journal of Phytomedicine, 2014; 4 (5): 343-53.

Narzary H, Islary A and Basumatary S. Phytochemicals and antioxidant properties of eleven wild edible plants from Assam, India. Mediterranean Journal of Nutrition and Metabolism, 2016; 9: 191–201.

Nimse SB and Pal D. Free radicals, natural antioxidants, and their reaction mechanisms. Royal Society of Chemistry Advances, 2015; 5: 27986.

Niratker C and Singh PM. Preliminary phytochemical screening of leaf extract of mulberry (*Morus indica*) from Chhattisgarh. International Journal of Applied Biology and Pharmaceutical Technology, 2014; 5 (3): 131-136.

Nirmal SA, Pal SC, Otimenyin S, Aye T, Mostafa E, Kundu SK, Amirthalingam R and Mandal SC. Contribution of herbal products in global market. The Pharma Review, 2013; 6: 95-104.

Nwidi L, Elmorsy E, Yibala OI and Carter WG. Hepatoprotective effects of hydromethanolic leaf and stem extracts of *Spondias mombin* in carbon tetrachloride induced-hepatotoxicity and oxidative stress. Journal of Basic and Clinical Pharmacy, 2017; 8: S11-S19.

OECD Guideline for testing of chemicals. Acute Oral Toxicity – Acute Toxic Class Method. Test 423, 2002.

Ogaly HA, Eltablawy NA and Abd-Elsalam RM. Antifibrogenic influence of *Mentha piperita* L. essential oil against CCl₄-induced liver fibrosis in rats. Oxidative Medicine and Cellular Longevity, 2018; 4039753.

Oh PS, Lee J and Lim KT. Inhibitory effect of MIL glycoprotein on expression of pro-inflammatory mediators in carbon tetrachloride-induced mice liver damage. Journal of Applied Toxicology, 2010; 30: 754-760.

Ohkawa H, Ohishi N and Yagi K. Assay of lipid peroxidation in animals and tissues by thiobarbituric acid test. *Analytical Biochemistry*, 1979; 95: 351-358.

Oyedemi SO and Afolayan AJ. Antibacterial and antioxidant activities activities of hydroalcoholic stem bark extracts of *Schotia latifolia* Jacq. *Asian Pacific Journal of Tropical Medicine*, 2011; 952-958.

Ozcan A and Ogun M. Biochemistry of reactive oxygen and nitrogen species. *Basic Principles and Clinical Significance of Oxidative Stress*, 2015; 3: 37-58.

Pan SY, Zhou SF, Gao SH, Yu ZL, Zhang SF, Tang MK, Sun JN, Ma DL, Han YF, Fong WF and Ko KM. New Perspectives on How to Discover Drugs from Herbal Medicines: CAM's Outstanding Contribution to Modern Therapeutics. *Evidence-Based Complementary and Alternative Medicine*, 2013; 627375.

Pathare YS and Wagh VD. Herbal medicines and nutritional supplements used in the treatment of Glaucoma: A review. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 2012; 3 (1): 331-339.

Patil DA and Patil MV. Diversity and concerns of Indian medicinal plants: A scenario. *Journal of Ecobiotechnology*, 2010; 2 (8): 14-20.

Patschull AOM, Gooptu B, Ashford P, Daviter T and Nobel I. *In-silico* assessment of potential druggable pockets on the surface of α_1 -antitrypsin conformers. *PLoS ONE*, 2012; 7 (5): e36612.

Pavithra K and Vadivukkarasi S. Evaluation of free radical scavenging activity of various extracts of leave from *Kedrostis foetidissima* (Jacq.) Cogn. *Food Science and Human Wellness*, 2015; 4: 42-46.

Pelkonen O, Xu Q and Fan TP. Why is research on herbal medicinal products important and how can we improve its quality? *Journal of Traditional and Complementary Medicine*, 2014; 4 (1): 1-7.

Pellegrini N, Serafini M, Colombi B, Rio DD, Salvatore S, Bianchi M and Brighenti F. Total antioxidant capacity of plant foods, beverages and oils consumed in Italy assessed by three different *in-vitro* assays. *Journal of Nutrition*, 2003; 133 (9): 2812-9.

Phadke AS. A review on lipid lowering activities of ayurvedic and other herbs. *Natural Product Radiance*, 2007; 6 (1): 81-89.

Phukan U. *Agricultural development in Assam, 1950-1985*. Mittal Publications, 1990.

Pinchuk I, Shoval H, Dotan Y and Lichtenberg D. Evaluation of antioxidants: Scope, limitations and relevance of assays. *Chemistry and Physics of Lipids*, 2012; 165: 638– 647.

Pisoschi AM, Pop A, Cimpeanu C and Predoi G. Antioxidant capacity determination in plants and plant-derived products: A review. *Oxidative Medicine and Cellular Longevity*, 2016; 9130976.

Raghavan R, Cheriyaundath S and Madassery J. Andrographolide, a new potential NF- κ B inhibitor: docking simulation and evaluation of drug-likeness. *Molecular Simulation*, 2012; 38 (7): 582-588.

Rahmat AA, Dar FA and Choudhary IM. Protection of CCl₄-induced liver and kidney damage by phenolic compounds in leaf extracts of *Cnestis ferruginea* (de Candolle). *Pharmacognosy Research*, 2014; 6 (1): 19–28.

Rajeswari G, Murugan M and Mohan VR. GC-MS analysis of bioactive components of *Hugonia mystax* L. (Linaceae). *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 2012; 3 (4): 301-308.

Raman ST, Ganeshan AKPG, Chen C, Jin C, Li SH, Chen HJ and Gui Z. *In-vitro* and *in-vivo* antioxidant activity of flavonoid extracted from mulberry fruit (*Morus alba* L.). *Pharmacognosy Magazine*, 2016; 12 (46): 128–133.

Raman VB, Samual LA, Saradhi PM, Rao NB, Vamsi Krishna NA, Sudhakar M and Radhakrishnan TM. Antibacterial, antioxidant activity and GC-MS analysis of *Eupatorium odoratum*. *Asian Journal of Pharmaceutical and Clinical Research*, 2012; 5.

Reddy PV and Urooj A. Evaluation of hepatoprotective activity of *Morus indica* Linn. against toxicity induced by carbon tetrachloride in rats. *International Journal of Pharmaceutical Sciences and Research*, 2017; 8: 845-51.

Riyaz A. Approach to jaundice (CME). *Indian Journal of Dermatology, Venereology and Leprology*, 1997; 63 (5): 288-95.

Rukmini K and Devi PS. GC-MS Analysis and Phytochemical Screening of A Rare Pteridophyte *Nephrolepis cardifolia* (L.) Presl. from Tirumala Hills. International Journal of Pharma Research & Review, 2014; 3 (12): 13-19.

Santillan EM, Bujaidar EM, Gonzalez IA, Sumaya-Martinez MT, Salinas JG, Bautista M, Morales-Gonzalez A, Gonzalez-Rubio MGL, Aguilar-Faisal JL and Morales-Gonzalez JA. Review of natural products with hepatoprotective effects. World Journal of Gastroenterology, 2014; 20 (40): 14787–14804.

Saravanan P, Chandramohan G, Mariajancyrani J and Shanmugasundaram P. GC-MS analysis of phytochemical constituents in ethanolic bark extract of *Ficus religiosa* Linn. International Journal of Pharmacy and Pharmaceutical Science, 2014; 6: 457-460.

Sasikumar V and Kalaisezhiyen P. Evaluation of free radical scavenging activity of various leaf extracts from *Kedrostis foetidissima* (Jacq.) Cogn. Biochemistry and Analytical Biochemistry, 2014; 3: 2.

Sathi K and Sengottuvel R. Qualitative and quantitative phytochemical analysis of *Moringa concanensis* Nimmo. International Journal of Current Microbiology and Applied Science, 2016; 5 (1): 633-640.

Schmidtke P and Barril X. Understanding and Predicting Druggability. A high-throughput method for detection of drug binding sites. Journal of Medicinal Chemistry, 2010; 53: 5858-5867.

Scigress explorer ultra 7.7 bio applications getting started manual, Fujitsu Limited, Poland, 2012.

Selvaraj S, Chittibabu CV and Janarthanam B. Studies on phytochemical screening, antioxidant activity and extraction of active compound (swertiamarin) from leaf extract of *Enicostemma littorale*. Asian Journal of Pharmaceutical and Clinical Research, 2014; 7 (4): 240-244.

Shah MD, DSouza UJA and Iqbal M. The potential protective effect of *Commelina nudiflora* L. against carbon tetrachloride (CCl₄)-induced hepatotoxicity in rats, mediated by suppression of oxidative stress and inflammation. Environmental Health and Preventive Medicine, 2017; 22: 66.

Shah NA, Khan MR, Ahmad B, Noureen F, Rashid U and Khan RA. Investigation on flavonoid composition and anti free radical potentials of *Sida cordata*. BMC complementary and Alternative Medicine, 2013; 13: 276.

Sharma J, Gairola S, Gaur RD and Painuli RM. The treatment of jaundice with medicinal plants in indigenous communities of the sub-himalayan region of Uttarakhand, India. Journal of Ethnopharmacology, 2012; 143: 262–291.

Shashikumar JN, Champawat PS, Mudgal VD, Jain SK, Deepak S and Mahesh K. A review: Food, medicinal and nutraceutical properties of fenugreek (*Trigonella foenum Graecum* L.). International Journal of Chemical Studies, 2018; 6 (2): 1239-1245.

Shukla A, Vats S, Shukla RK, Painuly D, Porval A and Tyagi R. Phytochemical evaluation, proximate analysis and biological activity of *Reinwardtia indica* Dum. leaves. International Journal of Pharmacognosy and Phytochemical Research, 2016; 8(5); 750-755.

Sindhu N, Chinna EM and Dipankar B. Evaluation of *in-vitro* antioxidant activity of *Averrhoa carambola* stem ethanolic extract. International Journal of Pharmtech Research, 2013; 5 (4): 1611-1618.

Song FL, Gan RY, Zhang Y, Xiao Q, Kuang L. and Li HB. Total phenolic contents and antioxidant capacities of selected Chinese medicinal plants. International Journal of Molecular Sciences, 2010; 11: 2362-2372.

Sousa SF, Ribeiro AJ, Coimbra JT, Neves RP, Martins SA, Moorthy HNS, Fernandes PA and Ramos MJ. Protein-ligand docking in the new millennium--a retrospective of 10 years in the field. Current Medical Chemistry, 2013; 20 (18): 2296–2314.

Sravanthi J and Rao GS. Quantification of antioxidant-phytochemical studies in *Vitis vinifera* L. varieties. Asian Journal of Pharmaceutical and Clinical Research, 2015; 8 (5): 295-301.

Srivastava A and Shivanandappa T. Hepatoprotective effect of the root extract of *Decalepis hamiltonii* against carbon tetrachloride-induced oxidative stress in rats. Food Chemistry, 2010; 118: 411–417.

Stickel F and Schuppan D. Herbal medicine in the treatment of liver diseases. Digestive and Liver Disorders, 2007; 39: 293–304.

Sudheesh S, Presannakumar G, Vijiyakumar S and Vijayalakshmi NR. Hypolipidemic effect of flavonoids from *Solanum melongena*. *Plant Foods and Human Nutrition*, 1997; 51: 321-30.

Sukandar EY, Sigit JI and Adiwibowo LF. Study of kidney repair mechanisms of corn silk (*Zea mays* L. Hair)-binahong (*Anredera cordifolia* (Ten.) Steenis) leaves combination in rat model of kidney failure. *International Journal of Pharmacology*, 2013; 9 (1): 12-23.

Suseela V, Gopalakrishnan VK and Varghese S. *In-vitro* antioxidant studies of fruits of *Artemisia nilagirica* (Clarke) Pamp. *Indian Journal of Pharmaceutical Sciences*, 2010; 72 (5): 644-649.

Tamilvanan T and Hopper W. High-throughput virtual screening and docking studies of matrix protein vp40 of ebola virus. *Bioinformatics*, 2013; 9 (6): 286-292.

Thokchom AD, Ningthoujam SS, Talukdar AD, Chingakham BS, Choudhury MD, Potsangbam KS and Shantibala Devi GA. Ethnobotanical survey of medicinal plants used as hepatoprotective in Imphal east and west district of Manipur, India. *International Journal of Scientific and Research Publications*, 2016; 6 (6): 217-224.

Thokchom AD, Talukdar AD, Chingakham BS, Ningthoujam SS and Choudhury MD. Traditional usage of ethnomedicinal plants in treating liver disorders at Manipur, North East India. *European Journal of Medicinal Plants*, 2018; 23 (3): 1-10.

Thomas S, Patil DA, Patil A and Chandra N. Pharmacognostic evaluation & physiochemical analysis of *Averrhoa carambola* L. fruit. *Journal of Herbal Medicine & Toxicology*, 2008; 2 (2): 51-54.

Tung YT, Wu JH, Huang CC, Peng HC, Chen YL, Yang SC and Chang ST. Protective effect of *Acacia confusa* bark extract and its active compound gallic acid against carbon tetrachloride-induced chronic liver injury in rats. *Food and Chemical Toxicology*, 2009; 47: 1385–1392.

Upur H, Amat N, Blazekovic B and Talip A. Protective effect of *Cichorium glandulosum* root extract on carbon tetrachloride-induced and galactosamine induced hepatotoxicity in mice. *Food and Chemical Toxicology*, 2009; 47: 2022–2030.

Urooj A and Reddy PV. *Moringa oleifera*: Antioxidant properties and stability of various solvent extracts. International Journal of Pharmaceutical Sciences and Biotechnology, 2010; 1 (1): 1-6.

Velioglu YS, Mazza G, Gao L and Oomah BD. Antioxidant activity and total phenolics in selected fruits, vegetables, and grain products. Journal of Agricultural and Food Chemistry, 1998; 46: 4113-7.

Venkatesh R, Vidya R and Kalaivani K. Gas chromatography and mass spectrometry analysis of *Solanum villosum* (Mill) (Solanaceae). International Journal of Pharmaceutical Sciences & Research, 2014; 5 (12): 5283-5287.

Vuda M, D'souza R, Upadhy S, Kumar V, Rao N, Kumar V, Boillat C and Mungli P. Hepatoprotective and antioxidant activity of aqueous extract of *Hybanthus enneaspermus* against CCl₄-induced liver injury in rats. Experimental and Toxicologic Oathology, 2012; 64: 855-859.

Wang L, Zhou GB, Liu P, Song JH, Liang Y, Yan XJ, Xu F, Wang BS, Mao JH, Shen ZX, Chen SJ and Chen Z. Dissection of mechanisms of Chinese medicinal formula realgar-indigo naturalis as an effective treatment for promyelocytic leukemia. Proceedings of the National Academy of Sciences of USA, 2008; 105 (12): 4826-31.

Weber LW, Boll M and Stampfl A. Hepatotoxicity and mechanism of action of haloalkanes: carbon tetrachloride as a toxicological model. Critical Reviews in Toxicology, 2003; 33: 105 -156.

Willcox M, Benoit-Vical F, Fowler D, Bourdy G, Burford G, Giani S, Graziose R, Houghton P, Randrianarivelosia M & Rasoanaivo P. Do ethnobotanical and laboratory data predict clinical safety and efficacy of anti-malarial plants? Malaria Journal, 2011; 10 (1): 7.

Wills PJ and Asha VV. Protective effect of *Lygodium flexuosum* (L) Sw. extract against carbon tetrachloride-induced acute liver injury in rats. Journal of Ethnopharmacology, 2006; 108: 320-326.

World Health Organization. Traditional medicine; growing needs and potential. WHO Policy perspectives on medicines. WHO, Geneva; 2002: 1-6.

World Health Organization. World Health Organization Fact Sheet No. 328, 2008.

Wu H, Zhang G, Huang L, Pang H, Zhang N, Chen Y and Wang G. Hepatoprotective effect of polyphenol-enriched fraction from *Folium Microcos* on oxidative stress and apoptosis in acetaminophen-induced liver injury in mice. *Oxidative Medicine and Cellular Longevity*, 2017; 3631565.

Yao LH, Jiang YM, Shi J, Tomás-Barberán FA, Datta NN, Singanusong R and Chen SS. Flavonoids in food and their health benefits. *Plant Foods for Human Nutrition*, 2004; 59:113-22.

Yeh Y and Liu L. Cholesterol-lowering effect of garlic extracts and organosulfur compounds: Human and animal studies. *Journal of Nutrition*, 2001; 131: 989-993.

Yoshioka H, Usuda H, Fukuishi N, Nonogaki T and Onosaka S. Carbon tetrachloride-induced nephrotoxicity in mice is prevented by pretreatment with zinc sulfate. *Biological and Pharmaceutical Bulletin*, 2016; 39: 1042-1046.

Zeashan H, Amresh G, Singh S and Rao CV. Hepatoprotective and antioxidant activity of *Amaranthus spinosus* against CCL₄ induced toxicity. *Journal of Ethnopharmacology*, 2009; 125: 364-366.

Zekeya N, Chacha M, Shahada F and Kidukuli A. Analysis of phytochemical composition of *Bersama abyssinica* by gas chromatography –mass spectrometry. *Journal of Pharmacognosy and Phytochemistry*, 2014; 3 (4): 246-252.

Zhang LJ, Yu JP, Li D, Huang YH, Chen ZX and Wang XZ. Effects of cytokines on carbon tetrachloride-induced hepatic fibrogenesis in rats. *World Journal of Gastroenterology*, 2004; 10 (1): 77-81.

Zsoldos Z, Reid D, Simon A, Sadjad SB and Johnson AP. eHiTs: a new fast, exhaustive flexible ligand docking system. *Journal of Molecular Graphics and Modelling*, 2007; 26 (1): 198-212.