

## CONTENTS

| <i>Title</i>                                    | <i>Pages</i> |
|---|--------------|
| Acknowledgment                                  | v            |
| Abstract  | vii          |
| List of Tables                                  | ix           |
| List of Figures                                 | x            |
| List of Appendices                              | xi           |
| <b>CHAPTER-I      Introduction</b>              | <b>1-4</b>   |
| 1.1 Introduction                                | 1            |
| 1.2 Necessity of the research                   | 3            |
| 1.3 Research problem                            | 4            |
| 1.4 Objectives                                  | 4            |
| <b>CHAPTER- II      Literature Review</b>       | <b>5-10</b>  |
| 2.1 Survey review                               | 5            |
| 2.2 Plant phytochemicals and antioxidant review | 6            |
| 2.3 Hepatoprotective review                     | 7            |
| 2.4 GC-MS analysis review                       | 9            |
| 2.5 Docking review                              | 9            |
| <b>CHAPTER- III      Description of Plants</b>  | <b>11-12</b> |
| 3.1 Sample selection                            | 11           |
| 3.2 <i>Morus indica</i> L.                      | 11           |
| 3.3 <i>Averrhoa carambola</i> L.                | 11           |
| 3.4 <i>Phlogacanthus thyrsiflorus</i> Nees.     | 12           |
| <b>CHAPTER- IV      Materials and Methods</b>   | <b>13-24</b> |
| 4.1 Area of study                               | 13           |
| 4.2 Topography                                  | 13           |
| 4.3 Collection and Identification               | 13           |

|  |    |
|--|----|
| 4.4 Extract preparation of sample                              | 14 |
| 4.5 Phytochemical screening                                    | 14 |
| 4.6 <i>In-vitro</i> antioxidant tests                          | 16 |
| 4.6.1 Total phenolic contents                                  | 16 |
| 4.6.2 Total flavonoid contents                                 | 16 |
| 4.6.3 Total reducing power assay                               | 16 |
| 4.6.4 Total antioxidant capacity                               | 16 |
| 4.6.5 DPPH radical scavenging assay                            | 17 |
| 4.6.6 ABTS radical cation scavenging assay                     | 17 |
| 4.6.7 Iron chelating capacity                                  | 17 |
| 4.6.8 H <sub>2</sub> O <sub>2</sub> radical scavenging assay   | 18 |
| 4.6.9 Ferric reducing antioxidant assay                        | 18 |
| 4.7 Gas chromatography coupled with mass-spectrometry analysis | 18 |
| 4.8 <i>In-vivo</i> animal model experiment                     | 19 |
| 4.8.1 Experimental animal                                      | 19 |
| 4.8.2 Acute toxicity study                                     | 19 |
| 4.8.3 Experimental design                                      | 19 |
| 4.8.4 Assessment of serum biochemical assays                   | 20 |
| 4.8.5 Assessment of levels of antioxidant enzymes              | 20 |
| 4.8.5.1 Superoxide dismutase (SOD) assay                       | 21 |
| 4.8.5.2 Catalase assay   | 21 |
| 4.8.5.3 Gluthathione peroxidase                                | 21 |
| 4.8.5.4 Gluthathione assay                                     | 21 |
| 4.8.5.5 Lipid-peroxidation                                     | 22 |
| 4.8.5.6 Total protein assay                                    | 22 |
| 4.9 Histopathological study                                    | 22 |

|  |              |
|--|--------------|
| 4.10 Molecular docking with hepatoprotective bio-target        | 22           |
| 4.10.1 Ligand selection  | 22           |
| 4.10.2 Selection of target protein                             | 23           |
| 4.10.3 Ligand molecules  | 23           |
| 4.10.4 Ligand preparation                                      | 23           |
| 4.10.5 Preparation of receptor                                 | 23           |
| 4.10.6 Molecular docking                                       | 24           |
| 4.10.7 $\Delta G$ binding affinity                             | 24           |
| 4.10.8 ADME property of ligands                                | 24           |
| 4.10.9 Statistical analysis                                    | 24           |
| <b>CHAPTER- V         Results</b>                              | <b>25-59</b> |
| 5.1 Hepatoprotective medicinal plants                          | 25           |
| 5.2 Some herbal formulation                                    | 29           |
| 5.3 Extract yield  | 30           |
| 5.4 Phytochemical screening                                    | 30           |
| 5.5 Total phenolic & flavonoid content                         | 31           |
| 5.6 Total reducing power assay                                 | 33           |
| 5.7 Total antioxidant capacity                                 | 34           |
| 5.8 DPPH radical scavenging assay                              | 35           |
| 5.9 ABTS radical scavenging assay                              | 37           |
| 5.10 Iron chelating capacity                                   | 38           |
| 5.11 H <sub>2</sub> O <sub>2</sub> radical scavenging activity | 40           |
| 5.12 Ferric reducing antioxidant property                      | 41           |
| 5.13 GC-MS analysis  | 42           |

|   |                            |         |
|---|----------------------------|---------|
| 5.14 <i>In-vivo</i> hepatoprotective study                          | 45                         |         |
| 5.14.1 Acute toxicity study   | 45                         |         |
| 5.14.2 Effect of RoMi interventions on biochemical parameters       | 45                         |         |
| 5.14.3 Effect of RoMi on parameters of oxidative stress in liver    | 47                         |         |
| 5.15 Effect of interventions on histopathological changes in liver  | 50                         |         |
| 5.16 Effect of interventions on histopathological changes in kidney | 52                         |         |
| 5.17 Docking analysis of NFκB protein                               | 53                         |         |
| 5.17.1 Receptor sitemap & site score                                | 53                         |         |
| 5.17.2 Ligand docking   | 54                         |         |
| 5.18 Docking analysis of COX-2 protein                              | 56                         |         |
| 5.19 ADME property of ligands                                       | 58                         |         |
| <b>CHAPTER- VI      Discussion</b>                                  | <b>60-72</b>               |         |
| <b>CHAPTER-VII     Conclusion</b>                                   | <b>73-74</b>               |         |
| <b>CHAPTER- VIII    Summary</b>                                     | <b>75-77</b>               |         |
| <b>CHAPTER- IX     Salient Features of the Study</b>                | <b>78</b>                  |         |
| <b>CHAPTER- X      Bibliography</b>                                 | <b>79-97</b>               |         |
| <b>Appendix-A</b>   | Questionnaires used        | 98-99   |
| <b>Appendix-B</b>   | GC-MS chromatogram         | 100-101 |
| <b>Appendix-C</b>   | Chemicals used             | 102-103 |
| <b>Appendix-D</b>   | Instruments used           | 104     |
| <b>Appendix-E</b>   | Paper publication          | 105     |
| <b>Appendix-F</b>   | Seminar presentation       | 106     |
| <b>Appendix-G</b>   | Photos of medicinal plants | 107-113 |
| <b>Appendix-H</b>   | Abbreviations used         | 114-115 |