

LIST OF TABLES

- Table 3.1 Composition of test, reference and basal diets (g/kg).
- Table 3.2 Composition of mineral and vitamin mixture (g/kg).
- Table 4.1 Order based distribution of edible insects consumed by the Bodo tribe.
- Table 4.2 Taxonomic orders, scientific names and vernacular names of edible insects consumed by the Bodos of Assam.
- Table 4.3 Availability calendar for the twenty species of edible insects utilised by the Bodos in Assam.
- Table 4.4 Modes of intake of edible insects as consumed among the Bodos of Assam.
- Table 4.5 Proximate compositions of *V. affinis* g/100g dry weight.
- Table 4.6 Recommended intake of essential minerals per day compared with *V. affinis*.
- Table 4.7 Amino acid composition g/100 g of *V. affinis*.
- Table 4.8 Amino acid score *V. affinis* based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.9 Fatty acid composition g/100 g dry weight and % of total fatty acids of *V. affinis*.
- Table 4.10 Proximate compositions of *P. olivaceus* g/100g dry weight.
- Table 4.11 Recommended intake of essential minerals per day compared with *P. olivaceus*.
- Table 4.12 Amino acid composition g/100 g of *P. olivaceus*.
- Table 4.13 Amino acid score of *P. Olivaceus* based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5 year preschool child.
- Table 4.14 Fatty acid composition g/100 g dry weight and % of total fatty acids of *P. olivaceus*.
- Table 4.15 Proximate compositions of *P. varia* g/100g dry weight.
- Table 4.16 Recommended intake of essential minerals per day compared with *P. varia*.
- Table 4.17 Amino acid composition (g/100 g) of *P. varia* g/100g dry weight.
- Table 4.18 Amino acid score of *P. varia* based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5 year preschool child.
- Table 4.19 Fatty acid composition g/100 g dry weight and % of total fatty acids of *P. varia*.

- Table 4.20 Proximate compositions of *O. smaragdina*. g/100g dry weight.
- Table 4.21 Recommended intakes of essential minerals per day compared with *O. smaragdina*.
- Table 4.22 Amino acid composition (g/100g) of *O. smaragdina*.
- Table 4.23 Amino acid score based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.24 Fatty acid composition g/100 g dry weight and % of total fatty acids of *O. smaragdina*.
- Table 4.25 Proximate compositions of *L. indicus* g/100g dry weight
- Table 4.26 Recommended intake of essential minerals per day compared with *L. indicus*.
- Table 4.27 Amino acid composition g/100 g of *L. indicus*.
- Table 4.28 Amino acid score based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.29 Fatty acid composition g/100 g dry weight and % of total fatty acids of *L. indicus*.
- Table 4.30 Proximate compositions of *T. portentosus* g/100g dry weight
- Table 4.31 Recommended intake of essential minerals per day compared with *T. portentosus*.
- Table 4.32 Amino acid composition of *T. portentosus* g/100 g dry weight.
- Table 4.33 Amino acid score of *T. portentosus* based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.34 Fatty acid composition g/100 g dry weight and % of total fatty acids of *T. portentosus*.
- Table 4.35 Proximate compositions of *E. inflatus* g/100 g dry weight.
- Table 4.36 Recommended intake of essential minerals per day compared with *E. inflatus*.
- Table 4.37 Amino acid composition g/100 g of *E. inflatus*.
- Table 4.38 Amino acid score *E. inflatus* based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.39 Fatty acid composition g/100 g dry weight and % of total fatty acids of *E. inflatus*.
- Table 4.40 Proximate compositions of *C. robustus* g/100 g dry weight.
- Table 4.41 Recommended intake of essential minerals per day compared with *C. robustus*.

- Table 4.42 Amino acid composition g/100 g of *C. robustus*.
- Table 4.43 Amino acid score of *C. robustus* based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.44 Fatty acid composition g/100 g dry weight and % of total fatty acids of *C. robustus*.
- Table 4.45 Proximate compositions of *C. rosea* g/100g dry weight.
- Table 4.46 Recommended intake of essential minerals per day compared with *C. rosea*.
- Table 4.47 Amino acid composition g/100 g of *C. rosea*.
- Table 4.48 Amino acid score of *C. rosea* based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.49 Fatty acid composition g/100 g dry weight and % of total fatty acids of *C. rosea*.
- Table 4.50 Proximate compositions of *O. fuscovittate* g/100 g dry weight
- Table 4.51 Recommended intake of essential minerals per day compared with *O. fuscovittate* .
- Table 4.52 Amino acid composition *O. fuscovittate* g/100 g of *O. fuscovittate*.
- Table 4.53 Amino acid score of *O. fuscovittate* based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.54 Fatty acid composition g/100 g dry weight and % of total fatty acids of *O. fuscovittate*.
- Table 4.55 Proximate compositions of *M. elongata elongata* g/100g dry weight.
- Table 4.56 Recommended intake of essential minerals per day compared with *M. elongata elongata*
- Table 4.57 Amino acid composition (g/100 g) of *M. elongata elongata*.
- Table 4.58 Amino acid score of *M. elongata elongata* based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.59 Fatty acid composition g/100 g dry weight and % of total fatty acids of *M. elongata elongata*.
- Table 4.60 Proximate compositions of *R. baileyi* g/100 g dry weight
- Table 4.61 Recommended intake of essential minerals per day compared with *R. baileyi*.
- Table 4.62 Amino acid composition g/100 g of *R. baileyi*.

- Table 4.63 Amino acid score of *R. baileyi* based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5 year preschool child.
- Table 4.64 Fatty acid composition g/100 g dry weight and % of total fatty acids of *R. baileyi*.
- Table 4.65 Proximate compositions of *C. tripunctatus* g/100 g dry weight.
- Table 4.66 Recommended intakes of essential minerals per day compared with *C. tripunctatus*.
- Table 4.67 Amino acid composition of *C. tripunctatus* (g/100g) dry weight.
- Table 4.68 Amino acid score of *C. tripunctatus* based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5 year preschool child.
- Table 4.69 Fatty acid composition g/100 g dry weight and % of total fatty acids of *C. tripunctatus*.
- Table 4.70 Proximate compositions of *Coleoptera* sp (Bwrbila gedet) g/100g dry weight.
- Table 4.71 Recommended intakes of essential minerals per day compared with *Coleoptera* sp. (Bwrbila gedet).
- Table 4.72 Amino acid composition g/100 g of *Coleoptera* sp. (Bwrbila gedet).
- Table 4.73 Amino acid score of *Coleoptera* sp. (Bwrbila gedet) based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5 year preschool child.
- Table 4.74 Fatty acid composition g/100 g dry weight and % of total fatty acids of *Coleoptera* sp. (Bwrbila gedet).
- Table 4.75 Proximate compositions of *Coleoptera* sp. (Bwrbila fisa) g/100g dry weight
- Table 4.76 Recommended intake of essential minerals per day compared with *Coleoptera* sp. (Bwrbila fisa).
- Table 4.77 Amino acid composition g/100 g of *Coleoptera* sp. (Bwrbila fisa).
- Table 4.78 Amino acid score *Coleoptera* sp. (Bwrbila fisa) based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5 year preschool child.
- Table 4.79 Fatty acid composition g/100 g dry weight and % of total fatty acids of *Coleoptera* sp. (Bwrbila fisa).
- Table 4.80 Proximate compositions of *Macrotermes* sp. g/100 g dry weight.
- Table 4.81 Recommended intake of essential minerals per day compared with *Macrotermes* sp.
- Table 4.82 Amino acid composition g/100 g of *Macrotermes* sp.

- Table 4.83 Amino acid score of *Macrotermes* sp. based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.84 Fatty acid composition g/100 g dry weight and % of total fatty acids of *Macrotermes* sp.
- Table 4.85 Proximate compositions of *Nephila* sp. g/100 g dry weight.
- Table 4.86 Recommended intake of essential minerals per day compared with *Nephila* sp.
- Table 4.87 Amino acid composition g/100 g of *Nephila* sp.
- Table 4.88 Amino acid score of *Nephila* sp. based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.89 Fatty acid composition g/100 g dry weight and % of total fatty acids of *Nephila* sp.
- Table 4.90 Proximate compositions of *Lepidoptera* sp. (Gunjet) g/100 g dry weight.
- Table 4.91 Recommended intake of essential minerals per day compared with *Lepidoptera* sp. (Gunjet).
- Table 4.92 Amino acid composition g/100 g of *Lepidoptera* sp. (Gunjet).
- Table 4.93 Amino acid score *Lepidoptera* sp. (Gunjet) based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.94 Fatty acid composition g/100 g dry weight and % of total fatty acids of *Lepidoptera* sp. (Gunjet).
- Table 4.95 Proximate compositions of *Odonata* sp. (Garba fangthe) g/100g dry weight
- Table 4.96 Recommended intake of essential minerals per day compared with *Odonata* sp. (Garba fangthe).
- Table 4.97 Amino acid composition of *Odonata* sp. (Garba fangthe) g/100g dry weight
- Table 4.98 Amino acid score *Odonata* sp. (Garba fangthe) based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.99 Fatty acid composition g/100 g dry weight and % of total fatty acids of *Odonata* sp. (Garba fangthe)
- Table 4.100 Proximate compositions of *Odonata* sp. (Jujai mala) g/100g dry weight.

- Table 4.101 Recommended intake of essential minerals per day compared with *Odonata* sp. (Jujai mala).
- Table 4.102 Amino acid composition of *Odonata* sp. (Jujai mala) g/100g dry weight
- Table 4.103 Amino acid score *Odonata* sp. (Jujai mala) based on FAO/WHO/UNU (1985) consultation pattern of requirement for a 2 – 5year preschool child.
- Table 4.104 Fatty acid composition g/100 g dry weight and % of total fatty acids of *Odonata* sp. (Garba fangthe).
- Table 4.105 Feed and protein intake evaluation data for fourteen and twenty eight days
- Table 4.106 Protein quality evaluation data for fourteen and twenty eight days
- Table 4.107 Organ weights (g) of control and experimental animals at the end of fourteen days and twenty eight days.
- Table 4.108 The Activities of liver function enzymes in rats fed different diets for fourteen and twenty eight days.
- Table 4.109 The activities of renal function enzymes in rats fed different diets for fourteen and twenty eight days.
- Table 4.110 Serum cholesterol levels of rats fed different diets for 14 and 28 days
- Table 4.111 Haematological parameters in rats fed different diets for 14 days.
- Table 4.112 Haematological parameters in rats fed different diets for 28 days.
- Table 4.113 Histological findings in various organs of rats fed different diets.