

# REFERENCES

- Adams, S., Green, P., Claxton, R., Simcox, S., Williams, M. V., Walsh, K., & Leeuwenburgh, C. (2001). Reactive carbonyl formation by oxidative and non-oxidative pathways. *Frontiers in Biosciences*, 6, A17-A24.
- Aggarwal, N. (2011). Shishu.-A Review of recent investigations on medicinal herbs possessing anti-diabetic properties. *Journal of Nutritional Disorders and Therapy*, 1, 102.
- Ajith, T. A. (2010). Ameliorating reactive oxygen species-induced in vitro lipid peroxidation in brain, liver, mitochondria and DNA damage by Zingiber officinale Roscoe. *Indian Journal of Clinical Biochemistry*, 25(1), 67-73.
- Akao, Y., Seki, N., Nakagawa, Y., Yi, H., Matsumoto, K., Ito, Y., ... & Nozawa, Y. (2004). A highly bioactive lignophenol derivative from bamboo lignin exhibits a potent activity to suppress apoptosis induced by oxidative stress in human neuroblastoma SH-SY5Y cells. *Bioorganic and Medicinal Chemistry*, 12(18), 4791-4801.
- Alho, H., & Leinonen, J. (1999). Total antioxidant activity measured by chemiluminescence methods. In *Methods in Enzymology*, Academic Press( Vol. 299, pp. 3-15).
- Ali, Z. H. (2011). Health and knowledge progress among diabetic patients after implementation of a Nursing Care program based on their profile. *Journal of Diabetes and Metabolism*, 2(2), 121.
- Al-Mustafa, A. H., & Al-Thunibat, O. Y. (2008). Antioxidant activity of some Jordanian medicinal plants used traditionally for treatment of diabetes. *Pakistan Journal of Biological Sciences*, 11(3), 351-358.

- Alonso, A., Sasin, J., Bottini, N., Friedberg, I., Friedberg, I., Osterman, A., ... & Mustelin, T. (2004). Protein tyrosine phosphatases in the human genome. *Cell*, 117(6), 699-711.
- Amarowicz, R., & Pegg, R. B. (2006). Content of proanthocyanidins in selected plant extracts as determined via n-butanol/HCl hydrolysis and a colorimetric assay or by HPLC-a short report. *Polish Journal of Food and Nutrition Sciences*, 15(3), 319.
- Amarowicz, R., & Troszynska, A. (2004). Antioxidant and antiradical activity of extracts of phenolic compounds from red bean. *Czech Journal of Food Sciences*, 22(1), 206.
- Amarowicz, R., Naczk, M., Zadernowski, R., & Shahidi, F. (2000). Antioxidant activity of condensed tannins of beach pea, canola hulls, evening primrose, and faba bean. *Journal of Food Lipids*, 7(3), 195-205.
- American Diabetes Association. (2003). Report of the expert committee on the diagnosis and classification of diabetes mellitus. *Diabetes Care*, 26(1), 5-20.
- American Diabetes Association. (2010). Diagnosis and classification of diabetes mellitus. *Diabetes Care*, 33(Suppl 1), S62.
- Anusriti, B., Middha, S. K., Talambedu, U., Brahma, B. K., & Goyal, A. K. (2015). Bamboo, as potential sources of food security, economic prosperity and ecological security in North-East India: an overview. *Research in Plant Biology*, 5(2), 17-23.
- Badmus, J. A., Adedosu, T. O., Fatoki, J. O., Adegbite, V. A., Adaramoye, O. A., & Odunola, O. A. (2011). Lipid peroxidation inhibition and antiradical activities of some leaf fractions of Mangifera indica. *Acta Poloniae Pharmaceutica*, 68(1), 23-29.
- Bailey, M. J., Biely, P., & Poutanen, K. (1992). Interlaboratory testing of methods for assay of xylanase activity. *Journal of Biotechnology*, 23(3), 257-270.
- Bao, J. (2006). The nutrition and bioactive function of bamboo shoots. *Food Nut in China*, 4, 2-3.
- Basumatary, A., Middha, S. K., Usha,

- T., Basumatary, A. K., Brahma, B. K., & Goyal, A. K. (2017). Bamboo shoots as a nutritive boon for Northeast India: an overview. *3 Biotech*, 7(3), 169.
- Ben-Zhi, Z., Mao-Yi, F., Jin-Zhong, X., Xiao-Sheng, Y., & Zheng-Cai, L. (2005). Ecological functions of bamboo forest: research and application. *Journal of Forestry Research*, 16(2), 143-147.
- Berthoud, V. M., & Beyer, E. C. (2009). Oxidative stress, lens gap junctions and cataracts. *Antioxidants and Redox Signaling*, 11(2), 339-353.
- Bhargava, A., Kumbhare, V., Srivastava, A., & Sahai, A. (1996). Bamboo parts and seeds for additional source of nutrition. *Journal of Food Science and Technology*, 33(2), 145-146.
- Bhatt, B. P., Singha, L. B., Singh, K., & Sachan, M. S. (2003). Commercial edible bamboo species and their market potentiality in three Indian tribal states of the North Eastern Himalayan Region. *Journal of Bamboo Rattan*, 2(2), 111-133.
- Bialy, L., & Waldmann, H. (2005). Inhibitors of Protein Tyrosine Phosphatases: Next-Generation Drugs. *Angewandte Chemie International Edition*, 44(25), 3814-3839.
- Biswas, S. (1994). Diversity and genetic resource of Indian bamboos and the strategies for their conservation. *Bamboo and genetic resources and use. Proceedings of the First INBAR Biodiversity*, 29-34.
- Brahma, B. K., Basumatary, A., Basumatary, J., Narzary, D., Mwshahary, N., Jamatia, S., ... & Goyal, A. K. (2014). Inventorying bamboo diversity of Kokrajhar District, BTAD, Assam, India with emphasis on its uses by the Bodos tribes. *International Journal of Fundamental and Applied Sciences*, 3(3), 30-34.
- Brower, V. (1998). Nutraceuticals: poised for a healthy slice of the healthcare market. *Nature Biotechnology*, 16(8), 728.
- Bryan A. H. (2005) Understanding Medicinal Plants. Their chemistry and Therapeutic action. The Haworth Herbal Press. 4:83-118.

- Ceriello, A., & Motz, E. (2004). Is oxidative stress the pathogenic mechanism underlying insulin resistance, diabetes, and cardiovascular disease? The common soil hypothesis revisited. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 24(5), 816-823.
- Ceriello, A., Falletti, E., Motz, E., Taboga, C., Tonutti, L., Ezsol, Z., ... & Bartoli, E. (1998). Hyperglycemia-induced circulating ICAM-1 increase in diabetes mellitus: the possible role of oxidative stress. *Hormone and Metabolic Research*, 30(03), 146-149.
- Cheseto, X., Kachigamba, D. L., Ekesi, S., Ndung'u, M., Teal, P. E., Beck, J. J., & Torto, B. (2017). Identification of the Ubiquitous Antioxidant Tripeptide Glutathione as a Fruit Fly Semiochemical. *Journal of Agricultural and Food Chemistry*, 65(39), 8560-8568.
- Cheung, L. M., Cheung, P. C., & Ooi, V. E. (2003). Antioxidant activity and total phenolics of edible mushroom extracts. *Food Chemistry*, 81(2), 249-255.
- Chis, I. C., Ungureanu, M. I., Marton, A., Simedrea, R., Muresan, A., Postescu, I. D., & Decea, N. (2009). Antioxidant effects of a grape seed extract in a rat model of diabetes mellitus. *Diabetes and Vascular Disease Research*, 6(3), 200-204.
- Chong, Z. Z., Li, F., & Maiese, K. (2005). Oxidative stress in the brain: novel cellular targets that govern survival during neurodegenerative disease. *Progress in Neurobiology*, 75(3), 207-246.
- Chong, Z. Z., Li, F., & Maiese, K. (2005). Stress in the brain: novel cellular mechanisms of injury linked to Alzheimer's disease. *Brain Research Reviews*, 49(1), 1-21.
- Chong, Z. Z., Lin, S. H., Kang, J. Q., & Maiese, K. (2003). The tyrosine phosphatase SHP2 modulates MAP kinase p38 and caspase 1 and 3 to foster neuronal survival. *Cellular and Molecular Neurobiology*, 23(4-5), 561-578.
- Chongtham, N., Bisht, M. S., & Haorongbam, S. (2011). Nutritional properties of bamboo shoots: potential and prospects for utilization as a health

- food. *Comprehensive Reviews in Food Science and Food Safety*, 10 (3), 153-168.
- Choudhury, D., Sahu, J. K., & Sharma, G. D. (2010). Biochemistry of bitterness in bamboo shoots. *Assam University Journal of Science and Technology*, 6(2), 105-111.
- da Silva, S. B., Costa, J. P., Pintado, M. E., Ferreira, D. C., & Sarmento, B. (2010). Antioxidants in the prevention and treatment of diabetic retinopathy—a review. *Journal of Diabetes and Metabolism*, 1(3), 111.
- De Silva, T. M., & Miller, A. A. (2016). Cerebral small vessel disease: targeting oxidative stress as a novel therapeutic strategy?. *Frontiers in Pharmacology*, 7, 61.
- De Silva, T. M., Brait, V. H., Drummond, G. R., Sobey, C. G., & Miller, A. A. (2011). Nox2 oxidase activity accounts for the oxidative stress and vasomotor dysfunction in mouse cerebral arteries following ischemic stroke. *PloS ONE*, 6(12), e28393.
- Dey T, S. Saha , S. Adhikari and P.D. Ghosh (2015) A Comprehensive Review on Medicinally Important Plant, *Croton tiglum* L. *International Journal of Current Research and Biosciences Plant Biology* 2(7): 124-128
- Ebbo, A. A., Mammam, M., Suleiman, M. M., Ahmed, A., & Bello, A. (2014). Preliminary phytochemical screening of *Diospyros mespiliformis*. *Anatomy and Physiology*, 4(156), 2161-0940.
- Eskin, M. N. A., & Tamir, S. (2005). Functional foods and nutraceuticals. *Dictionary of Nutraceuticals and Functional Foods*, 1, 377-378.
- Evans W C & Evans T. Pharmacognosy. 14th ed. London: BailiereTindall WB Saunders company ltd,1996.
- Faulds, C. B., Pérez-Boada, M., & Martínez, Á. T. (2011). Influence of organic co-solvents on the activity and substrate specificity of feruloyl esterases. *Bioresource Technology*, 102(8), 4962-4967.
- Finkel, T., & Holbrook, N. J. (2000). Oxidants, oxidative stress and the biology of ageing. *Nature*, 408 (6809), 239.

- Flohé, L., & Günzler, W. A. (1984). [12] Assays of glutathione peroxidase. In *Methods in enzymology*, Academic Press(Vol. 105, pp. 114-120).
- Florian, F. S., Kammerer, D., Schieber, A., Adama, H., Nacoulma, O. G., & Carle, R. (2004). Betacyanins and phenolic compounds from Amaranthus spinosus L. and Boerhavia erecta L. *Zeitschrift für Naturforschung C*, 59(1-2), 1-8.
- Fubini, B., & Hubbard, A. (2003). Reactive oxygen species (ROS) and reactive nitrogen species (RNS) generation by silica in inflammation and fibrosis. *Free Radical Biology and Medicine*, 34(12), 1507-1516.
- García-Lafuente, A., Guillamón, E., Villares, A., Rostagno, M. A., & Martínez, J. A. (2009). Flavonoids as anti-inflammatory agents: implications in cancer and cardiovascular disease. *Inflammation Research*, 58(9), 537-552.
- Gaweł S, Wardas M, Niedworok E, Wardas P (2004) Malondialdehyde (MDA) as a lipid peroxidation marker. *Wiadomosci Lekarskie*, 57(9-10):453-455
- Gaweł, S., Wardas, M., Niedworok, E., & Wardas, P. (2004). Malondialdehyde (MDA) as a lipid peroxidation marker. *Wiadomosci Lekarskie (Warsaw, Poland: 1960)*, 57(9-10), 453-455.
- Gayathri, M., & Kannabiran, K. (2012). Effect of 2-hydroxy-4-methoxy benzoic acid isolated from Hemidesmus indicus on erythrocyte membrane bound enzymes and antioxidant status in streptozotocin-induced diabetic rats. *Indian Journal of Pharmaceutical Sciences*, 74(5), 474.
- Genuth, S., Alberti, K. G. M. M., Bennett, P., Buse, J., DeFronzo, R., Kahn, R., ... & Nathan, D. (2003). Follow-up report on the diagnosis of diabetes mellitus. *Diabetes Care*, 26(11), 3160-3168.
- German, J. B., Yeretzian, C., & Watzke, H. J. (2004). Personalizing foods for health and preference. *Food Technology*, 58 (12), 26-31.
- Giacco, F., & Brownlee, M. (2010). Oxidative stress and diabetic complications. *Circulation Research*, 107(9), 1058-1070.

- Gil, M. I., Ferreres, F., & Tomás-Barberán, F. A. (1999). Effect of postharvest storage and processing on the antioxidant constituents (flavonoids and vitamin C) of fresh-cut spinach. *Journal of Agricultural and Food Chemistry*, 47(6), 2213-2217.
- Gireesha, J., & Raju, N. S. (2013). Ethno botanical study of medicinal plants in BR Hills region of Western Ghats, Karnataka. *Asian Journal of Plant Science and Research*, 3(5), 36-40.
- Giri, S. S., & Janmejoy, L. (1992). Nutrient composition of three edible bamboo species of Manipur. *Frontiers in Biology*, 4, 53-56.
- Glowinski, J., & Iversen, L. L. (1966). Regional studies of catecholamines in the rat brain. I. *Journal of Neurochemistry*, 13, 655-669.
- Govan AT, Macfarlane PS, Callander R (1986) Pathology illustrated, 2nd Edition, Churchill Livingstone, Edinburgh, New York.
- Goyal, A. K., & Brahma, B. K. (2014). Antioxidant and nutraceutical potential of bamboo: an overview. *International Journal of Fundamental and Applied Sciences*, 3(1), 2-10.
- Goyal, A. K., & Sen, A. (2015). Phylogenetic relationships among accessions of bamboos encountered in North Bengal, India based on RAPD and ISSR markers. *Indian Journal of Biotechnology*, 14 (1):495-503.
- Goyal, A. K., & Sen, A. (2016). In vitro regeneration of bamboos, the “Green Gold”: an overview. *Indian Journal of Biotechnology*, 15(1): 9-16
- Goyal, A. K., Basistha, B. C., Sen, A., & Middha, S. K. (2011). Antioxidant profiling of Hippophae salicifolia growing in sacred forests of Sikkim, India. *Functional Plant Biology*, 38(9), 697-701.
- Goyal, A. K., Ghosh, P. K., Dubey, A. K., & Sen, A. (2012). Inventorying bamboo biodiversity of North Bengal: a case study. *International Journal of Fundamental and Applied Sciences*, 1(1), 5-8.
- Goyal, A. K., Kar, P., & Sen, A. (2013). Advancement of bamboo taxonomy in the era of molecular

- biology: a review. *Biology of useful plants and microbes*, Narosa publication house, New Delhi, 197-208.
- Goyal, A. K., Middha, S. K., & Sen, A. (2011). In vitro antioxidative profiling of different fractions of Dendrocalamus strictus (Roxb.) Nees leaf extracts. *Free Radicals and Antioxidants*, 1(2), 42-48.
- Goyal, A. K., Middha, S. K., & Sen, A. (2013). Bambusa vulgaris Schrad. ex JC Wendl. var. vittata Riviere & C. Riviere leaves attenuate oxidative stress-An in vitro biochemical assay. *Indian Journal of Natural Product Resource*, 4,436-440.
- Goyal, A. K., Middha, S. K., Usha, T., & Sen, A. (2016). Ameliorating reactive oxygen species-induced in vitro lipid peroxidation in liver, carbohydrate and DNA damage by Dendrocalamus hamiltonii different leaf extracts. *Chiang Mai Journal of Science*. 43(X) , 1134-1142.
- Goyal, A. K., Middha, S. K., Usha, T., & Sen, A. (2017). Analysis of toxic, antidiabetic and antioxidant potential of Bambusa balcooa Roxb. leaf extracts in alloxan-induced diabetic rats. *3 Biotech*, 7 (2), 120.
- Goyal, A. K., Middha, S. K., Usha, T., Chatterjee, S., Bothra, A. K., Nagaveni, M. B., & Sen, A. (2010). Bamboo-infoline: A database for North Bengal bamboo's. *Bioinformation*, 5(4), 184.
- Goyal, A. K., Mishra, T., Bhattacharya, M., Kar, P., & Sen, A. (2013). Evaluation of phytochemical constituents and antioxidant activity of selected actinorhizal fruits growing in the forests of Northeast India. *Journal of Biosciences*, 38 (4), 797-803.
- Goyal, A.K., Middha, S.K., & Sen, A. (2010). Evaluation of the DPPH radical scavenging activity, total phenols and antioxidant activities in Indian wild Bambusa vulgaris" Vittata" methanolic leaf extract. *Journal of Natural Pharmaceuticals*, 1(1), 40-45
- Halliwell, B.(2012) Free radicals and antioxidants: updating a personal view. *Nutrition Reviews* 70(5):257-265
- Halliwell, B. (1991). Reactive oxygen

- species in living systems: source, biochemistry, and role in human disease. *The American Journal of Medicine*, 91(3), S14-S22.
- Halliwell, B. (2001). Role of free radicals in the neurodegenerative diseases. *Drugs and Aging*, 18(9), 685-716.
- Halvorsen, B. L., Holte, K., Myhrstad, M. C., Barikmo, I., Hvattum, E., Remberg, S. F., ... & Moskaug, Ø. (2002). A systematic screening of total antioxidants in dietary plants. *The Journal of Nutrition*, 132(3), 461-471.
- Hanum, F. A. R. I. D. A. H., & Hamzah, N. U. R. U. L. H. U. D. A. (1999). The use of medicinal plant species by the Temuan tribe of Ayer Hitam Forest, Selangor, Peninsular Malaysia. *Pertanika Journal of Tropical Agricultural Science*, 22(2), 85-94.
- Harborne, J. B., & Williams, C. A. (2000). Advances in flavonoid research since 1992. *Phytochemistry*, 55(6), 481-504.
- Harisaranraj, R., Suresh, K., & Saravanababu, S. (2009).
- Evaluation of the Chemical Composition Rauwolfia serpentina and Ephedra vulgaris. *Advances in Biological Research*, 3(5-6), 174-178.
- Hasani-Ranjbar, S., Larijani, B., & Abdollahi, M. (2008). A systematic review of Iranian medicinal plants useful in diabetes mellitus. *Archives of Medical Science*, 4(3), 285-292.
- He, Y. H., & Lachance, P. A. (1998, March). Effects of dietary bamboo shoot on fecal neutral sterols and bile acid excretion in the rat. *FASEB Journal* 12(4):210-216
- Hoyweghen, L.V., Karalic, I., Van Calenbergh, S., Deforce, D., & Heyerick, A. (2010). Antioxidant flavone glycosides from the leaves of Fargesia robusta. *Journal of Natural Products*, 73(9), 1573-1577.
- Jasprica, I., Bojic, M., Mornar, A., Besic, E., Bucan, K., & Medic-Saric, M. (2007). Evaluation of antioxidative activity of Croatian Propolis samples using DPPH<sup>·</sup> and ABTS<sup>·+</sup> stable free radical assays. *Molecules*, 12(5), 1006-1021.

- Kagan, V. E., & Tyurina, Y. Y. (1998). Recycling and redox cycling of phenolic antioxidants. *Annals of the New York Academy of Sciences*, 854(1), 425-434.
- Kelley, D. E., He, J., Menshikova, E. V., & Ritov, V. B. (2002). Dysfunction of mitochondria in human skeletal muscle in type 2 diabetes. *Diabetes*, 51(10), 2944-2950.
- Keski-Saari, S., Ossipov, V., Julkunen-Tiitto, R., Jia, J., Danell, K., Veteli, T., ... & Niemelä, P. (2008). Phenolics from the culms of five bamboo species in the Tangjiahe and Wolong Giant Panda Reserves, Sichuan, China. *Biochemical Systematics and Ecology*, 36(10), 758-765.
- Khadem, S., & Marles, R. J. (2010). Monocyclic phenolic acids; hydroxy-and polyhydroxybenzoic acids: occurrence and recent bioactivity studies. *Molecules*, 15 (11), 7985-8005.
- Kilicgun, H., & Dehen, A. (2009). In vitro antioxidant effect of Rosa canina in different antioxidant test systems. *Pharmacognosy Research*, 1(6), 417.
- Kosmider, B., & Osiecka, R. (2004). Flavonoid compounds: a review of anticancer properties and interactions with cis-diamminedichloroplatinum (II). *Drug Development Research*, 63(4), 200-211.
- Kotecha, P. V. (2008). Micronutrient malnutrition in India: Let us say “no” to it now. *Indian journal of community medicine: official publication of Indian Association of Preventive and Social Medicine*, 33 (1), 9.
- Kowall, B., & Rathmann, W. (2013). HbA1c for diagnosis of type 2 diabetes. Is there an optimal cut point to assess high risk of diabetes complications, and how well does the 6.5% cutoff perform?. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 6, 477.
- Kumar V, Cotran R, Robbins S, Saunders WB (1992) Basic Pathology, 5th Edition, Philadelphia, U.S.A.
- Kumaran, A., & Karunakaran, R. J. (2007). Antioxidant activity of Cassia auriculata flowers. *Fitoterapia*, 78(1), 46-47.

- Kweon, M. H., Hwang, H. J., & Sung, H. C. (2001). Identification and antioxidant activity of novel chlorogenic acid derivatives from bamboo (*Phyllostachys edulis*). *Journal of Agricultural and Food Chemistry*, 49(10), 4646-4655.
- Langseth L (1995) Oxidants, Antioxidants and Disease Prevention. ILSI Press, Washington, DC p. 57
- Lapidot, T., Walker, M. D., & Kanner, J. (2002). Antioxidant and prooxidant effects of phenolics on pancreatic  $\beta$ -cells in vitro. *Journal of Agricultural and Food Chemistry*, 50(25), 7220-7225.
- Lapornik, B., Prošek, M., & Wondra, A. G. (2005). Comparison of extracts prepared from plant by-products using different solvents and extraction time. *Journal of food Engineering*, 71(2), 214-222.
- Lehane, A. M., & Saliba, K. J. (2008). Common dietary flavonoids inhibit the growth of the intraerythrocytic malaria parasite. *BMC Research Notes*, 1(1), 26.
- Lowry, O. H. (1951). Protein measurement with folin phenol reagent. *The Journal of Biological Chemistry*, 193, 265-275.
- Lu, S. C. (1999). Regulation of hepatic glutathione synthesis: current concepts and controversies. *The FASEB Journal*, 13(10), 1169-1183.
- Lushchak, V. I. (2012). Glutathione homeostasis and functions: potential targets for medical interventions. *Journal of Amino Acids*, 2012. Article ID 736837.
- Lv, Z. L., Lin, X., Miao, Z. H., Guo, H. X., Lei, M. L., Pan, Y., & Zhang, B. L. (2012). Antioxidant activity of bamboo-leaf extracts from the species *Dendrocalamopsis oldhami*. *Scientific Research and Essays*, 7(44), 3789-3796.
- Mackenzie, R. W., & Elliott, B. T. (2014). Akt/PKB activation and insulin signaling: a novel insulin signaling pathway in the treatment of type 2 diabetes. *Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy*, 7, 55.
- Maiese, K., Chong, Z. Z., & Shang, Y. C. (2007). Mechanistic insights into diabetes mellitus and oxidative

- stress. *Current Medicinal Chemistry*, 14(16), 1729-1738.
- Maiese, K., Li, F., & Chong, Z. Z. (2004). Erythropoietin in the brain: can the promise to protect be fulfilled?. *Trends in Pharmacological Sciences*, 25(11), 577-583.
- Memişogulları, R., & Bakan, E. (2004). Levels of ceruloplasmin, transferrin, and lipid peroxidation in the serum of patients with Type 2 diabetes mellitus. *Journal of Diabetes and its Complications*, 18 (4), 193-197.
- Menaria J. (2016). Anti Diabetic Activity of Leaves Extract of Bambusa Arundinacea *The Pharmaceutical and Chemical Journal*, 3(2):197-200.
- Middha, S. K., Bhattacharjee, B., Saini, D., Baliga, M. S., Nagaveni, M. B., & Usha, T. (2011). Protective role of Trigonella foenum graceum extract against oxidative stress in hyperglycemic rats. *European Review for Medical and Pharmacological Sciences*, 15(4), 427-435.
- Middha, S. K., Usha, T., & Pande, V. (2013). A review on antihyperglycemic and antihepatoprotective activity of eco-friendly Punica granatum peel waste. *Evidence-Based Complementary and Alternative Medicine*, 2013. Article ID 656172
- Middha, S. K., Usha, T., & Pande, V. (2014). Pomegranate peel attenuates hyperglycemic effects of alloxan-induced diabetic rats. *EXCLI Journal*, 13, 223.
- Mikati, M. A., Hokayem, J. A. E., & Sabban, M. E. E. (2007). Effects of a single dose of erythropoietin on subsequent seizure susceptibility in rats exposed to acute hypoxia at P10. *Epilepsia*, 48(1), 175-181.
- Mishra, T., Goyal, A. K., Middha, S. K., & Sen, A. (2011). Antioxidative properties of Canna edulis Ker-Gawl. *Indian Journal of Natural Products and Resources*. 2(3): 315-321
- Misra, H. P., & Fridovich, I. (1972). The role of superoxide anion in the autoxidation of epinephrine and a simple assay for superoxide dismutase. *Journal of Biological Chemistry*, 247(10), 3170-3175.

- Muir, A. D. (1995) Antioxidative activity of condensed tannins In Chemistry Health Effects, and Applications (F. Shahidi, ed.) AOCS Press Champaign, Illinois 204–212
- Mújica, O. J., Vázquez, E., Duarte, E. C., Cortez-Escalante, J. J., Molina, J., & Silva Junior, J. B. D. (2014). Socioeconomic inequalities and mortality trends in BRICS, 1990? 2010. *Bulletin of the World Health Organization*, 92, 405-412.
- Muniappan, M., & Sundararaj, T. (2003). Antiinflammatory and antiulcer activities of *Bambusa arundinacea*. *Journal of Ethnopharmacology*, 88(2-3), 161-167.
- Nagendra Prasad, M. N., Sanjay, K. R., Shravya Khatkar, M., Vismaya, M. N., & Nanjunda Swamy, S. (2011). Health benefits of rice bran- a review. *Journal of Nutrition and Food Sciences*, 1(3), 1-7.
- Nakbi, A., Tayeb, W., Grissa, A., Issaoui, M., Dabbou, S., Chargui, I., ... & Hammami, M. (2010). Effects of olive oil and its fractions on oxidative stress and the liver's fatty acid composition in 2, 4-
- Dichlorophenoxyacetic acid-treated rats. *Nutrition and Metabolism*, 7 (1), 80.
- Nam, J. S., Chung, H. J., Jang, M. K., Jung, I. A., Park, S. H., Cho, S. I., & Jung, M. H. (2013). *Sasa borealis* extract exerts an antidiabetic effect via activation of the AMP-activated protein kinase. *Nutrition Research and Practice*, 7(1), 15-21.
- Nazreen,S., Kaur,G., MahboobAlam, M., Haider,S., Hamid, H., Alam MS.(2011) Hypoglycemic activity of *Bambusa arundinacea* leaf ethanolic extract I streptozotocin induced diabetic rats . *Pharmacologyonline* 1,964–972.
- Nirmala, C., & Sharma, M. L. (2008). A comparative study of nutrient components of freshly harvested, fermented and canned bamboo shoots of *Dendrocalamus giganteus* Munro. *Bamboo Science & Culture*, 21(1).
- Nirmala, C., David, E., & Sharma, M. L. (2007). Changes in nutrient components during ageing of emerging juvenile bamboo shoots. *International Journal of Food Sciences and Nutrition*, 58(8), 612-618.

- Ogunjinmi, A. A., Ijeomah, H. M., & Aiyeloja, A. A. (2009). Socio-economic importance of bamboo (*Bambusa vulgaris*) in Borgu local government area of Niger State, Nigeria. *Journal of Sustainable Development in Africa*, 10(4), 284-289.
- Ohkawa, H., Ohishi, N., & Yagi, K. (1979). Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. *Analytical Biochemistry*, 95(2), 351-358.
- Ong, Y. C., Su, L. H., & Zaini, A. (2011). Reversal of Metabolic Dysfunction through Polyvalent Pharmacotherapy-augmented Lifestyle Intervention: Case Reports. *Journal of Diabetes and Metabolism*, 2, 133.
- Orchard, T. J., Olson, J. C., Erbey, J. R., Williams, K., Forrest, K. Y. Z., Kinder, L. S., ... & Becker, D. J. (2003). Insulin resistance-related factors, but not glycemia, predict coronary artery disease in type 1 diabetes: 10-year follow-up data from the Pittsburgh Epidemiology of Diabetes Complications study. *Diabetes Care*, 26(5), 1374-1379.
- Othman, A., Ismail, A., Ghani, N. A., & Adenan, I. (2007). Antioxidant capacity and phenolic content of cocoa beans. *Food Chemistry*, 100 (4), 1523-1530.
- Oyaizu, M. (1986). Studies on products of browning reaction. *The Japanese Journal of Nutrition and Dietetics*, 44(6), 307-315.
- Pande, S. K., & Pandey, S. (2008). Bamboo for the 21st century. *International Forestry Review*, 10(2), 134-146.
- Pandey, A. K., Ojha, V., & Choubey, S. K. (2012). Development and Shelf-life Evaluation of Value Added Edible. *American Journal of Food Technology*, 7(3), 363-371.
- Park, E. J., & Jhon, D. Y. (2009). Effects of bamboo shoot consumption on lipid profiles and bowel function in healthy young women. *Nutrition*, 25(7), 723-728.
- Park, E. J., & Jhon, D. Y. (2010). The antioxidant, angiotensin converting enzyme inhibition activity, and phenolic compounds of bamboo shoot extracts. *LWT-Food Science and Technology*, 43(4), 655-659.
- Park, H. S., Lim, J. H., Kim, H. J.,

- Choi, H. J., & Lee, I. S. (2007). Antioxidant flavone glycosides from the leaves of *Sasa borealis*. *Archives of Pharmacal Research*, 30(2), 161-166.
- Patel, D. K., Prasad, S. K., Kumar, R., & Hemalatha, S. (2012). An overview on antidiabetic medicinal plants having insulin mimetic property. *Asian Pacific Journal of Tropical Biomedicine*, 2(4), 320-330.
- Peschel, W., Sánchez-Rabaneda, F., Diekmann, W., Plescher, A., Gartzía, I., Jiménez, D., ... & Codina, C. (2006). An industrial approach in the search of natural antioxidants from vegetable and fruit wastes. *Food Chemistry*, 97 (1), 137-150.
- Peungvicha, P., Temsiririrkkul, R., Prasain, J. K., Tezuka, Y., Kadota, S., Thirawarapan, S. S., & Watanabe, H. (1998). 4-Hydroxybenzoic acid: a hypoglycemic constituent of aqueous extract of *Pandanus odoratus* root. *Journal of Ethnopharmacology*, 62(1), 79-84.
- Podolak, I., Galanty, A., & Sobolewska, D. (2010). Saponins as cytotoxic agents: a review. *Phytochemistry Reviews*, 9 (3), 425-474.
- Poulose, N., Vishnu Prasad, C. N., Nidhina Haridas, P. A., & Anilkumar, G. (2011). Ellagic acid stimulates glucose transport in adipocytes and muscles through AMPK mediated pathway. *Journal of Diabetes and Metabolism*, 2(7), 149.
- Quitain, A. T., Katoh, S., & Moriyoshi, T. (2004). Isolation of antimicrobials and antioxidants from moso-bamboo (*Phyllostachys heterocycla*) by supercritical CO<sub>2</sub> extraction and subsequent hydrothermal treatment of the residues. *Industrial and Engineering Chemistry Research*, 43(4), 1056-1060.
- Rachek, L. I., Thornley, N. P., Grishko, V. I., LeDoux, S. P., & Wilson, G. L. (2006). Protection of INS-1 Cells From Free Fatty Acid-Induced Apoptosis by Targeting hOGG1 to Mitochondria. *Diabetes*, 55(4), 1022-1028.
- Ragazzi, E., & Veronese, G. (1973). Quantitative analysis of phenolic compounds after thin-layer

- chromatographic separation. *Journal of Chromatography A*, 77(2), 369-375.
- Ruch, R. J., Cheng, S. J., & Klaunig, J. E. (1989). Prevention of cytotoxicity and inhibition of intercellular communication by antioxidant catechins isolated from Chinese green tea. *Carcinogenesis*, 10(6), 1003-1008.
- Ryou, S. H., Kang, M. S., Kim, K. I., Kang, Y. H., & Kang, J. S. (2012). Effects of green tea or *Sasa quelpaertensis* bamboo leaves on plasma and liver lipids, erythrocyte Na efflux, and platelet aggregation in ovariectomized rats. *Nutrition Research and Practice*, 6(2), 106-112.
- Salman, A. G. (2010). Value of fresh amniotic membrane graft in management of resistant non-infected corneal ulcer. *Journal of Clinical and Experimental Ophthalmology*, 1, 108.
- Sampayo, J. N., Olsen, A., & Lithgow, G. J. (2003). Oxidative stress in *Caenorhabditis elegans*: protective effects of superoxide dismutase/catalase mimetics. *Aging Cell*, 2(6), 319-326.
- Sangeetha, R., Diea, Y. K. T., Chaitra, C., Malvi, P. G., & Shinomol, G. K. (2015). The amazing Bamboo: A review on its medicinal and pharmacological potential. *Indian Journal of Nutrition*, 2(1), 106.
- Sarangthem, K., & Singh, T. N. (2003). Microbial bioconversion of metabolites from fermented succulent bamboo shoots into phytosterols. *Current Science*, 1544-1547.
- Satya, S., Singhal, P., Bal, L. M., & Sudhakar, P. (2012). Bamboo shoot: a potential source of food security. *Mediterranean Journal of Nutrition and Metabolism*, 5(1), 1-10.
- Seki, T., & Maeda, H. (2010). Cancer preventive effect of Kumaizasa bamboo leaf extracts administered prior to carcinogenesis or cancer inoculation. *Anticancer Research*, 30(1), 111-118.
- Senthilkumar, M. K., Sivakumar, P., Changanakkattil, F., Rajesh, V., & Perumal, P. (2011). Evaluation of

- anti-diabetic activity of *Bambusa vulgaris* leaves in streptozotocin induced diabetic rats. *International Journal of Pharmaceutical Sciences and Drug Research*, 3(3), 208-210.
- Sesso, H. D., Gaziano, J. M., Liu, S., & Buring, J. E. (2003). Flavonoid intake and the risk of cardiovascular disease in women. *The American Journal of Clinical Nutrition*, 77(6), 1400-1408.
- Shanmughavel, P. (2004). Cultivation potential of culinary bamboos in Southern India. *Indian Journal of Natural Product and Radiance*, 3,237-239.
- Sharma, T. P., & Borthakur, S. K. (2008). Ethnobotanical observations on Bamboos among Adi tribes in Arunachal Pradesh. *Indian Journal of Traditional Knowledge*, 7(4), 594 -597.
- Sikora, E., Cieślik, E., & Topolska, K. (2008). The sources of natural antioxidants. *Acta Scientiarum Polonorum Technologia Alimentaria*, 7(1), 5-17.
- Singh, K. P., Devi, S. P., Devi, K. K., Ningombam, D. S., &
- ATHOKPAM, P. (2010). *Bambusa tulda Roxb.* in Manipur State, India: exploring the local values and commercial implications. *Notulae Scientia Biologicae*, 2(2), 35.
- Singh, M. K., Joshi, C., Joshi, N., Sharma, R., Brijwal, L., Kumar, R. S., & Nailwal, T. K. (2015). Scrutinizing the antioxidant potential of *Prunella vulgaris* L, A medicinal plant from central Himalayan region. *International Journal of Fundamental and Applied Sciences*, 4(1), 1-8.
- Singh, R., Singh, M. K., Chandra, L. R., Bhat, D., Arora, M. S., Nailwal, T., & Pande, V. (2012). In vitro Antioxidant and free radical scavenging activity of *Macrotyloma uniflorum* (Gahat dal) from Kumauni region. *International Journal of Fundamental and Applied Science*, 1(1), 7-10.
- Singleton, V. L., & Rossi, J. A. (1965). Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American journal of Enology and Viticulture*, 16(3), 144 -158.
- Singleton, V. L., Orthofer, R., &

- Lamuela-Raventós, R. M. (1999). [14] Analysis of total phenols and other oxidation substrates and antioxidants by means of folin-ciocalteu reagent. In *Methods in Enzymology*, Academic press(Vol. 299, pp. 152-178).
- Standards of Medical Care-2011. American Diabetes Association. *Diabetes Care* 2010; 34 S11-S61.
- Sultana, B., Anwar, F., & Ashraf, M. (2009). Effect of extraction solvent/technique on the antioxidant activity of selected medicinal plant extracts. *Molecules*, 14(6), 2167-2180.
- Sumana, G., & Suryawashi, S.A. (2001). Effect of *vinca rosea* extracts in treatment of alloxan diabetes in male albino rats. *Indian Journal of Experimental Biology*, 39, 748–758.
- Sun, B., Ricardo-da-Silva, J. M., & Spranger, I. (1998). Critical factors of vanillin assay for catechins and proanthocyanidins. *Journal of Agricultural and Food Chemistry*, 46(10), 4267-4274.
- Szkudelski, T. (2001). The mechanism of alloxan and streptozotocin action B cells of the rat pancreas. *Physiology Research*, 50, 536-546.
- Tamang, J. P., Tamang, N., Thapa, S., Dewan, S., Tamang, B., Yonzan, H., ... & Kharel, N. (2012). Microorganisms and nutritional value of ethnic fermented foods and alcoholic beverages of North East India. *Indian Journal of Traditional Knowledge*, 11(1), 7-25
- Tang, L. L., & Ding, X. L. (2000). Extraction of bamboo amylase and its biological functions. *Devel. Res. Food*, 21, 8-10.
- Teo, A. K. K., Wagers, A. J., & Kulkarni, R. N. (2013). New opportunities: harnessing induced pluripotency for discovery in diabetes and metabolism. *Cell Metabolism*, 18(6), 775-791.
- Tiwari, P., Kumar, B., Kaur, M., Kaur, G., & Kaur, H. (2011). Phytochemical screening and extraction: a review. *Internationale Pharmaceutica Sciencia*, 1(1), 98-106.
- Ullah, A., Khan, A., & Khan, M. I. (2015). Diabetes mellitus and oxidative stress a concise review. *Cell*, 92, 321-9014220.

- Ullah, H., Khan, M. F., Jan, S. U., & Hashmat, F. (2016). Depletion of GSH in human blood plasma and cytosolic fraction during cadmium toxicity is temperature and pH dependent. *Pakistan Journal of Pharmaceutical Sciences*, 29(1).
- Usha, T., Middha, S. K., Bhattacharya, M., Lokesh, P., & Goyal, A. K. (2014). Rosmarinic acid, a new polyphenol from *Baccaurea ramiflora* Lour. leaf: a probable compound for its anti-inflammatory activity. *Antioxidants*, 3(4), 830-842.
- Viana, G.S., Medeiros, A.C., Lacerda, A.M., Leal, L.K., Vale, T.G., & Matos, F.J. (2004). Hypoglycemic and anti-lipemic effects of the aqueous extract from *Cissus sicyoides*. *BMC Pharmacology*, 8, 4-9.
- Victoria, F. J., Townsend, D. M., & Tew, K. D. (2006). Glutathione and Glutathione S-Transferases in drug resistance. In *Cancer Drug Resistance* (pp. 213-221). Humana Press.
- Vincent, D. T., Ibrahim, Y. F., Espey, M. G., & Suzuki, Y. J. (2013). The role of antioxidants in the era of cardio-oncology. *Cancer Chemotherapy and Pharmacology*, 72(6), 1157-1168.
- Vinson, J. A., Dabbagh, Y. A., Serry, M. M., & Jang, J. (1995). Plant flavonoids, especially tea flavonols, are powerful antioxidants using an in vitro oxidation model for heart disease. *Journal of Agricultural and Food Chemistry*, 43(11), 2800-2802.
- Wang, H. X., & Ng, T. B. (2003). Dendrocin, a distinctive antifungal protein from bamboo shoots. *Biochemical and Biophysical Research Communications*, 307(3), 750-755.
- Wei, H., Zhang, X., Zhao, J. F., Wang, Z. Y., Bickers, D., & Lebwohl, M. (1999). Scavenging of hydrogen peroxide and inhibition of ultraviolet light-induced oxidative DNA damage by aqueous extracts from green and black teas. *Free Radical Biology and Medicine*, 26 (11-12), 1427-1435.
- WHO. (2002). Traditional and Alternative Medicine WHO Fact Sheet No 271 June 2002 Geneva: World Health Organisation

- Wild, S., Roglic, G., Green, A., Sicree, R., & King, H. (2004). Global prevalence of diabetes: estimates for the year 2000 and projections for 2030. *Diabetes Care*, 27(5), 1047-1053.
- Wilmsen, P. K., Spada, D. S., & Salvador, M. (2005). Antioxidant activity of the flavonoid hesperidin in chemical and biological systems. *Journal of Agricultural and Food Chemistry*, 53(12), 4757-4761.
- Wilson, R. L. 1998. Free radicals and tissue damage, mechanistic evidence from radiation studies. In: Biochemical Mechanisms of Liver Injury. Academic Press, New York, p. 123
- World Health Organization (2008) Diabetes fact sheet; available at: <http://www.who.int/mediacentre/factsheets/fs312/en/>
- Yamamoto, T., Maruyama, W., Kato, Y., Yi, H., Shamoto-Nagai, M., Tanaka, M., ... & Naoi, M. (2002). Selective nitration of mitochondrial complex I by peroxynitrite: involvement in mitochondria dysfunction and cell death of dopaminergic SH-SY5Y cells *Journal of Neural Transmission*, 109(1), 1-13.
- Yengkopam, R. D. (2013). Bamboo Forest Resources of India and its Role in Food Security- A review, *Agricultural Review*, 34(3), 236-241.
- Ying, C., Mao, Y., Chen, L., Wang, S., Ling, H., Li, W., & Zhou, X. (2017). Bamboo leaf extract ameliorates diabetic nephropathy through activating the AKT signaling pathway in rats. *International Journal of Biological Macromolecules*, 105, 1587–1594.
- Young, I. S., & Woodside, J. V. (2001). Antioxidants in health and disease. *Journal of Clinical Pathology*, 54(3), 176-186.
- Zeisel, S. H. (1999). Regulation of "nutraceuticals". *Science*, 285, (5435) 1853-1855.
- Zhai, B., Zhang, C., Sheng, Y., Zhao, C., He, X., Xu, W., ... & Luo, Y. (2018). Hypoglycemic and hypolipidemic effect of S-allylcysteine sulfoxide (alliin) in DIO mice. *Scientific Reports*, 8(1), 3527.
- Zhang Y, Ding XL (1996). Studies on anti-oxidative fraction in bamboo

- leaves and its capacity to scavenge active oxygen radicals. *Journal of Bamboo Research*-15; 17-24.
- Zhang Y, Ding XL (1997). Existence of specific amino acid in bamboo leaves and its biological significance. *Journal Wuxi University of Light Industry* 16; 29-32.
- Zhang, Y., Bao, B., Lu, B., Ren, Y., Tie, X., & Zhang, Y. (2005). Determination of flavone C-glucosides in antioxidant of bamboo leaves (AOB) fortified foods by reversed-phase high-performance liquid chromatography with ultraviolet diode array detection. *Journal of Chromatography A*, 1065(2), 177-185.
- Zhao, J., Zhang, J. S., Yang, B., Lv, G. P., & Li, S. P. (2010). Free radical scavenging activity and characterization of sesquiterpenoids in four species of Curcuma using a TLC bioautography assay and GC-MS analysis. *Molecules*, 15(11), 7547-7557.
- Zhao, Z., & Moghadasian, M. H. (2008). Chemistry, natural sources, dietary intake and pharmacokinetic properties of ferulic acid: A review. *Food Chemistry*, 109(4), 691-702.
- Zhishen, J., Mengcheng, T., & Jianming, W. (1999). The determination of flavonoid contents in mulberry and their scavenging effects on superoxide radicals. *Food Chemistry*, 64(4), 555-559.