Table of Contents

| Chapter | Description | Page |
|---------|---|--------|
| | Certificate | i |
| | Declaration | ii |
| | Abstract | iii |
| | Acknowledgement | V |
| | List of tables | vii |
| | List of figures | viii |
| | List of appendix | ix |
| 1. | Introduction | 1-25 |
| 2. | Review of literature | 26-92 |
| | 2.1 The Herb-herb amalgamation | 27 |
| | 2.2 Advantage of polyherbal formulations | 27 |
| | 2.3 Disadvantages of polyherbal formulation | 28 |
| | 2.4 The need of standardization | 29 |
| | 2.5 Polyherbal Formulations for Liver Diseases | 29 |
| | 2.6 Plant used in polyherbal formulations for hepatoprotective activity | 30 |
| | 2.7 Additional ingredients of PHFs other than plant | 63 |
| | 2.8 Limitations of herbal drugs | 80 |
| | 2.9 Conclusion | 84 |
| | 2.10 Future prospects | 85 |
| 3. | Materials and methods | 93-112 |
| | 3.1. Survey | 93 |
| | 3.2 Collection and authentication of plant samples | 94 |
| | 3.3 Formulation of Polyherbal medicine (PHF) and naming it | 94 |
| | 3.4 Extract preparation | 94 |
| | 3.5 Determination of yield extract | 95 |
| | 3.6 <i>In vitro</i> studies | 95 |
| | 3.7 Microscopic study | 99 |
| | 3.8 Determination of physical characteristics of powder | 100 |
| | 3.9 Determination of Total Phenolic Content | 101 |
| | 3.10 Determination of Total Flavonoid Content | 101 |
| | 3.11 DPPH Radical Scavenging Activity | 102 |
| | 3.12 Reducing Power Assay | 102 |
| | 3 13 Hydrogen Peroxide Scavenging | 103 |

| Chapter | Description | Page |
|---------|--|---------|
| | 3.14 Phytoconstituent profiling of different extracts by GC-MS/MS analysis | 103 |
| | 3.15 <i>In vivo</i> studies | 104 |
| | 3.15.1. Experimental approval | 104 |
| | 3.15.2. Experimental animals' homogenization | 104 |
| | 3.15.3 Acute toxicity test | 105 |
| | 3.15.4 Hepatotoxicity study group | 105 |
| | 3.15.5 Preparation of liver tissue samples | 106 |
| | 3.15.6 Biochemical assays in blood | 107 |
| | 3.15.7 Assessment of <i>in vivo</i> liver enzymatic assays | 107 |
| | 3.15.8 Histopathological study | 112 |
| 4. | Results and discussions | 113-141 |
| | 4.1 Procurement of a polyherbal formulation through a survey from Bodoland Territorial Regions (BTR), Assam, India | 113 |
| | 4.2 Yield Extract | 113 |
| | 4.3 Preliminary physical analysis | 113 |
| | 4.4 Microscopic study | 115 |
| | 4.5 Preliminary phytochemical screening extract | 115 |
| | 4.6 In vitro studies | 118 |
| | 4.6.1 Determination of physical characteristics of powder | 118 |
| | 4.6.2 Determination of heavy metal in <i>LivSwasthya</i> | 118 |
| | 4.6.3 Determination of Total Phenolic Content and total flavonoid | 119 |
| | 4.6.4 Determination of in vitro antioxidant potentials | 119 |
| | 4.7 Phytoconstituent profiling of different extracts by GC-MS/MS analysis | 121 |
| | 4.8 In vivo studies | 122 |
| | 4.8.1 Acute toxicity test | 122 |
| | 4.8.2 Enzymatic assays | 122 |
| | 4.8.3 Biochemical assays | 135 |
| | 4.8.4 Histopathological studies | 138 |
| 5. | Conclusions | 142-143 |
| 6. | Bibliography | 144-204 |
| 7. | Appendix | A-E |