

Total No. of printed pages = 5

63/2 (SEM-1) CHM 103

2021

(held in 2022)

**CHEMISTRY**

(Theory Paper)

Paper Code : CHM-103

(Inorganic Chemistry – I)

Full Marks – 80

Time – Three hours

The figures in the margin indicate full marks  
for the questions.

1. Answer the following questions : 4×5=20

(a) Compare the bonding in  $O_2^{2-}$ ,  $O_2^-$  and  $O_2$ .  
Discuss briefly Lewis structures, molecular  
orbital structures, bond lengths and bond  
strengths. 4

(b) Explain the geometry of  $CO_2$  molecule with the  
help of MO theory. 4

[Turn over

(c) Based on the MO theory of  $\text{NH}_3$ , find the average NH bond order in  $\text{NH}_3$  by calculating the net number of bonds and dividing by the number of NH groups. 4

(d) (i) Which hydrogen bond would you expect to be stronger,  $\text{S}-\text{H}\cdots\text{O}$  or  $\text{O}-\text{H}\cdots\text{S}$ ? Why? 2

(ii) Describe the expected physical properties of water in the absence of Hydrogen bonding. 2

(e) Explain the geometry of  $\text{BeH}_2$  with the help of Walsh Diagram. 4

2. Answer any *four* of the following questions :

5×4=20

(a) Based on the analysis of Madelung constant alone, predict which polymorph in ZnS should be more stable. Assume that the Zn-S distances in the polymorphs are identical. 2+3=5

(b) Obtain the formula ( $\text{MX}_n$  or  $\text{M}_n\text{X}$ ) for the following structures derived from the hole filling in close packed arrays with 5

(i) Half the octahedral holes filled

(ii) 1/4th of the tetrahedral holes filled

(iii) 1/3th of the octahedral holes filled.

(c) Explain polymorphism of a metals. Give suitable examples. 4+1=5

(d) Distinguish between substitutional solid solution and interstitial solid solution. What are the criteria for the formation of a substitutional solid solutions? 2+3=5

(e) What is zintl phase? Draw the position of alloys and zintl phase in a Ketelaar triangle. 5

3. Answer any *six* of the following questions :



5×6=30

(a) Write a note on structure, synthesis and applications of zeolite. 5

(b) Discuss the structures of silicates. 5

(c) What structures do you predict for the compound  $\text{GeC}_2\text{B}_9\text{H}_{11}$  and  $\text{SB}_9\text{H}_{12}$ ? 5

(d) Complete the following reactions :  $2\frac{1}{2} \times 2 = 5$



(e) Write the energy level diagram for one B-H-B bridge in diborane. 5

(f) Draw the shape of a molecular orbital for the formation of 3C-2e. B-B-B bond. 5

(g) Draw the structure of dicarba-closo-dodecaborane. Give one method for synthesis of carborane.  $2\frac{1}{2} + \frac{1}{2} = 5$

4. Answer any *one* of the following questions :

5 × 1 = 5

(a) What is super acid and how do you measure the acidity of such a solution ? 5

(b) State whether the formation of  $\text{NH}_3\text{BF}_3$  is exothermic or endothermic. 5

F C Drago-Wayland parameter

$\text{BF}_3$  20.2 3.31

$\text{NH}_3$  2.78 7.08

(c) Explain the relevance of acidity and basicity in catalysis. 5

5. Answer any *one* of the following questions :

5 × 1 = 5

(a) Show how electrochemical potential is influenced by pH. 5

(b) The standard potentials for the complex  $\text{Fe}^{2+}/\text{Fe}$  and  $\text{Fe}^{3+}/\text{Fe}^{2+}$  are  $-0.41\text{V}$  and  $+0.77\text{V}$  respectively. Should we expect  $\text{Fe}^{2+}$  to disproportionate in aqueous solution ? 5