

## **REFERENCE**

Abd-Ellah, R.G. (2003). On physical limnology of Abu Za'baal Lakes , Egypt. Bull. Nat. Inst. of Oceanography and fish., A. R. E., vol.29, pp: 461–471.

Adigun, B. A. (2005). Water quality management in aquaculture and freshwater zooplankton production for use in fish hatcheries.

Ahluwalia, A. A. (1999). Limnological study of wetlands under Sardar Sarovar command area. Ph.D. Thesis. Gujarat University, Ahmedabad.

Ali, H., Khan, E. & Sajad, M. A. (2013). Phytoremediation of heavy metals-concepts and applications. Chemosphere 91, pp: 869–81.

Anene, A. (2003). *Techniques in Hydrobiology*. In: Eugene, N.O. and O.O. Julian (Eds), Research Techniques in Biological and Chemical Sciences. Springfield Publishers, pp: 174–189.

APHA. (1992). *Standard methods for the examination of water and wastewater*. 18<sup>th</sup> ed. American Public Health Association, Washington, DC.

Barnes, R.S.K. (1980). Coastal Lagoons. 2<sup>nd</sup> Edn., Cambridge University Press, London, UK, p: 106.

Bassi, N. et al. (2014). Status of wetlands in India: A review of extent, ecosystem benefits, threats and management strategies. Vol 2, pp: 1–19.

Bhuiyan, J.R. and Gupta, S. (2007). In: A comparative hydro biological study of a few ponds of Barak Valley, Assamand their role as sustainable water resources , J. Environ. Biol. vol. 28(4), pp: 799–802, India.

Browne, S. et al. (1995). New York State Freshwater Wet lands Delineation Mannual. New York. pp: 3–10.

Cain, S. A. and Castro, G. M. de Oliveria. (1959). Manual of Vegetation Analysis. Harper, New York, xvii, p: 325. Illus.

Catling, P.M., Freedman, B., Stewart, C., Kerekes, J.J. & Lefkovitch, L.P. (1986). Aquatic plants of acidic lakes in Kejimkujik National Park, Nova Scotia : floristic composition and relation to water chemistry. *Can. J. Bot.*, 64, pp: 724–729.

Chakravorty, A. K. (2016). *Diplai Bilar eti Thulmul Bibaran*. Head Master (retired), Silgara High School. Dist Kokrajhar, Assam, India.

Chaney, R.L., Malik, M., Li, Y.M., Brown, S.L., Brewe, E.P., Scott Angle, J. & Baker, A.J.M. (1997). Phytoremediation of soil metals. *Curr Opin Biotechnol.* 8(3), pp: 279–284.

Cook, C.D.K. (1974). Water plants of the world. A manual for the identification of the genera of fresh water macrophytes. W.Junk. B.V. Publishers, The Hague, p: 651

Cook, C.D.K. (1996). Aquatic and wetland plants of India. Oxford University Press, N.Y.

Cowardin, L.M., Carter, V., Golet, F.C. & La Roe, E.T. (1979). Classification of Wetlands and Deepwater Habitats of the United States. Publ. No. FWS/OBS-79/31. U.S. Fish and Wildlife Service, Washington, D.C.

Crone, T. (2004, November). The Basic Sediment Transport Equations Made Ridiculously Simple. In: OCEAN/ESS 410 Marine Geology and Geophysics. Retrieve from [http://www.ocean.washington.edu/courses/oc410/reading/sedtrans\\_2004.pdf](http://www.ocean.washington.edu/courses/oc410/reading/sedtrans_2004.pdf)

Curtis, J.T. (1959). *The Vegetation of Wisconsin*. University of Wisconsin Press, Madison.

Czuba, J. A., Magirl, C. S., Czuba, C. R., Grossman, E. E., Curran, C. A., Gendaszek, A. S., & Dinicola, R. S. (2011, August). Comparability of Suspended-Sediment Concentration and Total Suspended Solids DataSediment Load from Major Rivers into Puget Sound and its Adjacent Waters. USGS Fact Sheet pp: 2011–3083. Tacoma, WA: U S Geological Survey.

Dagaonkar. and Saksena , D. N. ( 1992). Physico-chemical and biological characterization of tample tank , Kaila Sagar, Gowalior M P . J.Hydrobiol. 8 (1), pp: 11–19.

Daubenmire, R.F. (1947). *Plants and Environment*. Wiley, New York.

Davies, O.A., Abowei, J.F.N & Tewari, C.C. (2009). Phytoplankton community of elechi creek, niger delta, Nigeria- a nutrient polluted tropical creek. Am. J. Appl. Sci. 6(6), pp: 1143 –1152.

Davis, A.P., and McCuen, R.H. (2005). Storm water Management for Smart Growth. Springer, New York Development (DFID).

Deepa, R.S. and Ramachandra, T.V. (1999). Impact of Urbanization in the Interconnectivity of Wetlands. Paper presented at the National Symposium on Remote Sensing Applications for Natural Resources: Retrospective and Perspective (XIX-XXI 1999), Indian Society of Remote Sensing, Bangalore, India.

Deka, U. and Sarma, S.K. (2016). Aquatic plant community characteristics of some major wetlands of Nalbari district of Assam and resource collection from it by the people of its vicinities. International Journal of Current Research,8(06), pp: 33202–33208.

Dennison,M.S. and Berry, J.F.(1993). Wetlands: Guide to Science, Law and Technology, Noyes Publication, Park Ridge, NJ.

Devi, N.B. (1993). *Phytosociology, Primary production and Nutrient status of macrophytes of Loktak lake, Manipur*. Ph.D. Thesis, Manipur University, Manipur. India.

Dwivedi, B.K. and Pandey, G.C. (2002). Physico-chemical factors and algal diversity of two ponds in Faizabad, India. Poll.Res.vol. 21(3), pp: 361–370.

El-Gohary, F., Abdel, W, El-Hawary, S., Shehata, S., Badr & Shalaby. S. (1992). Assessment of the performance of oxidation pond system for wastewater reuse, First Middle East conference on water supply and sanitation for rural areas , February pp : 23–25, Cairo, Egypt.

EPA. (1989). Summary review of health effects associated with ammonia. Washington, DC, US Environmental Protection Agency, (EPA/600/8-89/052F).

EPA. (2012, March). Channel Processes: Bedload Transport. In Water: Science & Technology Retrieved from <http://water.epa.gov/scitech/datait/tools/warsss/bedload.cfm>

EPA. (2012, March). What are Suspended and Bedded Sediments (SABS)? In Water: WARSSS. Retrieved from <http://water.epa.gov/scitech/datait/tools/warsss/sabs.cfm>

EPA. (2014, February). Sediments in Water: Pollution, Prevention & Control. Retrieved from <http://water.epa.gov/polwaste/sediments/>

Esmaeli, H.R. and Johal, M.S. (2005). Study of physico-chemical parameter of water of Govindasagar reservoir, India. In Proceeding of National Seminar on New trends in Fishery Development in India. Punjab University. Chandigarh, India.

Fassett, N.C. (2000). A manual of aquatic plants. Agrobios (India), Jodhpur.

Fink, J.C. (2005, August). Chapter 4 –Establishing a relationship between sediment concentrations and turbidity. In: The Effects of Urbanization on Baird Creek, Green Bay,WI(Thesis).Retrieved from [http://www.uwgb.edu/watershed/fink/FinkThesis\\_Chap4.pdf](http://www.uwgb.edu/watershed/fink/FinkThesis_Chap4.pdf)

Finlayson, C.M. and Spiers, A.G. (Eds.) (1999). Global Review of Wetland Resources and Priorities for Wetland Inventory, Supervising Scientist, Canberra, Australia.

Gao, Q. (2006, November). Correlation of Total Suspended Solids (TSS) and Suspended Sediment Concentration (SSC) Test Methods. In New Jersey Department of Environmental Protection Division of Science, Research, and Technology.

Retrieved from <http://www.state.nj.us/dep/dsr/soils/tss%20vs%20ssc%20test%20methods.pdf>.

Garbisu, C. and Alkorta, I. (2001). Phytoextraction: A cost effective plant-based technology for the removal of metals from the environment. *Biores Technol.* 77(3), pp: 229–236.

Garg, R.K., Rao, R.J. & Saksena, D.N. (2006). Assessment of physic-chemical water quality of harsi Reservoir, District Gowalior, Madhya Pradesh. *J. Ecophysiol. Occupat. Health.* 6, pp: 33–40.

Gaur, A. and Adholeya, A. (2004). Prospects of arbuscular mycorrhizal fungi in phytoremediation of heavy metal contaminated soils. *Current Science* 86(4) 528–34.

Geomorphlist (Ed.). (2007, April). Is Geomorphology within Geography or Geology?. In The Association of Polish Geomorphologists. Retrieved from <http://www.staff.amu.edu.pl/~sgp/gw/gggeo/gggeo.html>

Ghermandi, A. ; Van den Bergh, J.C.J.M. ; Brander, L.M. ; Nunes, P.A.L.D. (2008). The Economic Value of Wetland Conservation and Creation: A Meta-Analysis. [Working Paper 79] Fondazione Eni Enrico Mattei, Milan, Italy.

Gopal, B., Turner, R. E., Wetzel R. G. & Whigham, D. F. (eds). (1982). *Wetland Ecology Management*. National Institute of Ecology and International Scientific Publications, Jaipur. Vols 1 & 2, pp: 514 + 160.

Gopal, B.(1995). Biodiversity in fresh water ecosystems including wetlands, Biodiversity and Conservation in India, A status Report Vol.4, Zoological Survey of India, Calcutta Conservation of Wetlands in India: wetlands in India: A Profile (Approach and Guidelines) Publication released on World Wetlands Day 2 February 2007 Conservation Division-I, Ministry of Environment & Forests Government of India, New Delhi.

Gore, A. P. (ed.). (1983a). Mires: Swamp, Bog, Fen and Moor. I. General Studies. Ecosystems of the World 4A. Elsevier, Amsterdam. Gore, A. P. (ed.), 1983b. Mires: Swamp, Bog, Fen and Moor. II. Regional Studies. Ecosystems of the World 4 B. Elsevier, Amsterdam.

Gosselink, J.G and Turner, R.E. (1978). The role of hydrology in fresh water wetland ecosystems. pp: 63-78 In: R.E. Good, D.F. Whingham & R.L. Simpson (eds.)*Fresh water Wetlands: Ecological processes and management Potential*. Academic Press, New York.

Gray, J. R., Gylsson, G. D., Turcios, L. M. & Schwarz, G. E. (2000, August). Comparability of Suspended-Sediment Concentration and Total Suspended Solids Data. USGS Water-Resources Investigations Report 00-4191. Reston, VA: U S Geological Survey.

Greeson, P. E., Clark, J. R. & Clark, J. E. (eds), (1979). Wetland Values and Functions: The State of Our Understanding. American Water Resources Association, Minneapolis, MN, U.S.A. Williams, M.(ed.), (1990). Wetlands- a Threatened Landscape, Black wells, Oxford, U.K. p: 00-419.

Griffiths, P. G., Hereford, R. & Webb, R. H. (2006, January). Sediment yield and runoff frequency of small drainage basins in the Mojave Desert, California and Nevada. USGS Fact Sheet: Recoverability and Vulnerability of Desert Ecosystems.

Groombridge, B and Jenkin, M. (1998). Fresh water Biodiversity: A preliminary global assessment, WCMC. Biodiversity Series No. 8, World Conservation Press.

Gupta, O.P. (2001). *Weedy aquatic plants their utility, menace and management-* a reference cum text book of Agrobios publication, Jodhpur , India.

Handa, B.K. (August, 1975). Occurrence and distribution of potassium ions in natural waters in India. Journal of Hydrology, Volume 26, Issue 3-4, pp: 267–276.

Hakanson, L. (2005). The relationship between salinity, suspended particulate matter and water clarity in aquatic systems. In: The Ecological Society of Japan. Retrieved from [http://www.met.uu.se/miljoanalys/pdf/sal\\_spm\\_secchi.pdf](http://www.met.uu.se/miljoanalys/pdf/sal_spm_secchi.pdf).

Heegaard, E., Birks, H.H., Gibson, C.E. , Smith, S.J. & Wolfe-Murphy, S. (2001). Species Environmental relationships of aquatic macrophytes in Northern Ireland. *Aquat. Bot.*, 70, pp: 175–223.

Hooker, J.D. (1872-1897). Flora of British India, Vols. 1-7. L. Reeve & Co Ltd, Ashford, Kent. London.

Hutchinson, G.E. (1975). *A treatise on Limnology III Limnological Botany*. Wiley, New York, p: 660

IWRB (International Waterfowl Research Bureau). (1979). Liquid Assets. Revised Reprint. International Union for Conservation of Nature & Natural Resources, Morges, Switzerland, & IWRB, Le Sambuc, France: p: 8.

Jain, S.K. and Rao, R.R. (1978). A hand book of field herbarium methods. Today & Tommorow's Printers & Publishers. New Delhi.

James, C., Fisher, J., Russeli, V., Collings, S. & Moss, B. (2005). Nitrate availability and hydrophyte species richness in shallow lakes. *Freshwat. Biol.*, 50, 1049–1063

Kanjilal, P.C. and De, R.N. (1934-1940). Flora of Assam (Vol.I-IV). Govt of Assam, Shillong.

Keddy, A.P. (2000). Wetland Ecology, Principles and Conservation. Cambridge University Press. pp:1–32.

Keder, G. T., Patil, G. P., & Yeole, S.M. (2007). Rotifer biodiversity of Yedshi lake, Maharashtra, Jr. Aqua. Biol. 22(1), pp: 8–12.

Koner, S. (2001). Development of submerged macrophytes in shallow Lake Muggelsee (Berlin, Germany) before and after its switch to the phytoplankton dominated states, Arch. Hydrobiol.152, pp: 395– 409.

Kotadiya, N.G. (2013). *Seasonal variation in plankton and Physico-chemical properties of selected fresh water ponds of rural areas of Ahmedabad District*. Ph.D.Thesis, SJPJT university, Vidyaganari, Jhujhunu, Rajasthan-333001

Kuring, N., and Riebeek, H. (2009, April). Sediment in the Gulf of Mexico. In NASA EarthObservatoryRetrievedfrom<http://earthobservatory.nasa.gov/IOTD/view.php?id=38273>

Langland, M., and Cronin, T. (2003). A Summary Report of Sediment Processes in Chesapeake Bay and Watershed. In Water-Resources Investigations Report 03-4123. New Cumberland, PA:US Geological Survey. Retrievedfrom <http://pa.water.usgs.gov/reports/wrir03-4123.pdf>

Lasat, M. M. (2000). Phytoextraction of metals from contaminated soil: a review of plant/soil/metal interaction and assessment of pertinent agronomic issues . J. Hazardous Substance Res. 2, pp: 1–25.

Lehner, B., Döll, P. (2004). Development and validation of a global database of lakes, reservoirs and wetlands J. Hydrol., 296 (1-4), pp: 1–22.

Mäkelä, S., Huitu, E. & Arvola, L. (2004). Spatial patterns in aquatic vegetation composition and environmental covarites along chains of lakes in the Kokemäenjoki watershed (S. Finland). *Aquat. Bot.*, 80, pp: 253–269.

Maltby, E. (1986). Water logged Wealth. Earthscan, London: p: 200.

Margalef, R. (1964). *Perspective in Ecological Theory*. University of Chicago Press, Chicago. p. 112.

Martin, A. C., Hutchkiss, N., Uhler, F. M. & Bourn, W. S. (1953). Classification of wetlands of the United States. Special Science Report- Wildlife 20. U.S. Fish and Wildlife Service, Washington, D.C., p: 14.

McGrath, S.P., Zhao, F.J., Lombi, E. (2001). Plant and rhizosphere process involved in phytoremediation of metal-contaminated soils. *Plant Soil.* 232(1/2), pp: 207–214.

McNally, W. H. & Mehta, A. J. (2004, June). Sediment Transport and Deposition in Estuaries (Sample Chapter). In Encyclopedia of Life Support Systems (EOLSS): Coastal. Zones and Estuaries. Retrieved from <http://www.eolss.net/sample-chapters/c09/E2-06-01-04.pdf>

Millennium Ecosystem Assessment (MEA). (2005). Ecosystems and Human Well-being: Wetlands and Water Synthesis World Resources Institute, Washington, DC.

Misra, R. (1969). Ecology Work Book. Oxford and I.B.H. Culcutta.

Mitsch, W. J. and Gosselink, J.G. (1986). Wetlands. 1st Edn. Van Nostrand Reinhold, New York.

Mitsch, W.J. and Gosselink, J.G. (1994). *Wetlands* 2<sup>nd</sup> Edition. John Wiley and Sons. New York. p: 772.

Mitsch, W.J. and Gosselink, J.G. et al. (2000). Wetlands, 3rd Ed. John Wiley & Sons, New York.

Moyle, J.B. (1945). Some chemical factors influencing the distribution of aquatic plants in Minnesota. *Am. Midl.Nat.*, 34, p: 402.

National Environment Policy. (2006). A 5 year Plan approved by Central Govt. Cabinet in 18<sup>th</sup> May, 2006 under the Ministry of Environment & Forest, Govt. of India.

National Research Council. (1995). Wetlands: Characteristics and Boundaries, Washington, DC: The National Academies Press. <https://doi.org/10.17226/4766>.

Oberrecht, K. (n.d.). Sediment Transport and Deposition. In Department of State Lands: South Slough National Estuarine Research Reserve. Retrieved from <http://www.oregon.gov/dsl/SSNERR/docs/EFS/EFS32sediment.pdf>

Odum, E. P. (1983). Basic Ecology. CBS College Publishing; Halt Saunders International Edition, p: 613.

Orem, W. H., U.S. Geological Survey 956 National Center, Reston, VA 20192 703-648-6273; [borem@usgs.gov](mailto:borem@usgs.gov), In: Sulfate as a Contaminant in Freshwater Ecosystems: Sources, Impacts and Mitigation.

P. ten Brink., Badura, T., Farmer, A. & Russi, D. (2012). The Economics of Ecosystem and Biodiversity for Water and Wetlands: A Briefing Note. Institute for European Environmental Policy, London.

Palermo, M. R., Schroeder, P. R., Estes, T. J., & Francingues, N. R. (2008). Technical Guidelines for Environmental Dredging of Contaminated Sediments. US Army Corps of Engineers: Engineer Research and Development Center, ERDC/EL TR-08-29.

Palmer, M.A., Bell, S.L. & Butterfield, I. (1992). A botanical classification of standing waters in Britain : applications for conservation and monitoring. *Aquatic Conserv : Mar. Freshw. Ecosyst.* 2, pp: 125–143.

Patel, J.G., Murthy, T.V.R., Singh, T.S. & Panigrahy, S. (2009). Analysis of the Distribution Pattern of Wetlands in India in Relation to Climate Change ISPRS Archives XXXVIII-8/W3 Workshop Proceedings: Impact of Climate Change on Agriculture, Ahmadabad. pp: 282–287.

Patten, B. C., Jorgensen, S. E. , Dumont, H. J. , Gopal, B., Koryavov, P., Kvet, J., Löffler,H., Sverizhev,H. & Tundisi, J.G. (eds), (1990). Wetlands and Continental

Patten, B.C., Jorgensen, S E., Dumont, H. J., Gopal, B., Koryavov, P., Kvet, J. , Löffler, H., Sverizhev, Y. & Tundisi,J.G (eds), (1993). WetlandsandContinental Shallow Waterbodies. Volume 2.Case Studies. SPB Academic Publishing, Amsterdam.

Shallow Waterbodies. Volume-1. Natural and Human Relationships. SPB Academic Publishing, Amsterdam, p: 759.

Perlman, H. (2014, March). Sediment and Suspended Sediment. In The USGS Water Science School. Retrieved from <http://water.usgs.gov/edu/sediment.html>

Pielou, E.C. (1966). *An introduction to Mathematical Ecology*, John Wiley and Sons, New York.

Prasad, S.N., Ramachandra, T.V., Ahalya, N., Sengupta, T., Kumar, A., Tiwari, A.K., Vijayan, V.S. & Vijayan, L. (2002). Conservation of wetlands of India--a review. *Tropical Ecology*, 43(1), pp: 173–186.

Raskin, I., Smith, R.D., & Salt, D.E. (1997). Phytoremediation of metals:Using plants to removepollutants from the environment. Current Opinion in Biotechno logy. 8(2), pp: 221–226.

Ramsar, Iran. (1971). Convention on Wetlands held from 30 January to 3 February in 1971.

Reichert, J, and Lochtmann, S. (1984). Aufreten von Nitrit in Was server sorgungssystemen. [Occurrence of nitrite in water distribution systems.] Gas- und Wasserfach, WasserAbwasser, 1984, 125, pp: 442–446.

Salt, D.E., Smith, R.D., & Raskin, L. (1998). Phytoremediation. *Ann Rev Plant Phys Plant Mol Biol.* 49(1), pp: 643–668.

Schneider, S. and Melzer, A. (2003). The trophic index of macrophytes (TMI)-a new tool for indicating the trophic status of running waters.*Internat. Rev. Hydrobiol.*, 88,

pp: 49–67.

Scott et al. (2002). Monitoring of aquatic macrophytes and detection of long-term changes in river systems, Environ. Monit. Assessment, 73:131–153.

Shannon, C.E. and Weaver, W. (1963). *The Mathematical Theory of Communication*, University of Illinois, Urbana, IL. p: 125.

Simpson, E.H. (1949). Measurement of Diversity, *Nature*, pp: 163–188.

Solanki, H.A., Verma, P.U., & Chandawat, D. K. (2011). Evaluating the water quality of Malav lake by means of Physico -chemical analysis . Sciences Life Sciences Leaflets, 20, pp: 944–955.

Southard, J. (2006). 12.090 Introduction to Fluid Motions, Sediment Transport, and Current-Generated Sedimentary Structures, Course Textbook. In MIT Open Courseware: Massachusetts Institute of Technology. Retrieved from <http://ocw.mit.edu/courses/earth-atmospheric-and-planetary-sciences/12-090-introduction-to-fluid-motions-sedimenttransport-and-current-generated-sedimentary-structures-fall-2006>.

Townsend, C.R., Harper, J.D. & Begon, M. (2000). Essentials of Ecology, 3<sup>rd</sup> Edn., Blackwell Science , London, UK.

Trivedy, R.K., Goel, P.K., Srotri, A.C., Ghadge, M.R. & Khatavkar,S.D. (1989). Quality of lentic water, water resources in South Western Maharashtra. India. In: Khulke, R.D. (ed) Perspective in Aquatic Biology , Papyrus Pub. House. New Delhi. pp: 215–235.

Ukpaka, C.P. (2011). Modelling the prediction of biokinetics of dissolved oxygen for wet season degradation of petroleum hydrocarbon in pond system. Int. J. Pharm. World Res. vol.2(3), pp: 1–27.

Ukpaka, C. P. (2013, September). In: The concept of chemical and biochemical oxygen demand in inhibiting crude oil degradation in fresh water pond system, Merit

Research Journal of Environmental Science and Toxicology (ISSN: 2350-2266) Vol 1(7), pp: 136–146.

Turner, R.K., Van der Bergh, J.C.J.M., Soderqvist, T., Barendregt, A., Van der Straaten, J., Maltby, E. & Van Ierland, E.C. (2000). Ecological - economic analysis of wetlands: scientific integration for management and policy *Ecol. Econ.*, 35 (1), pp: 7–23.

Verma, P.U., Chandawat, D.K. & Solanki, H.A. (2011). Seasonal variation in physic-chemical and phytoplankton analysis of Karnataka lake. *Life Sciences Leaflets* 19, pp: 842–854, pp: 41–8.

Vestergaard, O. and Sand-Jensen, K. (2000). Alkalinity and trophic state regulate aquatic plant distribution in Danish lakes. *Aquat. Bot.*, 67, pp: 85–107.

Wetzel, R. G. (1983). Limnology: Second edition. Michigan state university C.B.S. College, Publishing at Philadelphia New York Chicago> p: 00–7653.

Wetzel, R. G. (2001). Limnology: Lake and River Ecosystems (3rd ed.). San Diego, CA: Academic Press.

Whigham, D. F., Dykyjova, D. & Hejny, S. (eds), (1993). Wetlands of the World. I. Inventory, Ecology and Management. Kluwer Academic Publishers, Dordrecht: pp: 00–768.

Whipple, K. (2002). Factors Influencing Hydraulic Roughness. In Surface Processes and Landforms. Retrieved from [http://ocw.mit.edu/courses/earth-atmospheric-and-planetary-sciences/12-163-surface-processes-and-landscape-evolution-fall2004/labs/roughnes\\_handout.pdf](http://ocw.mit.edu/courses/earth-atmospheric-and-planetary-sciences/12-163-surface-processes-and-landscape-evolution-fall2004/labs/roughnes_handout.pdf)

Whitton, B.A. (1979). *Plants as indicators of river water quality*. In: *Biological indicators of water quality*. James A. & Evinson L. (eds). John Wiley and Sons, New York. pp: 5.1–5.34.

WHO (1986). Ammonia. Geneva, (Environmental Health Criteria, No. 54). World Health Organization (1979) Sodium, chlorides and conductivity in drinking water. EURO reports and studies. No. 2. Copenhagen, Denmark: WHO Regional Office for Europe.

Wilcock, P., Pitlick, J. & Cui, Y. (2009, May). Sediment Transport Primer: Estimating Bed-Material Transport in Gravel-bed Rivers. General Technical Report. Fort Collins, CO. U S Department of Agriculture, Forest Service, Rocky Mountain Research Station.

Williams, M. (ed.), (1990). Wetlands - a Threatened Landscape, Black wells, Oxford, U.K., pp: 00–419.