

## References

## References

1. Abdullah L. and Bondagji N. (2011). Histopathological patterns of testicular biopsy in male infertility: A retrospective study from a tertiary care center in the western part of Saudi Arabia. *Urology Annals*. 3:19–23.
2. Acuna A.M., Caso L., Aliphat M.M. and Vergara C.H. (2011). Edible insects as part of the traditional food system of the Popoloca town of Los Reyes Metzontla, Mexico. *Journal of ethnobiology*. 31:150–169.
3. Adeduntan S.A. (2005). Nutritional and antinutritional characteristics of some insects foraging in Akure forest reserve Ondo state, Nigeria. *Journal of Food Technology*. 3:563–567.
4. Afiukwa J. N., Okereke C. and Odo M. O. (2013). Evaluation of proximate and mineral contents of termite (*Trinervitermes germinatus*) from Abakaliki and Ndieze izzi, Ebonyi state, Nigeria. *American Journal of Food and Nutrition*. 3:98–104.
5. Agbidye F.S., Ofuya T.I. and Akindele S.O. (2009a). Some edible insect species consumed by the people of Benue State, Nigeria. *Pakistan Journal of Nutrition*. 8:946–950.
6. Agbidye F.S. and Nongo N.N. (2009b). Harvesting and processing techniques for the larvae of the Pallid Emperor moth, *Cirina forda* Westwood (Lepidoptera: Saturniidae), among the Tiv people of Benue State, Nigeria. *Journal of Research in forestry, wildlife and Environment*. 1:123–132.
7. Ajayi O.E. (2012). Biochemical Analyses and Nutritional Content of Four Castes of Subterranean Termites, *Macrotermes subhyalinus* (Rambur) (Isoptera:Termitidae): Differences in Digestibility and Anti-nutrient Contents among Castes. *International Journal of Biology*. 4:54–59.
8. Agea J. G., Biryomumaisho D., Buyinza M. and Nabanoga G.N. (2008). Commercialization of *Ruspolia nitidula* (Nsenene Grasshoppers) in Central Uganda. *African journal of food Agriculture Nutrition and Development*. 8:319–332.

9. Akanbi M.O. and Ashiru M.O. (2002). A Handbook of Forest and Wood Insects of Nigeria. *Agbo Areo Publishers*, Ibadan. 66.
10. Alamu O.T., Amao A.O., Nwokedi C.I., Oke O.A. and Lawa I.O. (2013). Diversity and nutritional status of edible insects in Nigeria: A review. *International Journal of Biodiversity and Conservation*. 5:215 – 222.
11. Allain C.C., Poon L.S., Clen C.S.G., Richmond W. and Fu P.C. (1974). Enzymatic determination of total serum cholesterol. *Clinical Chemistry*. 20:470–475.
12. Alfred J.R.B., Das A. K. and Sanyal A.K. (1998). Faunal Diversity in India. *ENVIS Centre, Zoological Survey of India*, Calcutta. 1–495.
13. Al-Mamary M., Al-Habori M., Al-Aghbari A.M. and Baker M.M. (2002). Investigation into the toxicological effects of *Catha edulis* leaves: a short - term study in animals. *Phytother. Res.* 16:127–132.
14. Anand H., Ganguly A. and Haldar P. (2008). Potential value of acridids as high protein supplement for poultry feed. *International Journal of Poultry Science*, 7:722–725.
15. Ande A.T. (2003). The lipid profile of the pallid emperor moth *Cirina forda* Westwood (Lepidoptera: Saturniidae) caterpillar. *Biokemistri* 13:37–41.
16. Anonymous (2015). Wasps. British Pest Control Association.
17. AOAC (2000). Official Methods of Analysis 17th edition, *Association of the Analytical Chemists*, Inc, Virginia, USA.1–40.
18. AOAC (2001). AOAC Official Methods 996.06 Fat (Total, Saturated and unsaturated) in Foods. Hydrolytic Extraction gas chromatographic method. Revised edition of (1996), *Association of the Analytical Chemists*, Inc, Virginia, USA. 1-40.
19. Artiss J.D. and Zak B. (1997). Measurement of cholesterol concentration. In: Rifai N. warnick GR, Dominiczak MH, eds. *Handbook of lipoprotein testing washington: AACC Press*. 99–114.
20. Ashipala J., Garoes T.M. and Flower C.A. (1996). Mopane caterpillar resource utilisation and marketing in Namibia. In Flower C., Wardell-

- Johnson G. and Jamieson A. (eds.) *Management of mopane in Southern Africa*. 72–78.
21. Ashiru M.O. (1988). The food value of the larvae of *Anaphe Venata* Butler (lepidoptera:Notodontidae). *Ecology of Food and Nutrition*. 22:313–320.
  22. Bancroft J.D., Stevens A. and Turner D.R. (2008). Theory and practice of histological techniques, 6<sup>th</sup> edition. *Churchil Livingstone (Elsevier)*, New York, London, San Francisco, Tokyo. 53 - 135.
  23. Banjo A.D., Lawal O. A. and Songonuga E. A. (2006). The nutritional value of fourteen species of edible insects in southwestern Nigeria. *African Journal of Biotechnology*. 5: 298–301.
  24. Barennes H., Phimmasane M. and Rajaonarivo C. (2015). Insect consumption to address undernutrition, a National survey on the prevalence of insect consumption among adults and vendors in Laos. *PLOS ONE*. 10:1–16.
  25. Begon M., Townsend C.R., and Harper J.L. (2006). Ecology: from individuals to ecosystems. 4<sup>th</sup> edition. *Blackwell Publishers, Oxford, UK*.
  26. Bender A.E. and Miller D.S. (1953). A new brief method of estimating net protein value. *Biochemical journal*. 53: vii .
  27. Bequaert J. (1921). Insects as food. How they have augmented the food supply of mankind in early and recent years. *Natural History Journal*. America Museum Natural History. 21:191–200.
  28. Bergmeyer H.U., Horder M. and Rej R. (1986). International Federation of Clinical Chemistry (IFCC) Scientific committee. Analytical section: approved recommendation (1985) on IFCC methods for the measurements of catalytic activities of enzymes. Part 2. IFCC methods for the measurement of catalytic for aspartate amino transferase (Laspertate: 2-oxoglutarate, amino transferase, EC 2.6.1.1). *Journal of Clinical Chemistry and clinical Biochemistry*. 24:497–510.
  29. Bharti H. and Silla S. (2011). Notes on life history of *Oecophylla smaragdina* (Fabricius) and its potential as biological control agent. *Halterea* 3:57–64.

30. Bhulaidok S., Sihamala O., Shen L. and Li D. (2010). Nutritional and fatty acid profiles of sun-dried edible black ants (*Polyrhachis vicina* Roger). *Maejo International Journal Science and Technology* . 4:101–112.
31. Biosystematics Division, ARC – PPRI, South Africa. (1996). A safrinate manual for Entomology and Arachnology. 7<sup>th</sup> editions, *Isteg Scientific Publication*, Irene. 56 – 80.
32. Bligh E.G. and Dyer W.J. (1994). A rapid method of total lipid extraction and purification. *Can J Biochem Physiol.* 42:2201–2203.
33. Blum M.S. (1994). The limits of entomophagy: a discretionary gourmand in a world of toxic insects. *The food insects Newsletters.* 7:6–11.
34. Bodenheimer F. S. (1951). Insects as Human Food, Junk W.: *The Hague*, 352.
35. Bophimai P. and Siri S. (2010). Fatty acid composition of some edible dung beetles in Thailand. *International Food Research Journal.* 17: 1025–1030.
36. Boro A. (2015). The Bodos of Assam. An Introduction. In: Siiger H. eds. *The Bodo of Assam Revisiting a Classical Study from 1950*. Nordic Institute of Asian Studies. NIAS Press. 1:1–14.
37. Bragg P. (1990). Phasmida and Coleoptera as food. *Amateur Entomologists' Bulletin*, 49: 157–158.
38. Brecher G. and Cronkite E.P. (1950). Morphology and enumeration of human blood platelets. *Journal of Applied Physiology.* 3:365.
39. Bristowe W.S. (1932). Insects and other invertebrates for human consumption in Siam. *Transactions of the Entomological Societies of London.* 80: 387- 404.
40. Bukkens S.G.F. (1997). The nutritional value of edible insects. *Ecology of Food and Nutrition.* 36:287–319.
41. Bukkens S.G.F. (2005). Insects in the Human diet: Nutritional aspects. In Paoletti M.G. editions: *Ecological implications of minilivestocks; role of rodents, frogs, snails and insects for sustainable development.* Science Publishers, New Hampshire. 545–577.

42. Burtis C.A. and Ashwood E.R. (1999a). Tietz textbook of clinical chemistry. 3rd ed. *W. B. Saunders Company*, Philadelphia. 1829.
43. Burtis C.A. and Ashwood E.R. (1999b). Tietz textbook of clinical chemistry. 3rd ed. *W. B. Saunders Company*, Philadelphia. 1838.
44. Calvert C.C., Morgan N.O., Edy H.J. (1971). Proc. International Symposium on livestock wastes. *Am. Soc. Agric. Eng.* 319-320.
45. Carpenter J.M. and Kojima J. (1997). Checklist of the species in the subfamily Vespinae (Insecta: Hymenoptera : Vespidae). *Natural history bulletin of Ibaraki University.* 1 : 51 – 92.
46. Casabona C.M.R., Epifanio L.E.S. and Cirion A.E. (2010). Global Food Security: Ethical and legal challenges, *Wageningen Academic Publishers*, The Netherlands. 532.
47. Catherine Maria Dzerefos., Ed Tadeusz Fernando Witkowski E.T.F. and Toms R. (2013). Comparative ethnoentomology of edible stinkbugs in southern Africa and sustainable management considerations. *Journal of Ethnobiology and Ethnomedicine.* 9:1–11.
48. Cerritos R. and Cano-Santana Z. (2008). Harvesting grasshoppers *Sphenarium purpurascens* in Mexico for human consumption: A comparison with insecticidal control for managing pest outbreaks. *Crop Protection .* 27:(473–480).
49. Chakravorty J., Ghosh S. and Meyer-Rochow V.B. (2011). Practices of entomophagy and entomotherapy by members of the Nyishi and Galo tribes, two ethnic groups of the state of Arunachal Pradesh (North-East India). *Journal of Ethnobiology and Ethnomedicine.* 7: 1–14.
50. Chakravorty J., Ghosh S. and Meyer-Rochow V.B. (2013). Comparative Survey of Entomophagy and Entomotherapeutic Practices in Six Tribes of Eastern Arunachal Pradesh (India). *Journal of Ethnobiology and Ethnomedicine.* 9: 1–12.
51. Chakravorty J., Ghosh S., Jung C. and Meyer-Rochow V.B. (2014). Nutritional composition of *Chondacris rosea* and *Brachytrupes orientalis*: Two common insects used as food by tribes of Arunachal Pradesh, India. *Journal of Asia-Pacific Entomology.* 17: 407–415.

52. Chakraborty J., Ghosh S., Megu K., Jung C. and Meyer-Rochow V.B. (2016). Nutritional and anti-nutritional composition of *Oecophylla smaragdina* (Hymenoptera: Formicidae) and *Odontotermes* sp. (Isoptera:Termitidae): Two preferred edible insects of Arunachal Pradesh, India. *Journal of Asia-Pacific Entomology*. 19:711–720.
53. Chavunduka D.M. (1975). Insects as a Source of Protein to the Africa. *Rhodesia Scienc News*. 9:217–220.
54. Chen P. P., Wongsiri S., Amyanya T., Rinderer T. E., Vongsamanode S., Matsuka M., Sylvester H. A. and Oldroyd B. P. (1998). Honey Bees and other edible insects used as human food in Thailand. *American Entomologist*. 24 – 29.
55. Chen X.M. and Feng Y. (1999). *The edible insects of China*. Science and technology publishing house, Beijing.
56. Chen X., Feng Y. and Chen Z. (2009). Common edible insects and their utilization in China *Entomological Research*. 39:299–303.
57. Choo J. (2008). Potential ecological implications of human entomophagy by subsistence groups of the Neotropics. *Terrestrial Arthropod Reviews*. 1: 81–93.
58. Chung A.Y.C., Chey V.K., Unchi S. and Binti M. (2002). Edible insects and entomophagy in Sabah, Malaysia. *Malayan Nature Journal*. 56:131–144.
59. Chung A.Y.C. (2010). An overview of edible insects and entomophagy in Borneo. In: Durst P.B., Johnson D.V., Leslie R.N. and Shono K. (2010) *Forest insects as food: Humans bite back*. Proceedings of a workshop on Asia – Pacific resources and their potential for development. Food and Agriculture Organization of the United Nations, Regional office for Asia and Pacific, *Rap Publications*, Bangkok, Thailand. 141 –150.
60. Clew R.H., Jackson.D., Sena L., VanderJagt D.J., Pastuszyn A. and Millson M. (1999). *Gonimbrasia belina* (Lepidoptera: Saturniidae): A nutritional food source rich in protein, fatty acids and minerals. *American Entomologists* 45:250–253

61. Costa-Neto E.M. (2002). The Use of Insects in Folk Medicine in the State of Bahia, Northeastern Brazil, With Notes on Insects Reported Elsewhere in Brazilian Folk Medicine *Human Ecology*. 30:245–263.
62. CSIRO Commonwealth Scientific and Industrial Research Organisation (2007a). Hemiptera: bugs, aphids and cicadas. *Insect and their allies*. <http://www.ento.csiro.au/education/insects/hemiptera.html>.
63. CSIRO Commonwealth Scientific and Industrial Research Organisation (2007b). Orthoptera: grasshoppers and locusts. *Insect and their allies*. <http://www.ento.csiro.au/education/insects/orthoptera.html>.
64. CSIRO Commonwealth Scientific and Industrial Research Organisation (2007c). Coleoptera: beetles and weevils. *Insect and their allies*. <http://www.ento.csiro.au/education/insects/coleoptera.html>.
65. CSIRO Commonwealth Scientific and Industrial Research Organisation (2007d). Isoptera: termites. *Insect and their allies*. <http://www.ento.csiro.au/education/insects/isoptera.html>.
66. Cui H. (1996). Resource insects and utility. *China Agriculture Press*, Beijing. 219–228.
67. Cunningham T. 1996. Saturniid subsidy: cash and proteins from edible caterpillars of Zambesian woodlands. In: Campbell B.V. (ed.), *The Miombo in Transition: Woodlands and Welfare in Africa*. *Cofor Press*, Bagor. 107–108.
68. Das S. (1945) Locust as food and manure. *Indian Farming* 6:412.
69. Davis.J.J. (1918). Common white grubs. *USDA Farmers Bulletin*. 940:28
70. De Conconi J.R.E., Moreno J.M.P. and Mayaudon C.M. 1984. Protein content of some edible insects in Mexico. *Journal of Ethnobiology*. 4: 61–72.
71. Deeg R. and Ziegenhorn J. (1983). Kinetic enzymatic method for automated determination of total Cholesterol in serum. *Clinical Chemistry*. 29:1798–1802.
72. DeFoliart G.R. (1975). Insects as a source of protein. *Bulletin of Entomological Society of America*. 21:161–163.



73. DeFoliart G.R. (1989). The human use of insects as food and as animal feed. *Bulletin of the Entomological Society of America*. 35: 22–35.
74. DeFoliart G.R. (1992). Insects as human food. *Crop Protection*. 11: 395 – 399.
75. De Foliart G.R. (2002). Oceania: Australia. In the human use of insects as a food resource: a bibliographic account in progress. 1–51.
76. DeFoliart G.R. (2005). The Human Use of Insects as a Food Resource: A Bibliographic. Account in Progress, by Gene R. DeFoliart. [www.food-insects.com](http://www.food-insects.com).
77. DeLong D.M. (1960). Man in a world of insects. *The Ohio Journal of Science*. 60:193–206.
78. Demacker P.N.M., Hijmans A.G.M., Vos-Janssen H.E., Van't Laar A. and Jansen A.P. (1980). A study of the use of polyethylene glycol in estimating cholesterol in high density lipoprotein. *Clinical Chemistry*. 26:1775–1779.
79. De Souza RJ, Andrew M, Adriana M (2015) Intake of saturated and trans unsaturated fatty acids and risk of all cause mortality, cardiovascular disease and type 2 diabetes: systematic review and meta analysis of observational studies. *The British Medical Journal* 351, 1–16.
80. Dickinson B. (1996). Unopette WBC/Platelet determination for manual methods. Rutherford, N.J.: Becton, Dickinson, and Company.
81. Dietary Reference Intakes (DRIs) (2004). Recommended Intake for Individuals, Elements. Food and Nutrition Board, Institute of Medicine, *National Academics*.
82. Doley A.K. and Kalita J. (2011). An investigation on edible insects and their role in Socio-economic development of rural communities: A case study on Edible insects of Dhemaji District of Assam (India). *Social Science Researcher* 1:1–11.
83. Dube S. and Dube C. (2010). Towards improved utilization of macimbi *Imbrasia belina* Linnaeus, 1758 as food and financial resource for people in the Gwanda district of Zimbabwe. *Zimbabwe Journal of Science and Technology*. 5:28 – 36.

84. Dube S., Dlamini N.R., Mafunga A., Mukai M. and Dhlamini Z. (2013). A survey on entomophagy prevalence in Zimbabwe. *African Journal of Food, Agriculture, Nutrition and Development*. 13: 7242–7253.
85. Dunkei F.V. (1996). Nutritional value of various insects per 100 grams. *The Food Insect Newsletter*. 9:1–8.
86. Dzeferos C.M., Witkowski E.T.F. and Toms R. (2013). Comparative ethnoentomology of edible stinkbugs in southern Africa and sustainable management considerations. *Journal of Ethnobiology and Ethnomedicine* . 9:1–11.
87. Egan B.A., Olivier P.A.S. and Addo-Bediako A. (2009). Towards integrating indigenous knowledge on culturally significant insects into local schools. *Calabash: Indigenous Studies Journal* 3: 65–79.
88. Egan B.A., Toms R., Minter L.R., Addo-Bediako A., Masoko P., Mphosis M. and Olivier P.A.S. (2014). Nutritional Significance of the edible insect, *Hemijana variegata* Rothschild (Lepidoptera: Eupterotidae), of the Blouberg region, Limpopo, South Africa. *African entomology*.22:15–23.
89. Ekpo K.E. and Onigbinde A.O. (2007). Characterisation of lipids in winged reproductives of the termite *Macrotermes bellicosus*. *Pakistan Journal of Nutrition*. 6: 247–251.
90. Ekpo K.E., Onigbinde A.O. and Asia I.O. (2009). Pharmaceutical potential of the oils of some popular insects consumed in Southern Nigeria. *Afr. J. Pharm. Pharmacol* 3:51–57.
91. Ekpo K.E. (2010). Nutrient composition, functional properties and anti-nutrient content of *Rhynchophorus Pheonicis* (F) Larva. *Annals of Biological Research*. 1:178–190.
92. Ekpo K.E. (2011). Nutritional and Biochemical evaluation of the protein quality of four popular insects consumed in Southern Nigeria. *Scholars Research Library*. 3:24–40.
93. Elemo B.O., Elemo G.N., Makinde M.A., Erukainure O.L. (2011). Chemical evaluation of African palm weevil, *Rhynchophorus phoenicis*, larvae as a food source. *Journal of Insect Science* 11: 1–6.

94. Eltayb M.T.A., Talaat D., Magid A. and Eldeen E.B. (2013). Investigation of the Nutritional constituents of the Wild Silk Moth *Epiphora Bauhiniae* (Guerin Meneville) Lepidoptera: Saturniidae in Sudan. *Journal of Forest Products & Industries*. 2:69-74.
95. Endle S. (1911). The Kacharis. 2<sup>nd</sup> edition, Bina library, Guwahati, 1:10-19.
96. Ensminger M.E. (1985). Processing effects on nutrition. In: *Food manufacturing Technology*. 3<sup>rd</sup> Editions. Bm. R.R. McElchinery. American Feed 2nd. Assoc. Inc., Arlington, U.S.A.
97. FAO/WHO (1973). World Health Organization, Energy and Protein Requirements. *WHO medical report series No. 522* FAO/WHO Geneva.
98. FAO. (1981). Essential amino acid requirements: A review. Joint FAO/WHO/UNO expert consultation on energy and protein requirements. *Agriculture and Consumer Protection*, Rome, 5 to 17 October 1981.
99. FAO/WHO/UNU (1985). Expert consultation, Energy & protein requirements. *WHO Technical Report Series No. 724*. World Health Organization, Geneva, Switzerland.  
<http://www.fao.org/docrep/MEETING/004/M2772E/M2772E00.HTM>.
100. FAO (2003). Food energy-methods of analysis and conversion factors. *Food and nutrition paper*. Food and agriculture Organization of the United States. 77:1-93.
101. FAO. (2012). Assessing the potential of insects as food and feed in assuring food security. *Executive summary of the outcomes of the workshop on 23–25 January 2012, Lebanon Room, FAO, Rome, Italy*.
102. Fernquest J. (2013). Eating insects: Sudden popularity. Website: <http://www.bangkokpost.com/learning/learning-news/352836/eating-insects-sudden-popularity>.
103. Fazoranti J.O. and Ajiboye D.O. (1993). Some edible insects of Kwara State, Nigeria. *American entomologists* 39:113–116.
104. Farah D.P., Hazilawati H., Rosly S.M., Shanmugavelu S. and Noordin M.M. (2011). Expression of circulating CD146 associated with

- endovascular dysfunction in adenine-induced chronic renal failure in rats using an EvaGreen real-time RT-PCR assay. *Pertanika J. Trop. Agric. Sci.* 34(2):381-391.
105. Fast P.G. (1970). Insects lipids. In: Progress in chemistry of fats and other lipids. 11: 181 -242.
106. Finke M.D. (2002). Complete nutrient composition of commercially raised invertebrates used as food for insectivores. *Zoo Biology.* 21:269–293.
107. Finke M.D., Verde R. and Arizona. (2012). Complete nutritional content of four species of feeder insects. *Zoo Biology.* 1–15.
108. Flegg H.M. (1972). Estimation of high density lipoproteins. *Annals of Clinical Biochemistry.* 10:79–82.
109. Friedewald W.T., Levy R.I. and Fredrickson D.S. (1972). Estimation of the Concentration of Low-Density Lipoprotein Cholesterol in Plasma, Without Use of the Preparative Ultracentrifuge. 18:499–502.
110. Gbogouri G.A., Beugre G.A.M., Brou K., Atchibri O.A. and Linder M. (2013). *Rhynchophorus Palmarum L.* larva, an edible insect in Cote d'Ivoire :Nutritional value and characterization of the lipid fraction. *International Journal of Chemical Sciences.* 11: 1692–1704.
111. Ghai C.L. (1993). Estimation of Haemoglobin In: *A Textbook of Medical Physiology*, Jaypee Brothers, India. 136-141. Ghaly A. E. (2009). The Use of Insects as Human Food in Zambia. *OnLine Journal of Biological Sciences.* 9: 93.
112. Ghaly A.E. (2009). The use of insects as food in Zambia. *Journal of Biological Sciences.* 9: 93–104.
113. Ghosh S., Haldar P., Mandal D.K. (2016). Evaluation of nutrient quality of a short horned grasshopper, *Oxya hyla hyla* Seville (Orthoptera: Acrididae) in search of new protein source. *Journal of Entomology and Zoological Studies.* 4: 193–197.
114. Gibson G.E and Blass J.P. (1999). Nutrition and Functional Neurochemistry. In: Siegel G.J., Agranoff B.W., Albers R.W., 6<sup>th</sup> editions

*Basic Neurochemistry: Molecular, Cellular and Medical Aspects.*  
Philadelphia: Lippincott-Raven.

115. Gilmour D. (1961). *Biochemistry of Insects.* Academic Press, New York and London.
116. Goljan E.F. (2014). *Rapid Review Pathology.* 4th edition, Philadelphia, Elsevier Saunders, 12.
117. Gope B., Prasad B. (1983) Preliminary observations on the nutritional value of some edible insects of Manipur. *J Adv Zool.* 4:55–6.
118. Goswami H. (1985). Population Trends in the Brahmaputra Valley. *Mittal Publications.* 206.
119. Greenfield H, and Southgate D.A.T. (1992). Food Composition Data: Production, Management and Use. *Elsevier Applied Science, UK.*
120. Grillo F., Izzo C., Mazzotti G. and Murador E. (1981). Improved Method for Determination of High-Density-Lipoprotein Cholesterol II. Enzymic Determination of Cholesterol in High-Density Lipoprotein Fractions with a Sensitive Reagent. *Clinical Chemistry.* 27: 375–379.
121. Guanahuan Y. (1998). Utility of Chinese resource insects and their industrialization. *China Agriculture Science Press.* Beijing 5–54.
122. Harris A. C. (1987). Pompilidae (Insecta: Hymenoptera). *Fauna of New Zealand.* 12:160.
123. Hanboonsong Y. (2010). Edible insects and associated food habits in Thailand. In: Durst P.B., Johnson D.V., Leslie R.N. and Shono K. (2010) *Forest insects as food: Humans bite back. Proceedings of a workshop on Asia – Pacific resources and their potential for development.* Food and Agriculture Organization of the United Nations, Regional office for Asia and Pacific, *Rap Publications,* Bangkok, Thailand. 85 –92.
124. Haziawati H, Rosly SM, Tarmizi AS, Subramanian K, Johaimi J, Nurul Syakirah MH, Mukinda J.T. and Syce J.A. (2007). Acute and chronic toxicity of the aqueous extract of *Artemisia afra* in Rodent. *J. Ethnopharm.* 111:138–144.

125. Hocking B. and Matsumura F. (1960). Bee brood as food. *Bee World*. 41:113–120.
126. Hodge J.E. and Hofreiter B.T. (1962). In: Whistler R.L. and BeMiller J.N. editions. *Methods in carbohydrate Chemistry*. Academic Press, New York.
127. Hodges J. (2005). Cheap food and feeding the world sustainably. *Livestock Production Science*. 92:1–16.
128. Holt V.M. (1885). Why not eat insects? Maund L. (1988) editions. *British Museum (Natural History) and E.W. Classey Ltd*. 99.
129. Horwitz W. (2000). Official Method of Analysis of AOAC International. 17th Edition. *AOAC International*, Maryland, USA. (Methods 9.1.09 and 50.1.14).
130. Huber J.T. (2009). Biodiversity of Hymenoptera. In: Footitt R.G. and Adler P.H. editions. *Insect Biodiversity Science and Society*, Wiley-Blackwell, Chichester, UK. 303–323.
131. Hunt J.H., Rossi A.M., Holmberg J.N., Smith S.R. and Sherman W.R. (1998). Nutrients in Social Wasp (Hymenoptera: Vespidae, Polistinae) Honey. *Annals of the Entomological Society of America*. 91: 466–72.
132. Ichikawa C. (1936). Chemical investigation on inago-1. *Journal Agricultural Chemistry*. 12:408–414.
133. Illgner P. and Nel E. (2000). The Geography of Edible Insects in Sub-Saharan Africa: A study of the Mopane Caterpillar. *The Geographical Journal*. 166: 336-351.
134. Ishimori N. (1944). Agriculture, Insects, and Silkworm. Kyoiku Kagaku Sha, Tokyo. 119.
135. Jach M.A. (2003). Fried Water Beetles Cantonese style. An expedition in southeast Asia, in the Guangdong province, in search of live insects namely water beetles, *Hydrophilus* and *Cybister*, that are being farmed and used for human consumption. *American Entomologist*. 49:34–37.
136. James C.S. (1995). Analytical chemistry of food. 1<sup>st</sup> edition, *Chapman & Hall*. 1:56-57.

137. Jana B.B. and Jana S. (2003). The potential sustainability of Aquaculture in India. *Journal of Applied Aquaculture*. 13:283– 316.
138. Jenkins M.Y. and Mitchell G.V. (1989). Nutritional assessment of twelve protein foods/ingredients. *Nutrition Research*. 9: 83-92.
139. Jonathan A.A. (2012). Proximate and anti-nutritional composition of two common edible insects: yam beetle (*Heteroligus meles*) and palm weevil (*Rhynchophorus phoenicis*). *Elixir Food Science* 49: 9782-9786.
140. Jones A.L. (1996). Anatomy of the normal liver. In: Zakin D., Boyer T.D., 3<sup>rd</sup> editions. *Hepatology: a textbook of liver disease*. WB Saunders, Philadelphia. 3–32.
141. Kamiager M. (1979). Long term feeding effects of maillard brown products to rats. *Diss. Abstr. Int* 6: 261.
142. Kato D. and Gopi G.V. (2009). Ethnozoology of *Galo* tribe with special reference to edible insects in Arunachal Pradesh, *Indian Journal of Traditional Knowledge*. 8:1–8.
143. Kelemu S., Niassy S., Torto B., Fiaboe K., Affognon H., Tonnang H., Maniania N.K. and Ekesi S. (2005). African edible insects for food and feed: inventory, diversity, commonalities and contribution to food security. *Journal of Insects as Food and Feed*. 1:103–119.
144. Kenneth R. (1973). The Human Use of Insects: Examples from the Yukpa. *Biotropica*. 5:94–101.
145. Kinyuru J.N., Konyole S.O., Roos N., Onyango C.A., Victor O. Owino V.O., Owuor B.O., Benson B. Estambale B.B., Friis H., Aagaard-Hansen J., Kenji G.M. (2013). Nutrient composition of four species of winged termites consumed in western Kenya. *Journal of Food Composition and Analysis* 30:120–124.
146. Kirk R.S. and Sawyer R. (1991). Pearson's Composition and Chemical Analysis of Foods, 9<sup>th</sup> Edition. *Longman Scientific & Technical*, Essex, England.
147. Kolthoff I.M., Sandell E.B., Meehan E.J. and Bruckenstein S. (1969). Quantitative chemical analysis, *Macmillan Company*. New York.

148. Knight A.P. and Walter R.G. (2001). Plants Affecting Blood: Bracken Fern Poisoning. In Knight A.P. and Walter R.G. Editions: *A Guide to Plant Poisoning of Animals in North America*. Burbank, CA, USA: Teton. NewMedia. 195 – 197.
149. Korikawa K. (1934). Chemical investigations on inago. General components and proteins. *Journal Zymology Japan*. 12:361–365.
150. Krishnan R., Sherin L., Muthuswami M., Balagopal R. and Jayanthi C. 2011. Seri waste as feed substitute for broiler production. *Sericologia*, 51: 369–377.
151. Kuhnlein H.V., Erasmus B. and Spigelski D. (2009). Indigenous peoples' food systems: the many dimensions of culture, diversity and environment for nutrition and health. *FAO and centre for indigenous peoples' Nutrition and environment*, Rome.
152. Kumar P.G. and Srinivasan G. (2010). Taxonomic studies of hornet wasps (Hymenoptera: Vespidae) *Vespa* Linnaeus of India. *Record Zoological Survey of India*. 110(Part-2): 57–80.
153. Ladron de Guevara O., Padilla P., Garcia L., Pino J.M. and Ramos Elorduy J. (1995). Amino acid determination in some edible Mexican insects. *Amino acids*. 9:161–173.
154. Lal S. S. (2011). Practical Zoology vertebrates. 10<sup>th</sup> edition. *Rastogi publications*. 191–193.
155. La Salle J. and Gauld I.D. (1993). Hymenoptera: their diversity, and their impact on the diversity of other organisms. In: La Sally J. and Gauld I.D. edition. *Hymenoptera and Biodiversity*. *CAB International*, Wallingford, UK. 1–26.
156. Lokeshwari R. K. and Shantibala T. (2010). A Review on the Fascinating World of Insect Resources: Reason for Thoughts. *Hindawi Publishing Corporation Psyche*. 1–11.
157. Longvah T., Mangthya K. and Ramulu P. (2011). Nutrient composition and protein quality evaluation of eri silkworm (*Samia ricinii*) prepupae and pupae. *Food Chemistry*. 128:400–403.



158. Longvah T., Manghtya K. and Qadri S.S.Y.H. (2012). Eri silkworm: a source of edible oil with a high content of  $\alpha$ -linolenic acid and of significant nutritional value. *Journal of the Science of Food and Agriculture*. 92:1988–1993.
159. Lorentz K., Rohle G. and Siekmann L. (1995). Einfuhrung der neuen standardmethoden 1944 zur Bestimmung der Katalytischen Enzymkonzentrationen bei 37°C. *Klinische Chemie Mitteilungen*. 26:190–192.
160. Losco, P. (1992). Normal Development, Growth, and Aging of the Spleen. In Mohr U., Dungworth D. L. and Capen C. C. edition: *Pathobiology of the Aging Rat*. ILSI Press, Washington, D.C. 1:75–94.
161. Luo, Z.Y. 1997. Insects as food in China. *Ecology of Food and Nutrition*, 36: 201-208.
162. Majumder J., Rajib K., Das R.K., Majumder P., Ghosh D. and Agarwala B.K. (2013). Aquatic Insect Fauna and Diversity in Urban Fresh Water Lakes of Tripura, Northeast India Middle-East. *Journal of Scientific Research*. 13:25–32.
163. Mahmood K., Ullah N., Aziz A., Hasan S.A. and Inayatullah M. (2012). To the knowledge of Vespidae (Hymenoptera) of Pakistan. *Magnolia Press, Zootaxa*. 3318:26–50.
164. Mandal S.K., Dey A. and Hazra A.K. (2007). Pictorial Handbook on Indian Short-homed Grasshopper Pests (Acridoidea: Orthoptera), Zoological Survey of India, Kolkata. 1-57.
165. Mariod AA., Abdel-Wahab S.I. and Ain N.M. (2011). Proximate amino acid, fatty acid and mineral composition of two Sudanese edible pentatomid insects. *International Journal of Tropical Insect Science*. 31:145–153.
166. Martin, S. J. (1992). Development of the embryo nest of *Vespa affinis* (Hymenoptera: Vespidae) in southern Japan. *Insectes Sociaux*. 39:45–57.

167. Mayne P.D. (1996). *Clinical Chemistry in Diagnosis and treatment*. 6th edition *International Students Edition*. Arnold London/Oxford University Press Inc. New York.
168. Maynard A.J. (1970). *Methods in food analysis*. Academic Press, New York. 176.
169. Mbata K.J. (1995). Traditional uses of Arthropods in Zambia: I. The food insects. *The Food Insects Newsletter*. 8:5–7.
170. Mbata K.J., Chidumayo E.N. and Lwatula C.M. (2002). Traditional regulation of edible caterpillar exploitation in the Kopa area of Mpika district in northern Zambia. *Journal of Insect Conservation*. 6:115–130.
171. Melo V., Garcia M., Sandoval H., Jimenez D.H. and Calvo C. (2011). Quality proteins from edible indigenous insect food of Latin America and Asia, *Emirates Journal of Food and Agriculture*. 23:283 – 289.
172. Merck Veterinary Manual. (1979). Hematology and blood values for cats. 5th eds, *Merck and Co. Rahway*, New Jersey, U.S.A. 21:1472.
173. Meyer-Rochow V.B. and Changkija S. (1997). Uses of insects as human food in Papua New Guinea, Australia, and North-East India: Cross-cultural considerations and cautious conclusions. *Ecology of Food and Nutrition*. 36:159-185.
174. Meyer Rochow V.B. 2010. Entomophagy and its impact on world cultures: the need for a multidisciplinary approach. In: Durst P.B, Johnson D.V., Leslie R.N. and Shono K. (2010) *Forest insects as food: Humans bite back. Proceedings of a workshop on Asia – Pacific resources and their potential for development*. Food and Agriculture Organization of the United Nations, Regional office for Asia and Pacific, *Rap Publications* Bangkok, Thailand. 2 3–36.
175. Meyer-Rochow V.B. (2013). Ethno-entomological observations from North Korea (officially known as the “Democratic People’s Republic of Korea”). *Journal of Ethnobiology and Ethnomedicine*. 9:1–8.
176. Michaelsen K.F., Hoppe C., Ross N., Kaestel P., Stougaard M., Lauritzen L., Molgaard C., Girma T. and Friis H. (2009). Choice of foods and

- ingredients for moderately malnourished children 6 months to 5 years of age. *Food Nutrition Bulletin*. 30:343–404.
177. Miller D.S., Payne P.R. (1961) Problems in the Prediction of Protein Values of Diets: The Use of Food Composition Tables. *Journal of Nutrition*. 74: 413-419.
178. Mishra N., Hazarika NC., Narain K. and Mahanta J. (2003). Nutritive value of non-mulberry and mulberry silkworm pupae and consumption pattern in Assam, India. *Nutrition Research* 23: 1303–131.
179. Mitchell, H.H. (1924). A method of determining the biological value of protein. *Journal of Biological chemistry*. 58:873–903.
180. Mitsuhashi J. (1992). *Edible insects of the world*. Tokyo. 35–50.
181. Mitsuhashi J. (2005). Edible insects in Japan. In M.G. Paoletti, ed. Ecological implications of minilivestock. *Science Pub*. Enfield NH. 251-262.
182. Miyake, T. (1919). Surveys on food and medicinal insects in Japan. *Agr. Exp. Sta. Special Report No.* 31:203.
183. Moss D.W. and Henderson A.R. (1999). Clinical enzymology. In: *Burtis C.A. and Ashwood E.R. eds Tietz Textbook of clinical chemistry*. 3<sup>rd</sup> eds. Philadelphia: W.B. Saunders Company. 617–721.
184. Mutalik V.K., Baragi J.G., Mekali S.B., Gouda C.V. and Vardhaman N.B. (2011). Determination of estimation of potassium ion in dry fruits by Flame Photometry and their proximate analysis, *Journal of chemical and pharmaceutical research*. 3:1097 – 1102.
185. Mungkorndin S. (1981). Forests as a Source of Food to Rural Communities in Thailand. *FAO Regular Programme No. RAPA 52*. Bangkok.
186. Mwizenge S.T. (1993). Delicious insects: seasonal delicacies in the diet of rural Zambians. *World and I*. 8:234.
187. Nandy D.R., (2001) Geodynamics of Northeastern India and the adjoining region. ACB, Calcutta, India.

188. Narzari S. and Sarmah J. (2015a). A study on the prevalence of entomophagy among the Bodos of Assam. *Journal of Entomology and Zoology studies*. 3: 315–320.
189. Narzari S. and Sharmah J. (2015b). Proximate composition of wild edible insects consumed by the Bodo tribe of Assam, India. *International Journal of Bioassays*. 4 :4050-4054.
190. Nonaka K (2010). Cultural and commercial role of edible wasps in Japan. In: Durst P.B., Johnson D.V., Leslie R.N. and Shono K. (2010) *Forest insects as food: Humans bite back. Proceedings of a workshop on Asia – Pacific resources and their potential for development*. Food and Agriculture Organization of the United Nations, Regional office for Asia and Pacific, *Rap Publications*, Bangkok, Thailand. 123–130.
191. Omotoso O.T. (2006). Nutritional quality, functional properties, and anti-nutrient compositions of the larva of *Cirina forda* (Westwood) (Lepidoptera: Saturniidae). *Journal of Zhejiang University Science B*. 7: 51–55.
192. Onore G. (1997). A brief note on edible insects in Ecuador, *Ecology of Food and Nutrition*, 36:277–285.
193. Posey D.A. (1990). Introduction to ethnobiology: its implications and applications. In: Posey D.A. and Overal W.L. editions *Ethnobiology: Implications and Applications. Proceedings of the First International Congress of Ethnobiology*, Museu Paraense Emilio Goeldi, Belem. 1: 1–8.
194. Osborne, T.B., Mendel, L.B and Ferry, E.L. (1919). A method of expressing numerically the growth-promoting value of proteins. *Journal of Biological Chemistry*. 37:223.
195. Ozimek L., Sauer W.C., Kozikowski V., Ryan J.K., Jorgensen H., Jelen P. (1985). Nutritive value of protein extracted from honey bees. *Journal of Food Science*. 50:1327–1332.
196. Paoletti M.G., Buscardo E., Vanderjagt D.J., Pastuszyn A., Pizzoferato L., Huang Y.S., Chung L.T., Glew R.H., Millson M. and Cerda H. (2003). Nutrient content of termites (*Syntermes* soldiers) consumed by Makirtare

- Amerindians of the Alto Orinoco of Venezuela. *Ecology Food Nutrition*. 42:173–187.
197. Pemberton R. W. (1988). The use of the Thai giant waterbug, *Lethocerus indicus*, as human food in California. *Pan-Pacific Entomologist*. 64: 81-82.
198. Pemberton R.W. (1994). The revival of ricefield grasshoppers as human food in South Korea. *Pan-Pacific Entomology*. 70:323-327.
199. Pemberton R.W. (1999). Insects and other arthropods used as drugs in Korean traditional medicine. *Journal of Ethnopharmacology*. 65:207–216.
200. Peng W. Z., Luo H. R. and Wang K. Q. (2003). Present status and development countermeasures on insect food industry. *Hunan Agricultural Sciences*, 3, 69-71.
201. Pickett K.M. and Carpenter J.M. (2010). Simultaneous analysis and the origin of eusociality in the Vespidae (Insecta: Hymenoptera). *Arthropod systematics and Phylogenia*. 68: 3–33.
202. Pham P.H. (2015). Biological observations on a paper wasp *Polistes (Gyrostoma) olivaceus* De Geer (Hymenoptera: Vespidae) in Vietnam. *Euroasian Entomological Journal*. 14: 532–542.
203. Puwastein P., Siong T.E., Craven G., Feliciano R.R. and Judpsrasong (2011). Asean Manual of Food Analysis, 1<sup>st</sup> ed. *Regional Centre of ASEAN network of Food Data System*. Institute of Nutrition, Mahidol University, 41– 60.
204. Rai D. K., Rai P. K., Gupta A., Watal G. and Sharma B. (2009). Cartap and Carbofuran Induced Alterations in Serum Lipid Profile of Wistar Rats. *Indian Journal of Clinical Biochemistry*. 24:198–201.
205. Raghu Kanth S.T.G. and Dash S.K. (2010) Deterministic seismic scenarios for North East India. *Journal of Seismology* (2010) 14:143–167.
206. Raksakantong P., Meeso N., Kubola J. and Siriamornpun S. (2010) Fatty acids and proximate composition of eight Thai edible terri-colous insects. *Food Research International*. 43:350–355.

207. Ramos Elorduy J.B., Pino Moreno J.M., Mayaudon C.,M., Valdez F.R., Perez M.A. and Prado E.E. (1984). Protein content of some edible insects in Mexico. *Journal of Ethnobiology*. 4:61 – 72.
208. Ramos-Elorduy J. (1987). Are insects edible? Man's attitude towards the eating of insects. Food deficiency studies and perspectives. *UNESCO Principal Regional Office for Asia and the Pacific*, Bangkok. 20:78 – 83.
209. Ramos-Elorduy J., Pino Moreno J.M., Prado E.E., Perez M.A., Otero J.L. and Ladron de Guevara O. (1997). Nutritional value of edible insects from the state of Oaxaca, Mexico. *Journal of Food Composition and Analysis*. 10:142–157.
210. Ramos-Elorduy J. (1997). Importance of edible insects in the nutrition and economy of the people living in the rural areas. *Ecology of Food and Nutrition* 36:347–366.
211. Ramos-Elorduy J. (2002). Edible insects of chiapas, Mexico. *Ecology of Food and Nutrition*. 41:271–299. Julieta Ramos-Elorduy (1997): Insects: A sustainable source of food? *Ecology of Food and Nutrition*. 36: 247–276.
212. Ramos Elordy J.B. (2005). Insects a hopeful food source. In Paoletti M.G. editions: *Ecological implications of minilivestocks; role of rodents, frogs, snails and insects for sustainable development*. Science Publishers, New Hampshire. 263 –291.
213. Ramos-Elorduy J. (2006). Threatened edible insects in Hidalgo, Mexico and some measures to preserve them. *Journal of Ethnobiology and Ethnomedicine*. 2:1–10.
214. Ramos-Elorduy J. (2008). Energy Supplied by Edible Insects from Mexico and their Nutritional and Ecological Importance, *Ecology of Food and Nutrition*. 47:280–297.
215. Ramos-Elorduy J. (2009). Anthro-entomophagy: Cultures, evolution and sustainability. *Entomological Research*. 39: 271–288.
216. Ramos-Elorduy J., Blasquez J., Pino Moreno J.M. and Martinez Camacho V.H. (2012). Could Grasshoppers be a Nutritive meal? *Food and Nutrition Sciences*. 3:164-175.

217. Ramsay S.L., Houston D.C. (2003). Amino acid composition of some woodland arthropods and its implications for breeding tits and other passerines.
218. Randler C. (2008). Teaching species identification—A Prerequisite for Learning Biodiversity and Understanding Ecology. *Eurasia Journal of Mathematics, Science & Technology Education*. 4:223–231.
219. Randrianandrasana M. and Berenbaum M.R. (2015). Edible non-crustacean arthropods in rural communities of Madagascar. *Journal of Ethnobiology* . 35: 354–383.
220. Rao U.P. (1994) Chemical Composition and Nutritional Evaluation of Spent Silk Worm Pupae. *Journal of Agriculture and Food Chemistry*. 42:2202–2203.
221. Recommendation of the Second Joint Task Force of European and other Societies on Coronary revention. Prevention of Coronary heart disease in clinical practice (1998). *European Heart Journal* 19:1434–1503.
222. Reis de Figueiredo R.E.C., Vasconcellos A., Iamara Silva Policarpo I.S and Nobrega Alves R.R. (2015). Edible and medicinal termites: a global overview. *Journal of Ethnobiology and Ethnomedicine* 11:1–7.
223. Reiser R. (1973). Saturated fat in the diet and serum cholesterol concentration. A critical examination of literature. *American Journal of Clinical Nutrition*. 26: 524.
224. Reyes-Gonzalez A., Camou-Guerrero A., Reyes-Salas O., Argueta A. and Casas A. (2014). Diversity, local knowledge and use of stingless bees (Apidae: Meliponini) in the municipality of NocupEtaro, Michoacan, Mexico. *Journal of Ethnobiology and Ethnomedicine*. 10:1–12.
225. Rifai N. Bachorik P.S. and Albers J.J. (1999). Lipids, lipoproteins and apolipoproteins. In: *Burtis C.A. and Ashwood E.R. eds. Tietz Textbook of Clinical Chemistry. 3rd ed. W.B Saunders Company, Philadelphia*. 809–861.

226. Riggi L., Veronesi M., Verspoor R. and MacFarlane C (2003). Exploring entomophagy in northern Benin. Practices, Perceptions and possibilities. 1<sup>st</sup> edition, London. *Bugs for Life*. www.bugsforlife.com
227. Riggi L.G., Veronesi M., Goergen G., MacFarlane C. and Verspoor R. L. (2016). Observations of entomophagy across Benin – practices and potentials. *Food Security*. 8:139–149.
228. Ryan J.K., Jelen P., Sauer W.C. (1983). Alkaline extraction of protein from spent honey bees. *Journal of food science*. 48:886–896.
229. Sadasivam S. And Manickam A. (1992). In: *Biochemical methods for Agricultural Sciences, Wiley Eastern Limited, New Delhi*. 20–21.
230. Samuel, R.M. (1986). Haematology In: *Notes on Clinical lab techniques*. 4th eds. *Tyter and Sons, Madras*. 23–27.
231. Sangpradub N. (1982). Edible Invertebrates in the Northeastern Part of Thailand. *M. Sc. Thesis*. Chulalongkorn University Bangkok.
232. Santos Oliveira J. F., Passos De Carvalho J., Bruno De Sousa R.F.X. and Madalena Simao M. (1976). The nutritional value of four species of insects consumed in Angola. *Ecology of Food and Nutrition*. 5: 91 – 97.
233. Sarwar G. and Peace R.W. (1986). Comparisons between true digestibility of total nitrogen and limiting amino acids in vegetable proteins. *Journal of Nutrition* 116: 1172–1184.
234. Schabel H.G. (2010). Forest insects as food: a global review. In: Durst P.B., Johnson D.V., Leslie R.N. and Shono K. (2010) *Forest insects as food: Humans bite back. Proceedings of a workshop on Asia – Pacific resources and their potential for development*. Food and Agriculture Organization of the United Nations, Regional office for Asia and Pacific, *Rap Publications*, Bangkok, Thailand. 85 –92.
235. Schaefer E.J. and McNamara J. (1997). Overview of the diagnosis and treatment of lipid disorders. In: Rifai B., Warnick G.R. and Dominiczak M.H. eds. *Hand book of lipoprotein testing*. Washington: AACC press. 25–48.



236. Schalm, O.W., Jain, N.C and Carroll, E.J. (1975). Veterinary Haematology. 3<sup>rd</sup> eds, Lea and Febiger, Philadelphia. 55–58.
237. Scole T.G., Klotzsch S.G. and McNamara J. (1997). Measurement of triglyceride concentration. In: Rifai N., Warnick G.R., Dominiczak M.H. eds. *Handbook of lipoprotein testing*. AACC Press, Washington. 115–126.
238. Scott W.S. (1957). Water relation of food spoilage microorganisms. *Advances in Food Research*. 7:83–127.
239. Shadung K.G., Mphosi M.S. and Mashela P.W. 2012. Influence of drying method and location on proximate chemical composition of African metallic wood boring beetle, *Sternocera orissa* (Coleoptera: Buprestidae) in Republic of South Africa. *African Journal of Food Science* 6: 155–158.
240. Shantibala T., Lokeshwari R. K. and Debaraj H. (2014). Nutritional and antinutritional composition of the five species of aquatic edible insects consumed in Manipur, India. *Journal of Insect Science*. 14:1–10.
241. Shi Z., Li H., Li Z., Hu J., Zhang H. (2013). Pre-column Derivatization RP-HPLC Determination of Amino Acids in Asparagi Radix before and after Heating Process. *IERI Procedia* 5, 351 – 356.
242. Shen L., Li D., Feng F. and Ren Y. (2006). Nutritional composition of *Polyrhachis vicina* Roger (Edible Chinese black ant) Songklanakarin Journal of Science and Technology. 28: 107 – 114.
243. Shu-wen Z. (1982). A history of Chinese entomology. *Science Press*. Beijing 180–186.
244. Siemianowska E., Kosewska., Aljewicz M., Skibniewska K.A., Polak-Juszczak L, Jarocki A. and Jędras M. (2013). Larvae of mealworm (*Tenebrio molitor* L.) as European novel food. *Agricultural Sciences*. 4:287–291.
245. Sikorska H., Cianciara J., Wiercinska-Drapalo A. (2010). Physiological functions of L-ornithine and L-aspartate in the body and the efficacy of administration of L-ornithine-L-aspartate in conditions of relative deficiency. *Pol Merkur Lekarski*. 168: 490–495.

246. Silow C.A. (1976). Edible and other insects of mid-western Zambia. *Studies in ethno-entomology II. Occasional Papers of the Institutionen for och Janforonde Etnografiva Universitet* 5:1–223.
247. Singh O.L. (2014). Medicinal insects of Manipur. *International Journal of Research in Science and Technology*. 1: 1–5.
248. Sirichakwal P.P., Kongkachuichai R. and Puwastien P. (1988). Acid digestion versus dry ashing for mineral analysis of foods. *Journal of Nutrition Association*. Thailand. 22:279 – 96.
249. Srilakshmi B. 2012. Nutrition Science. 4<sup>th</sup> edition. *New Age International Publications*, New Delhi.
250. Sun H.C., Shi H. F. and Cao H. (1996). Exploitation and utilization of insect resources-study on edible insects. *Chinese Culinary Research*, 4, 31-36.
251. Sungpuag, P and Puwastein, P. 1983. Nutritive values of unconventional protein source:insects. *Journal of the Nutrition Association of Thailand*, 17: 5-12.
252. Suttie A.W. (2006). Histopathology of the spleen. *Toxicology Pathology*. 34:466–503.
253. Szasz G. (1976). Reaction rate method for gamma glutamyl transferase activity in serum. *Clinical Chemistry*. 22: 2051-2055.
254. Tchibozo S., Van Huis A., Paoletti M.G. (2004). Notes on edible insects of South Benin: a source of protein. In: Paoletti M. G. eds. *Ecological Implications of Minilivestock (Role of Rodents, Frogs, Snails, and Insects for Sustainable Development)* Dipartimento di Biologia, Università di Padova, Padova, Italy. *Science Publishers*. 245–251.
255. Tan R. (2003). Weaver ants (*Oecophylla smaragdina*) with larvae" Wild Singapore. URL: <http://www.flickr.com/photos/wildsingapore/5513205554/in/set-72157604037043447>
256. Teffo LS, Toms RB, Eloff JN (2007). Preliminary data on the nutritional composition of the edible stink-bug, *Encosternum delegorguei* Spinola,

- consumed in Limpopo province, South Africa. *South African Journal of Science*. 103: 434–436.
257. Tembo M. (2013). Delicious Insects of Zambia. [www.hungerforculture.com](http://www.hungerforculture.com).
258. Temme E.H., Mensink R.P., Hornstra G. (1996) Comparison of the effects of diets enriched in lauric, palmitic, or oleic acids on serum lipids and lipoproteins in healthy women and men. *American Journal of Clinical Nutrition* 63: 897 – 903.
259. Thayumanavan B and Sadasivam S (1984). Qual. Plant Foods. *Hum.Nutr.* 34:253.
260. Thirumalai G. (2007). A Synoptic List of Nepomorpha (Hemiptera: Heteroptera) from India. *Records of the Zoological Survey of India, Occasional Paper No. 273*: 1–84.
261. Thimmaiah S.K. (2006). Standard methods of biochemical analysis. *Kalyani Publishers*, New Delhi.
262. Thomas L. (1998a) Alanine aminotransferase (ALT), Aspartate amino transferase (AST). In: *Thomas L. eds, Clinical Laboratory Diagnostics*. 1<sup>st</sup> eds Frankfurt: TH- Books Verlagsgesellschaft. 55–65.
263. Thomas L. (1998b) Clinical Laboratory Diagnostics. 1st ed. *Frankfurt: TH-Books Verlagsgesellschaft*. 36–46.
264. Thomas L. (1998c). Clinical Laboratory Diagnostics. 1<sup>st</sup> eds Frankfurt: *TH- Books Verlagsgesellschaft*. 37–47.
265. Tietz N.W., Rinker D. and Shaw L.M. (1983). IFCC method for alkaline phosphatase. *Journal of Clinical Chemistry and Clinical Biochemistry*. 21:73 – 48.
266. Tietz, N.W. (1986). Textbook of Clinical Chemistry. *W.B. Saunders Co.*, Philadelphia. 678-686.
267. Tom M., Talaat A. E., Magid D. A. and Eldeen E. B. (2013). Investigation of the nutritional constituents of the wild silk moth *Epiphora Bauhiniae* (*Guerin Meneville*) Lepidoptera: Saturniidae in Sudan. *Journal of Forest Products and Industries*. 2:69–74.

268. Trey C., Davidson C.S. (1970). The management of fulminant hepatic failure, *Prog. Liver Dis.* 282–298.
269. Trinder P. (1969). Determination of glucose in blood using glucose oxidase with an alternative oxygen receptor, *Annals of Clinical Biochemistry.* 6:24–27.
270. US Department of Agriculture, Agriculture Research Service, Nutrient Data Laboratory (2015). USDA National Nutrient Database for standard Reference, Release 28 Version Current : September 2015. Website address – <http://www.ars.usda.gov/nea/bhnrc/ndl>
271. Vander Vecht J. (1966). The East-Asiatic and Indo-Australian species of *Polybioides buysson* and *Parapolybia Saussure* (hym., Vespidae). *Zoologische Verhandelingen* . 82: 3–42.
272. Van Huis A. (2003). Insects as food in sub-Saharan Africa. *Insect Science and its Application.* 23:163–185.
273. Van Huis A. (2010). Bugs can solve food crisis: A tropical entomologist argues that edible insects offer a sustainable alternative for conventional meat. *The Scientist – Magazine of the Life Sciences*, 29 September 2010.
274. Van Huis A., Van Itterbeeck J., Klunder H., Mertens E., Halloran A., Muir G. and Vantomme P. (2013). Edible insects: future prospects for food and feed security, *FAO Forestry Paper 171, Food and Agricultural organization of the United Nations.* Rome.
275. Vantomme P. (2010). Edible forest insect, an overlooked protein supply, *Unasylva* 236. 61:19–21.
276. Walker S.P., Wachs T.D. and Gardner J.M. (2007). Child development: risk factors for adverse outcomes in developing countries. *Lancet.* 369:145–57.
277. Wara-asawapiti W., Wisuthipat J. and Maneethom C. (1975). Edible insects in Northeast Thailand. *Research Report No.7.* Srinakarintharawiroj University, Mahasarakham Campus. (In Thai.)

278. Watanabe H. and Satrawaha R.. (1984). A list of edible insects sold at the public market in Khon Kaen, northeast Thailand. *Journal of Southeast Asian Studies*, 22: 316-325.
279. Williams P. (2007). Nutritional Composition of Red Meat. *Nutrition and Dietetics*. 64:113–119.
280. Wilsanand V., Varghese P. and Rajitha P. (2007). Therapeutics of insects and insect products in South Indian traditional medicine. *Indian Journal of Traditional Knowledge*. 6:563–568.
281. Womeni H.M., Linder M., Tiencheu B., Mbiapo F.T., Villeneuve P., Fanni J. and Parmentier M. (2009). Oils of insects and larvae consumed in Africa: potential sources of polyunsaturated fatty acids. *Journal of Oleo Science*. 16:230–235.
282. Xiaoming C and Ying F. 1999. The edible insects of China. *China Science and Technology Publishing House*. Beijing. 180.
283. Xiaoming C., Ying F., Hong Z., Zhiyong C. (2010). Review of the nutritive value of edible insects. In: Durst P.B., Johnson D.V., Leslie R.N. and Shono K. edition: *Forest insects as food: Humans bite back. Proceedings of a workshop on Asia – Pacific resources and their potential for development*. Food and Agriculture Organization of the United Nations, Regional office for Asia and Pacific, *Rap Publications*, Bangkok, Thailand. 85–92.
284. Xing X.C. (1991). The promising insect food. *Territory & Natural Resources Study*, 2, 54.
285. Yang L.F., Siriamornpun S. And Li D. (2006). Polyunsaturated fatty acid content of edible insects in Thailand. *Journal of Food Lipids*. 13:277–285.
286. Yang Q., Liu S., Sun J., Yu L., Zhang C., Bi J and Yang Z. (2014). Nutritional Composition and Protein Quality of the Edible Beetle *Holotrichia parallela*. *Journal of Insect Science*. 14:1–4.
287. Yen A.L. (2009). Edible insects: Traditional knowledge or western phobia? *Entomological Research*. 39:289–298.

288. Yhoun-Aree J., Puwastien P. and Attig G. A. (1995). Edible insects in Thailand: An unconventional protein source. *Ecology of Food and Nutrition*. 36:133–149.
289. Yeo H., Youn k., kim M., Yun E.Y., Hwang J.S., Jeong W.S. and Meera J. (2013). Fatty acid composition and volatile constituents of *Protaetia brevitarsis* larvae. *Preventive Nutrition and Food Science*. 18:150–156.
290. Yi C., He Q., Wang L. and Kuang R. (2010). The Utilization of Insect-resources in Chinese Rural Area. *Journal of Agricultural Science*. 2:146–154.
291. Yhoun-Aree J. and Viwatpanich K. (2005). Edible insects in the Laos PDR, Myanmar, Thailand, and Vietnam. In: Paoletti M.G. edition *Ecological Implications of Minilivestock*. Science Publishers Inc., Enfield. 415–440.
292. Zamudio F. and Hilgert N.I. (2012). Descriptive attributes used in the characterization of stingless bees (Apidae: Meliponini) in rural populations of the Atlantic forest (Misiones-Argentina). *Journal of Ethnobiology and Ethnomedicine*. 8:1–10.
293. Zimian D., Yonghua Z. and Xiwu G. (1997). Medicinal insects in China. *Ecology of Food and Nutrition*. 36:209 – 220.